


# Cucumber Report

Mar 10, 2025, 12:41:15 AM

| Start : Mar 10, 12:40:56.674 AM | End : Mar 10, 12:41:12.075 AM | Duration : 15.401 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 3<br>SKIPPED - 0 | PASSED - 12<br>FAILED - 3<br>SKIPPED - 18 |














| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| product_catalog_Test_cases | 15.401 s | 3 | 0 | 3 | 0 | 33 | 12 | 3 | 18 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | product_catalog_Test_cases | 06_Validate Access Browse through product catalog |
| 2 | | 06_Validate Access Browse through product catalog |
| 3 | | 06_Validate Access Browse through product catalog |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Tc_06 | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Validate_Browse_through_product_catalog | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @product_catalog | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | product_catalog_Test_cases | 3 | 0 | 3 | 0 | 15.401 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | product_catalog_Test_cases | 06_Validate Access Browse through product catalog | 11 | 4 | 1 | 6 | 8.531 s |
| 2 | | 06_Validate Access Browse through product catalog | 11 | 4 | 1 | 6 | 3.503 s |
| 3 | | 06_Validate Access Browse through product catalog | 11 | 4 | 1 | 6 | 3.231 s |




# product_catalog_Test_cases


| FAILED | DURATION - 15.401 s | Scenarios<br>Total - 3<br>Pass - 0<br>Fail - 3<br>Skip - 0 |  | Steps<br>Total - 33<br>Pass - 12<br>Fail - 3<br>Skip - 18 |  |
|---|---|---|---|---|---|
| / 12:40:56.674 AM // 12:41:12.075 AM / | | | | | |

## 06_Validate Access Browse through product catalog

| FAILED | DURATION - 8.531 s |  | Steps<br>Total - 11<br>Pass - 4<br>Fail - 1<br>Skip - 6 |  |
|---|---|---|---|---|
| / 12:40:56.689 AM // 12:41:05.220 AM / | | | | |
| product_catalog_Test_cases | | | | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.131 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.447 s |
| | image | | |
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.014 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.328 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.279 s |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.229 s |
| 5 | And Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. " | FAILED | 0.148 s |
| | java.lang.AssertionError: Verify Product details displays successfully expected [Laptops & Notebooks] but found [Register Account]<br>at org.testng.Assert.fail(Assert.java:111)<br>at org.testng.Assert.failNotEquals(Assert.java:1578)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:150)<br>at org.testng.Assert.assertEquals(Assert.java:132)<br>at org.testng.Assert.assertEquals(Assert.java:656)<br>at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:120)<br>at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100)<br>at ?.Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. "(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.260 s |
| 6 | And The catalog is organized with appropriate categories | SKIPPED | 0.007 s |
| 7 | And The user verifies that filters are available and functional | SKIPPED | 0.005 s |
| 8 | And Clicking on a category displays only the relevant products | SKIPPED | 0.004 s |
| 9 | And Applying a filter displays only the products matching the selected criteria | SKIPPED | 0.005 s |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.004 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.005 s |

## 06_Validate Access Browse through product catalog





| FAILED | DURATION - 3.503 s |
|---|---|
| / 12:41:05.302 AM // 12:41:08.805 AM / | |
| product_catalog_Test_cases | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | |





Steps
Total - 11
Pass - 4
Fail - 1
Skip - 6





| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.155 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image | PASSED | 0.321 s |





| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.020 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.272 s |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.335 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.324 s |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.004 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.284 s |
| 5 | And Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor" | FAILED | 0.222 s |
| | java.lang.AssertionError: Verify Product details displays successfully expected [Laptops & Notebooks] but found [Register Account]<br>at org.testng.Assert.fail(Assert.java:111)<br>at org.testng.Assert.failNotEquals(Assert.java:1578) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.Assert.assertEqualsImpl(Assert.java:150)<br>at org.testng.Assert.assertEquals(Assert.java:132)<br>at org.testng.Assert.assertEquals(Assert.java:656)<br>at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:120)<br>at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100)<br>at ?.Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor"(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.270 s |
| 6 | And The catalog is organized with appropriate categories | SKIPPED | 0.002 s |
| 7 | And The user verifies that filters are available and functional | SKIPPED | 0.002 s |
| 8 | And Clicking on a category displays only the relevant products | SKIPPED | 0.011 s |
| 9 | And Applying a filter displays only the products matching the selected criteria | SKIPPED | 0.004 s |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.004 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.002 s |

## 06_Validate Access Browse through product catalog

| | | | |
|---|---|---|---|
| *FAILED* | *DURATION - 3.231 s* |  | Steps<br>Total - 11<br>Pass - 4<br>Fail - 1<br>Skip - 6 |
| */ 12:41:08.844 AM // 12:41:12.075 AM /* | | |  |
| *product_catalog_Test_cases* | | | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.125 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.259 s |
| | image | | |
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.027 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.268 s |
| | image | | |
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.314 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.286 s |
| | image | | |
| |  | | |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.003 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.318 s |
| | image | | |
| |  | | |
| 5 | And Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket." | FAILED | 0.191 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | java.lang.AssertionError: Verify Product details displays successfully expected [Laptops & Notebooks] but found [Register Account]<br>at org.testng.Assert.fail(Assert.java:111)<br>at org.testng.Assert.failNotEquals(Assert.java:1578)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:150)<br>at org.testng.Assert.assertEquals(Assert.java:132)<br>at org.testng.Assert.assertEquals(Assert.java:656)<br>at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:120)<br>at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100)<br>at ?.Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket."(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.256 s |
| 6 | And The catalog is organized with appropriate categories | SKIPPED | 0.003 s |
| 7 | And The user verifies that filters are available and functional | SKIPPED | 0.003 s |
| 8 | And Clicking on a category displays only the relevant products | SKIPPED | 0.002 s |
| 9 | And Applying a filter displays only the products matching the selected criteria | SKIPPED | 0.003 s |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.002 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.002 s |