

Cucumber Report


Mar 10, 2025, 8:52:13 AM

Start : Mar 10, 8:50:40.137 AM	End : Mar 10, 8:52:08.336 AM	Duration : 1 m 28.199 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 18 FAILED - 3 SKIPPED - 12















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
product_catalog_Test_cases	1 m 28.199 s	3	0	3	0	33	18	3	12

#	Feature Name	Scenario Name
1	product_catalog_Test_cases	06_Validate Access Browse through product catalog
2		06_Validate Access Browse through product catalog
3		06_Validate Access Browse through product catalog

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Tc_06	3	0	3	0	1	0	1	0
@Validate_Browse_through_product_catalog	3	0	3	0	1	0	1	0
@product_catalog	3	0	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	product_catalog_Test_cases	3	0	3	0	1 m 28.199 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	product_catalog_Test_cases	06_Validate Access Browse through product catalog	11	6	1	4	34.806 s
2		06_Validate Access Browse through product catalog	11	6	1	4	26.964 s
3		06_Validate Access Browse through product catalog	11	6	1	4	26.225 s





product_catalog_Test_cases


FAILED	DURATION - 1 m 28.199 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 33 Pass - 18 Fail - 3 Skip - 12	
/ 8:50:40.137 AM // 8:52:08.336 AM /					


06_Validate Access Browse through product catalog

FAILED	DURATION - 34.806 s		Steps Total - 11 Pass - 6 Fail - 1 Skip - 4	
/ 8:50:40.159 AM // 8:51:14.965 AM /				
product_catalog_Test_cases				
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.183 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.937 s
	image		
			
2	When The user is on the homepage	PASSED	0.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	image		


#	Step / Hook Details	Status	Duration
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.398 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	image		
			
4	And The product catalog displays all available products on the website	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	image		
			
5	And Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. "	PASSED	0.221 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	image		
			
6	And The catalog is organized with appropriate categories	PASSED	1.802 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.713 s
	image		

#	Step / Hook Details	Status	Duration
			
7	And The user verifies that filters are available and functional org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div[3]/div[3]/div/select"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ecea0399ccb53b23568768eb9faf129, findElement {using=xpath, value=/html/body/div[2]/div/div/div[3]/div[3]/div/select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54256}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54256/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ecea0399ccb53b23568768eb9faf129 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.filters_are_available_and_functional(Homepage_Quafox.java:150) at com.pdl.step_definitions.B_ProductCatalog_Steps.the_user_verifies_that_filters_are_available_and_functional(B_ProductCatalog_Steps.java:111)	FAILED	20.160 s

#	Step / Hook Details	Status	Duration
	at ?.The user verifies that filters are available and functional(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.495 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.010 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.005 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.004 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.004 s


06_Validate Access Browse through product catalog





FAILED	DURATION - 26.964 s
/ 8:51:15.053 AM // 8:51:42.017 AM /	
product_catalog_Test_cases	
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog	





Steps
Total - 11
Pass - 6
Fail - 1
Skip - 4




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.159 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.522 s

#	Step / Hook Details	Status	Duration
2	When The user is on the homepage	PASSED	0.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	image		
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.503 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.465 s
	image		
			
4	And The product catalog displays all available products on the website	PASSED	0.004 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	image		
			
5	And Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor"	PASSED	0.335 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	image		
			
6	And The catalog is organized with appropriate categories	PASSED	0.765 s





#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.569 s
7	And The user verifies that filters are available and functional org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div[3]/div[3]/div/select"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ecea0399ccb53b23568768eb9faf129, findElement {using=xpath, value=/html/body/div[2]/div/div/div[3]/div[3]/div/select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54256}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54256/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ecea0399ccb53b23568768eb9faf129 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.filters_are_available_and_functional(Homepage_Quafox.java:150)	FAILED	20.061 s



#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.B_ProductCatalog_Steps.the_user_verifies_that_filters_are_available_and_functional(B_ProductCatalog_Steps.java:111) at ?.The user verifies that filters are available and functional(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.511 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.003 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.002 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.006 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.003 s


06_Validate Access Browse through product catalog

FAILED	*DURATION - 26.225 s*		Steps Total - 11 Pass - 6 Fail - 1 Skip - 4
/ 8:51:42.111 AM // 8:52:08.336 AM /			
product_catalog_Test_cases			
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog			

#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.179 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.323 s

#	Step / Hook Details	Status	Duration
			
2	When The user is on the homepage	PASSED	0.029 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.396 s
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.398 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.421 s
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.256 s
5	And Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket."	PASSED	0.146 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.240 s

#	Step / Hook Details	Status	Duration
			
6	And The catalog is organized with appropriate categories	PASSED	0.818 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.401 s
7	And The user verifies that filters are available and functional	FAILED	20.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div[3]/div[3]/div/select"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ecea0399ccb53b23568768eb9faf129, findElement {using=xpath, value=/html/body/div[2]/div/div/div[3]/div[3]/div/select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54256}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54256/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ecea0399ccb53b23568768eb9faf129 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.filters_are_available_and_functional(Homepage_Quafox.java:150) at com.pdl.step_definitions.B_ProductCatalog_Steps.the_user_verifies_that_filters_are_available_and_functional(B_ProductCatalog_Steps.java:111) at ?.The user verifies that filters are available and functional(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.410 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.004 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.008 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.003 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.002 s