
# Cucumber Report


Mar 10, 2025, 9:10:50 AM

| Start : Mar 10, 9:09:34.566 AM | End : Mar 10, 9:10:45.001 AM | Duration : 1 m 10.435 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 33<br>FAILED - 0<br>SKIPPED - 0 |





















| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| product_catalog_Test_cases | 1 m 10.435 s | 3 | 3 | 0 | 0 | 33 | 33 | 0 | 0 |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Tc_06 | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Validate_Browse_through_product_catalog | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @product_catalog | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | product_catalog_Test_cases | 3 | 3 | 0 | 0 | 1 m 10.435 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | product_catalog_Test_cases | 06_Validate Access Browse through product catalog | 11 | 11 | 0 | 0 | 40.317 s |
| 2 | | 06_Validate Access Browse through product catalog | 11 | 11 | 0 | 0 | 15.310 s |
| 3 | | 06_Validate Access Browse through product catalog | 11 | 11 | 0 | 0 | 14.563 s |

# product_catalog_Test_cases


| PASSED | DURATION - 1 m 10.435 s | Scenarios | Steps |
|---|---|---|---|
| / 9:09:34.566 AM // 9:10:45.001 AM / | | Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 | Total - 33<br>Pass - 33<br>Fail - 0<br>Skip - 0 |





## 06_Validate Access Browse through product catalog





| PASSED | DURATION - 40.317 s | Steps |
|---|---|---|
| / 9:09:34.598 AM // 9:10:14.915 AM / | | Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |
| product_catalog_Test_cases | | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | | |













| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.256 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.416 s |
| | image | | |
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.043 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| | image | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.555 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.360 s |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.009 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.335 s |
| 5 | And Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. " | PASSED | 0.279 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.320 s |
| 6 | And The catalog is organized with appropriate categories | PASSED | 2.938 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image | PASSED | 0.739 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And The user verifies that filters are available and functional | PASSED | 1.998 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.583 s |
| | image | | |
| |  | | |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 3.164 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.543 s |
| | image | | |
| |  | | |
| 9 | And Applying a filter displays only the products matching the selected criteria | PASSED | 4.183 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.550 s |
| | image | | |
| |  | | |
| 10 | And The user navigates back and forth between categories, filters, and search results | PASSED | 3.046 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.597 s |
| | image | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | Then The navigation should be smooth without errors or glitches | PASSED | 7.683 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.579 s |
| | image | | |
| |  | | |


## 06_Validate Access Browse through product catalog





| PASSED | DURATION - 15.310 s |
|---|---|
| / 9:10:15.022 AM // 9:10:30.332 AM / | |
| product_catalog_Test_cases | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | |










Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0






| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.168 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.313 s |
| | image | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | When The user is on the homepage | PASSED | 0.036 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.371 s |
| | image | | |
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.408 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.321 s |
| | image | | |
| |  | | |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.005 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | image | | |
| |  | | |
| 5 | And Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor" | PASSED | 0.200 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.329 s |
| | image | | |
| |  | | |
| 6 | And The catalog is organized with appropriate categories | PASSED | 1.240 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.462 s |
| | image | | |
| |  | | |
| 7 | And The user verifies that filters are available and functional | PASSED | 0.798 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.563 s |
| | image | | |
| |  | | |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 0.826 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.506 s |
| | image | | |
| |  | | |
| 9 | And Applying a filter displays only the products matching the selected criteria | PASSED | 1.186 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.479 s |
| | image | | |
| |  | | |
| 10 | And The user navigates back and forth between categories, filters, and search results | PASSED | 2.420 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.522 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | image | | |
| |  | | |
| 11 | Then The navigation should be smooth without errors or glitches | PASSED | 1.117 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.491 s |
| | image | | |
| |  | | |





## 06_Validate Access Browse through product catalog





| | | | |
|---|---|---|---|
| *PASSED* | *DURATION - 14.563 s* |  | Steps<br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |
| */ 9:10:30.438 AM // 9:10:45.001 AM /* | | |  |
| *product_catalog_Test_cases* | | | |
| @Tc_06 @Validate_Browse_through_product_catalog @product_catalog | | | |








| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.177 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.277 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.021 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.302 s |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.384 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.425 s |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.004 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.390 s |
| 5 | And Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket." | PASSED | 0.220 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image | PASSED | 0.311 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 6 | And The catalog is organized with appropriate categories | PASSED | 0.934 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.421 s |
| | image | | |
| |  | | |
| 7 | And The user verifies that filters are available and functional | PASSED | 1.088 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.576 s |
| | image | | |
| |  | | |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 0.821 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.564 s |
| | image | | |
| |  | | |
| 9 | And Applying a filter displays only the products matching the selected criteria | PASSED | 1.147 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.481 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 10 | And The user navigates back and forth between categories, filters, and search results | PASSED | 2.326 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.500 s |
| 11 | Then The navigation should be smooth without errors or glitches | PASSED | 1.033 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.535 s |