
Cucumber Report


Mar 10, 2025, 9:41:58 AM

Start : Mar 10, 9:41:32.679 AM	End : Mar 10, 9:41:56.955 AM	Duration : 24.276 s


Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 23 FAILED - 6 SKIPPED - 103















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Registration_Mandatory_Field_Test_cases	24.276 s	6	0	6	0	132	23	6	103

#	Feature Name	Scenario Name
1	Registration_Mandatory_Field_Test_cases	03_Validate User registers for an account
2		03_Validate User registers for an account
3		03_Validate User registers for an account
4		03_Validate User registers for an account
5		03_Validate User registers for an account
6		03_Validate User registers for an account

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account	6	0	6	0	1	0	1	0
@Registration	6	0	6	0	1	0	1	0
@Tc_03	6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Registration_Mandatory_Field_Test_cases	6	0	6	0	24.276 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registration_Mandatory_Field_Test_cases	03_Validate User registers for an account	22	4	1	17	7.636 s
2		03_Validate User registers for an account	22	4	1	17	3.198 s
3		03_Validate User registers for an account	22	4	1	17	3.320 s
4		03_Validate User registers for an account	22	4	1	17	3.238 s
5		03_Validate User registers for an account	22	3	1	18	3.632 s
6		03_Validate User registers for an account	22	4	1	17	3.107 s




Registration_Mandatory_Field_Test_cases


FAILED	DURATION - 24.276 s	Scenarios		Steps	
/ 9:41:32.679 AM // 9:41:56.955 AM /		Total - 6 Pass - 0 Fail - 6 Skip - 0		Total - 132 Pass - 23 Fail - 6 Skip - 103	

03_Validate User registers for an account

FAILED	DURATION - 7.636 s		Steps	
/ 9:41:32.694 AM // 9:41:40.330 AM /			Total - 22 Pass - 4 Fail - 1 Skip - 17	
Registration_Mandatory_Field_Test_cases				
@Validate_User_registers_for_an_account @Registration @Tc_03				


#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.068 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	image		
			
2	Then I enter an "teamaqa35@gmail.com" address and verify proper email format validation	PASSED	0.119 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	image		

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.082 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.211 s
4	And The "teamA1234@" and "teamA1234@" fields match	PASSED	0.336 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.195 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.107 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.185 s
6	Then The system rejects the invalid inputs	SKIPPED	0.003 s
7	When I insert a duplicate email address	SKIPPED	0.000 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.000 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.000 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user’s name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s




03_Validate User registers for an account



FAILED	DURATION - 3.198 s
/ 9:41:40.354 AM // 9:41:43.552 AM /	
Registration_Mandatory_Field_Test_cases	
@Validate_User_registers_for_an_account @Registration @Tc_03	



Steps
Total - 22
Pass - 4
Fail - 1
Skip - 17




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.044 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	image		
			
2	Then I enter an "user2@test.com" address and verify proper email format validation	PASSED	0.172 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	image		
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.159 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	image		
			

#	Step / Hook Details	Status	Duration
4	And The "WeakPass" and "WeakPass" fields match	PASSED	0.457 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image 		
5	When I insert invalid data inputs	FAILED	0.217 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	image 		
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.002 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	When I enter the correct "123456"	SKIPPED	0.002 s
11	Then "<Registration status>" is successful	SKIPPED	0.002 s


#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s


03_Validate User registers for an account




FAILED	DURATION - 3.320 s
/ 9:41:43.578 AM // 9:41:46.898 AM /	
Registration_Mandatory_Field_Test_cases	
@Validate_User_registers_for_an_account @Registration @Tc_03	




Steps
Total - 22
Pass - 4
Fail - 1
Skip - 17




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.083 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	image		
			
2	Then I enter an "user3@test.com" address and verify proper email format validation	PASSED	0.093 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	image		

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.199 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.249 s
4	And The "Strong@123" and "WrongPass" fields match	PASSED	0.505 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.211 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.159 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	image		
			
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.003 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.003 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	When I enter the correct "123456"	SKIPPED	0.002 s
11	Then "<Registration status>" is successful	SKIPPED	0.003 s
12	When I enter an incorrect OTP	SKIPPED	0.002 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user’s name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.002 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s




03_Validate User registers for an account



FAILED	DURATION - 3.238 s
/ 9:41:46.933 AM // 9:41:50.171 AM /	
Registration_Mandatory_Field_Test_cases	
@Validate_User_registers_for_an_account @Registration @Tc_03	



Steps
Total - 22
Pass - 4
Fail - 1
Skip - 17




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.042 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	image 		
2	Then I enter an "existing@test.com" address and verify proper email format validation	PASSED	0.130 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	image 		
3	And I enter a valid password that adheres to policy requirements	PASSED	0.172 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	image 		

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match	PASSED	0.564 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.231 s
5	When I insert invalid data inputs	FAILED	0.171 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.207 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.002 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.000 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s


03_Validate User registers for an account



FAILED	DURATION - 3.632 s
/ 9:41:50.199 AM // 9:41:53.831 AM /	
Registration_Mandatory_Field_Test_cases	
@Validate_User_registers_for_an_account @Registration @Tc_03	



Steps
Total - 22
Pass - 3
Fail - 1
Skip - 18




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.081 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	image		
			
2	Then I enter an "user5@test.com" address and verify proper email format validation	PASSED	0.122 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	image		

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.164 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.215 s
4	And The "Strong@123" and "Strong@123" fields match	FAILED	1.351 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="password" name="confirm" value="" placeholder="Password Confirm" id="input-confirm" class="form-control"> is not clickable at point (670, 648). Other element would receive the click: <body>...</body> (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2b3185ab2e431dbebe14bfef5c827d6c, clickElement {id=f.994331D044CE6E377A2C11D427899F8D.d.62727EE10953B4E1509C74E4E69C8623.e.155}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56771}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56771/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2b3185ab2e431dbebe14bfef5c827d6c)] -> xpath: //*[@id="input-confirm"]] Session ID: 2b3185ab2e431dbebe14bfef5c827d6c


at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor74.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.password_and_confirm_password_matches(Registration_Quafox.java:214) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.the_and_fields_match(AA_Registration_02_Step_Definition.java:33) at ?.The "Strong@123" and "Strong@123" fields match(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.214 s
5	When I insert invalid data inputs	SKIPPED	0.001 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.000 s
10	When I enter the correct "000000"	SKIPPED	0.000 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.000 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user’s name	SKIPPED	0.002 s


#	Step / Hook Details	Status	Duration
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s



03_Validate User registers for an account




FAILED	*DURATION - 3.107 s*
/ 9:41:53.848 AM // 9:41:56.955 AM /	
Registration_Mandatory_Field_Test_cases	
@Validate_User_registers_for_an_account @Registration @Tc_03	



Steps
Total - 22
Pass - 4
Fail - 1
Skip - 17



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.067 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	image		
			
2	Then I enter an "user6@test.com" address and verify proper email format validation	PASSED	0.156 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	image		
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.109 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	image		

#	Step / Hook Details	Status	Duration
			
4	And The "Strong@123" and "Strong@123" fields match	PASSED	0.507 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.222 s
5	When I insert invalid data inputs	FAILED	0.125 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.238 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	When I insert a duplicate email address	SKIPPED	0.000 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "Expired"	SKIPPED	0.000 s
11	Then "<Registration status>" is successful	SKIPPED	0.002 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user’s name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.000 s