

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token"
content="SQeFvQ03mtPZayoK30HHPk9mYr47Sb3L8VhzP0z">

  <title>SportHub</title>

  <!-- Styles -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 35, column 5; to line 35, column 88](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/app.js" defer></scri
```

2. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 36, column 5; to line 36, column 91](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/config.js" defer></scri
```

3. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 37, column 5; to line 37, column 90](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/space.js" defer></scri
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 38, column 5; to line 38, column 89](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/user.js" defer></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 5; to line 39, column 90](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/admin.js" defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 5; to line 40, column 92](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/comment.js" defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 5; to line 41, column 97](#)

```
ript>... <script type="text/javascript"
src="https://lbaw2372.lbaw.fe.up.pt/js/notification.js" defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 71, column 13; to line 71, column 86](#)

```
<script type="text/javascript"
src=http://127.0.0.1:8000/js/user.js defer></scri
```

9. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 134, column 13; to line 134, column 115](#)

```
<input type="hidden" name="_token"
value="SQeFvQ03mtPZayoK30HHPrk9mYr47Sb3L8VhzP0z" autocomplete="off">...
```

10. **Error** Duplicate ID `space-home-content`.

[From line 244, column 25; to line 244, column 54](#)

```
<span id="space-home-content">...
```

11. **Warning** The first occurrence of ID `space-home-content` was here.

[From line 214, column 25; to line 214, column 54](#)

```
<span id="space-home-content">...
```

12. **Error** Duplicate ID `likeSpace`.

[From line 251, column 25; to line 251, column 42](#)

```
<div id=likeSpace>...
```

13. **Warning** The first occurrence of ID `likeSpace` was here.

[From line 221, column 25; to line 221, column 42](#)

```
<div id=likeSpace>␣  
.....
```

14. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 70, column 9; to line 70, column 30](#)

```
>␣  
..... <section id="content">␣  
.....
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>␣  
2. <html lang="en">␣  
3. ␣  
4. <head>␣  
5.     <meta charset="utf-8">␣  
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">␣  
7.     <meta name="viewport" content="width=device-width, initial-scale=1">␣  
8. ␣  
9.     <!-- CSRF Token -->␣  
10.    <meta name="csrf-token"  
content="SQeFvQ03mtPZayoK30HHPkK9mYr47Sb3L8VhzP0z">␣  
11. ␣  
12.    <title>SportHub</title>␣  
13. ␣  
14.    <!-- Styles -->␣  
15.    <script src="https://kit.fontawesome.com/b10add5646.js"  
crossorigin="anonymous"></script>␣  
16.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/home.css"  
rel="stylesheet">␣  
17. ␣  
18.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/milligram.min.css"  
rel="stylesheet">␣  
19.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/app.css"  
rel="stylesheet">␣  
20.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/user.css"  
rel="stylesheet">␣  
21.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/space.page.css"  
rel="stylesheet">␣  
22.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/register-login.css"  
rel="stylesheet">␣  
23.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/about.css"  
rel="stylesheet">␣  
24.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/admin.css"  
rel="stylesheet">␣  
25.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/partials.css"  
rel="stylesheet">␣  
26.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/groups.css"  
rel="stylesheet">␣  
27.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/search.css"  
rel="stylesheet">␣  
28.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/message.css"  
rel="stylesheet">␣  
29.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/notifications.css"  
rel="stylesheet">␣  
30.    <link href="https://lbaw2372.lbaw.fe.up.pt/css/chat.css"  
rel="stylesheet">␣
```

```

31. <link href="https://lbaw2372.lbaw.fe.up.pt/css/features.css"
    rel="stylesheet">↵
32. <script src="https://js.pusher.com/7.0/pusher.min.js" defer></script>↵
33. <script src="https://cdn.jsdelivr.net/npm/laravel-
    echo/dist/echo.iife.js" defer></script>↵
34. <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>↵
35. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/app.js" defer></script>↵
36. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/config.js" defer></script>↵
37. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/space.js" defer></script>↵
38. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/user.js" defer></script>↵
39. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/admin.js" defer></script>↵
40. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/comment.js" defer></script>↵
41. <script type="text/javascript"
    src="https://lbaw2372.lbaw.fe.up.pt/js/notification.js" defer></script>↵
42. ↵
43. ↵
44. </head>↵
45. ↵
46. <body>↵
47.     <main>↵
48.         <header>↵
49.             <h1>↵
50.                 <a
51.                     href="http://127.0.0.1:8000/homepage">↵
52.                         ↵
54.                             <mark class="sport">Sport</mark><mark
55.                                 class="hub">HUB</mark>↵
56.                             </a>↵
57.                         </h1>↵
58.                         <div class="button-container">↵
59.                             <a class="button"
60.                                 href="http://127.0.0.1:8000/profile/8">↵
61.                                     <span>luisaaa</span>↵
62.                                     <i class="fa-solid fa-user"></i>↵
63.                                 </a>↵
64.                                 <a id="notificationsButton" class="button"
65.                                     onclick="showNotifications(8)">↵
66.                                         Notifications <i class="fa-solid fa-bell"></i> ↵
67.                                     </a>↵
68.                                     <a class="button" href="http://127.0.0.1:8000/logout">
69.                                         Logout <i
70.                                             class="fa-solid fa-right-from-bracket"></i></a>↵
71.                                     </div>↵
72.                                 <div id="notificationsContainer"></div>↵
73.                             </header>↵
74.                             <section id="content">↵
75.                                 <script type="text/javascript"
76.                                     src=http://127.0.0.1:8000/js/user.js defer></script>↵
77.                                 ↵
78.                                 <div class="flex-container">↵
79.                                     <div class="sidebar">↵
80.                                         <!-- Sidebar content -->↵
81.                                         ↵
82.                                         <a href="http://127.0.0.1:8000/homepage" class=""><i class="fa-
83.                                             solid fa-house"></i> <span class="link-text">Home</span></a>↵
84.                                         <a href="http://127.0.0.1:8000/homepage/search" class=""><i
85.                                             class="fa-solid fa-magnifying-glass"></i><span class="link-
86.                                             text">Explore</span></a>↵
87.                                         <a href="http://127.0.0.1:8000/profile/8" class="active"><i
88.                                             class="fa-solid fa-user"></i> <span class="link-text">Profile</span></a>↵
89.                                         <a href="http://127.0.0.1:8000/messages" class=""><i class="fa-
90.                                             solid fa-envelope"></i> <span class="link-text">Messages</span></a>↵
91.                                         <a href="http://127.0.0.1:8000/group" class=""><i class="fa-solid
92.                                             fa-users"></i> <span class="link-text">Groups</span></a>↵

```

```

82.         <a href="http://127.0.0.1:8000/about" class=""><i class="fa-solid
fa-circle-info"></i> <span class="link-text">About Us</span></a>↵
83.         <a href="http://127.0.0.1:8000/features" class=""><i class="fa-
solid fa-star"></i> <span class="link-text">Features</span></a>↵
84.         <a href="#" class=""><i class="fa-solid fa-gear"></i> <span
class="link-text">Settings</span></a>↵
85.     </div>↵
86.     <div class="userinfo" data-id="8">↵
87. ↵
88.         <div class="profile-container">↵
89.             ↵
91. ↵
92.             <div class="user-card-container">↵
93.                 <div class="user-card">↵
94.                     <div class="user" id="user8">↵
95.                         <p><a href="/profile/8">@luisamaria</a></p>↵
96.                         <div class="name">luisaaa</div>↵
97.                         <div class="email">luisa@gmail.com</div>↵
98. ↵
99.                     </div>↵
100.                 </div>↵
101.                 ↵
102.                 <div class="user-card" >↵
103.                     <div class="user-header">↵
104.                         <div class="user-extras">↵
105.                             <span>Following</span>↵
106.                             <a href="/profile/8/following"
style="color: white;">0</a>↵
107.                         </div>↵
108.                         <div class="user-extras">↵
109.                             <span>Followers</span>↵
110.                             <a href="/profile/8/followers"
style="color: white;">0</a>↵
111.                         </div>↵
112.                         <div class="user-extras">↵
113.                             <span>Spaces</span>↵
114.                             <span>2</span>↵
115.                         </div>↵
116.                     </div>↵
117.                 </div>↵
118.                 </div>↵
119.                 <div class="button-container-user">↵
120.                     <button id="editUser8" onclick="editUser(8,1)"
class="button-user-comment">↵
121.                         &#9998;↵
122.                         <span id="text-config"><i id="text-icon"
class="pencil"></i></span>↵
123.                     </button>↵
124. ↵
125.                     <button id="cancelEditUser8" style="visibility: hidden;"↵
126.                         onclick="cancelEditUser(8)">Cancel</button>↵
127.                     <div class="edit-user-container">↵
128.                         <div class="edit-user-card">↵
129.                             <button id="openEditUserModal" class="fas fa-edit">Edit
User</button>↵
130.                             <div id="editUserModal" class="modal">↵
131.                                 <div class="modal-content">↵
132.                                     <span class="close">&times;</span>↵
133.                                     <form method="POST" action="http://127.0.0.1:8000/profile/edit"
enctype="multipart/form-data">↵
134.                                         <input type="hidden" name=" token"
value="SQeFvQ03mtPZayOK30HHPk9mYr47Sb3L8VhzP0z" autocomplete="off">↵
135.                                         <div class="edit-page-photo-options">↵
136.                                             <div class="image"><i class="fa-solid fa-image"></i>
Choose a profile picture:</div>↵
137.                                             ↵
139.         <input type="file" name="image" id="image">↵
140.     </div>↵
141.     <label for="password"><i class="fa-solid fa-lock"></i> Current
Password</label>↵
142.         <input id="oldPassword" type="password"
name="oldPassword" >↵
143.     <label for="password"><i class="fa-solid fa-lock"></i>
Password</label>↵
144.         <input id="password" type="password" name="password"
>↵
145.     ↵
146.     <label for="password-confirm"><i class="fa-solid fa-square-check"></i>
Confirm Password</label>↵
147.         <input id="password-confirm" type="password"
name="password_confirmation">↵
148.         <input type="hidden" name="id" value="8">↵
149. ↵
150.     <div>↵
151.         <button type="submit">↵
152.             Edit <i class="fa-solid fa-pen-to-square"></i>↵
153.         </button>↵
154.     </div>↵
155. </form>↵
156. </div>↵
157. </div>↵
158. </div>↵
159. </div>↵
160. ↵
161. ↵
162. <script>↵
163. // Get the modal↵
164. var modal = document.getElementById("editUserModal");↵
165. console.log(modal);↵
166. ↵
167. // Get the button that opens the modal↵
168. var btn = document.getElementById("openEditUserModal");↵
169. ↵
170. console.log(btn);↵
171. ↵
172. // Get the <span> element that closes the modal↵
173. var span = document.getElementsByClassName("close")[0];↵
174. ↵
175. // When the user clicks the button, open the modal ↵
176. btn.onclick = function() {↵
177.     modal.style.display = "block";↵
178.     setTimeout(function() {↵
179.         modal.style.opacity = "1";↵
180.     }, 50); // Delay to ensure the modal is visible before starting the
transition↵
181. }↵
182. ↵
183. // When the user clicks on <span> (x), close the modal↵
184. span.onclick = function() {↵
185.     modal.style.opacity = "0";↵
186.     setTimeout(function() {↵
187.         modal.style.display = "none";↵
188.     }, 500); // Delay to ensure the transition finishes before hiding the
modal↵
189. }↵
190. ↵
191. // When the user clicks anywhere outside of the modal, close it↵
192. window.onclick = function(event) {↵
193.     if (event.target == modal) {↵
194.         modal.style.opacity = "0";↵
195.         setTimeout(function() {↵
196.             modal.style.display = "none";↵
197.         }, 500); // Delay to ensure the transition finishes before hiding the
modal↵
198.     }↵
199. }↵

```

```

200. </script>                <button id="deleteProfile8"
    onclick="deleteProfile(8)" class="button-user">↵
201.                <i class="fa-solid fa-trash"></i>↵
202.                </button>↵
203.            </div>↵
204.        </div>↵
205.        <div class="card-body">↵
206.            <ul class="card-list">↵
207.                <li>↵
208.                    <div class="card">↵
209.                        <ul>↵
210.                            <li>↵
211.                            <a href="/profile/8">luisamaria</a>↵
212.                        </li>↵
213.                        <li>↵
214.                            <span id="space-home-content">↵
215.                                <a href="/space/10">Ruben Amorim next season
is on Manchester United</a>↵
216.                            </span>↵
217.                        </li>↵
218.                        <li>↵
219.                            </li>↵
220.                        <li>↵
221.                            <div id=likeSpace>↵
222.                                <button id="likeButton10"↵
223.                                    onclick="changeLikeState(10, false, 8,8)">↵
224.                                    <i id="likeIcon10"↵
225.                                        class="fa fa-heart-o"></i>↵
226.                                    <span id="countSpaceLikes10" class="like-count"> 0</span>↵
227.                                </button>↵
228.                                <button id="deleteSpace10" onclick="deleteSpace(10)"↵
229.                                    class="button-space-comment">#10761;↵
230.                                <span><i class="cross"></i></span>↵
231.                                </button>↵
232.                            </div>↵
233.                        </li>↵
234.                    </ul>↵
235.                </div>↵
236.            </li>↵
237.                <li>↵
238.                    <div class="card">↵
239.                        <ul>↵
240.                            <li>↵
241.                            <a href="/profile/8">luisamaria</a>↵
242.                        </li>↵
243.                        <li>↵
244.                            <span id="space-home-content">↵
245.                                <a href="/space/11">Daniel Ramos got sacked!
AHAHAHAHAHA AROUCAAAAA</a>↵
246.                            </span>↵
247.                        </li>↵
248.                        <li>↵
249.                            </li>↵
250.                        <li>↵
251.                            <div id=likeSpace>↵
252.                                <button id="likeButton11"↵
253.                                    onclick="changeLikeState(11, false, 8,8)">↵
254.                                    <i id="likeIcon11"↵
255.                                        class="fa fa-heart-o"></i>↵
256.                                    <span id="countSpaceLikes11" class="like-count"> 0</span>↵
257.                                </button>↵
258.                                <button id="deleteSpace11" onclick="deleteSpace(11)"↵
259.                                    class="button-space-comment">#10761;↵

```

```

260.         <span><i class="cross"></i></span>↵
261.     </button>↵
262. </div>↵
263.         </li>↵
264.     </ul>↵
265. </div>↵
266. </li>↵
267.     ↵
268. </ul>↵
269. </div>↵
270. </div>↵
271. ↵
272.     <div class="side-searchbar">↵
273.     <input type="text" id="search" placeholder="Search..." style="color:
white;" pattern="[a-zA-Z0-9\s]+">↵
274.     <div id="results-users"></div>↵
275.         <div id="results-spaces"></div>↵
276.     <div id="results-groups"></div>↵
277.     <div id="results-comments"></div>↵
278.     ↵
279.     <div class="trend-content">↵
280.         <p>Trending <i class="fa-solid fa-arrow-trend-up"></i>
</p>↵
281.         <div class="trend">↵
282.             <a
href="/space/2" class="trend-card">Look at Pessi</a>↵
283.             </div>↵
284.         </div>↵
285. </div>↵
286. ↵
287. </div>↵
288. <footer class="footer">↵
289.     <p>&copy; 2023 SportHUB. All rights reserved.</p>↵
290. </footer>     </section>↵
291. </main>↵
292. </body>↵
293. ↵
294. </html>

```

Used the HTML parser.

Total execution time 30 milliseconds.