# Confidence Intervals for Percentiles

#### Eamonn

02 December, 2016

### Quantiles of the binomial distribution approach

```
set.seed(321)
x <- rexp(120, rate=0.10) # create continuous data, no ties

conf2 <- 0.95  # confidence level
low <- (1- conf2)/2; up <- 1-low

# What percentile is the value of 10?
(p <- sum(x <= 1/0.10)/length(x))</pre>
```

[1] 0.625

```
# confidence intervals for the percentile estimate 'p'
sort(x)[qbinom(c(low, up), size=length(x), prob=p)]
```

[1] 7.415326 12.551951

## Bootstrap method (BCa), an approximation to the quantiles of the binomial distribution approach

```
f.quantile <- function(x, ind, ...){
   quantile(x[ind], ...)
}

# the percentile p is bootstrapped, ensure No of bootstraps is > than sample size
quant.boot <- boot(x, f.quantile, R = 10000, probs = p)

# apply the boo.ci function, note BCa option
boot.ci(quant.boot, c(conf2), type = c("bca"))</pre>
```

```
BOOTSTRAP CONFIDENCE INTERVAL CALCULATIONS
Based on 10000 bootstrap replicates

CALL:
boot.ci(boot.out = quant.boot, conf = c(conf2), type = c("bca"))

Intervals:
Level BCa
95% (7.415, 12.552)
Calculations and Intervals on Original Scale
```

### CONCLUSION

#### REFERENCES

 $http://stats.stackexchange.com/questions/186957/\ is-there-a-reliable-nonparametric-confidence-interval-for-the-mean-of-a-skewed-d$ 

http://stats.stackexchange.com/questions/21103/confidence-interval-for-median/21116#21116

#### COMPUTING ENVIRONMENT

```
R version 3.2.2 (2015-08-14)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows 8 x64 (build 9200)
locale:
[1] LC_COLLATE=English_United Kingdom.1252
[2] LC_CTYPE=English_United Kingdom.1252
[3] LC_MONETARY=English_United Kingdom.1252
[4] LC NUMERIC=C
[5] LC_TIME=English_United Kingdom.1252
attached base packages:
[1] stats graphics grDevices utils
                                                  datasets methods
[7] base
other attached packages:
[1] boot_1.3-17
                    DescTools_0.99.18 knitr_1.15
loaded via a namespace (and not attached):
 [1] Rcpp_0.12.8 mvtnorm_1.0-5 digest_0.6.10 
[4] assertthat_0.1 MASS_7.3-45 magrittr_1.5 
[7] evaluate_0.10 stringi_1.1.2 rmarkdown_1.1
[10] tools_3.2.2 stringr_1.1.0 foreign_0.8-65
[13] yaml_2.1.14 manipulate_1.0.1 htmltools_0.3.5
[16] tibble_1.2
```

[1] "C:/Users\\User\\Documents\\GIT\\confidence-intervals-for-percentilers"

This took 3.43 seconds to execute.