Material Safety Data Sheet

TC-8764 PART B

Date of Preparation: 03/21/2001 Revision: 03/21/2001

Section 1 - Chemical Product and Company Identification

Product Name: TC-8764 PART B **Product Class:** Polyurethane curing agent **Chemical Type:** Aromatic diamine solution

Manufacturer: BJB Enterprises, Inc., 14791 Franklin Avenue, Tustin, CA 92780, Phone (714) 734-8450, Fax (714) 734-8929,

(M-Th: 8-4:30, F: 7:30-4), Emergency Phone: Chemtrec (800) 424-9300 or (703) 527-3887

Section 2 - Composition / Information on Ingredients

Ingredient Name	CASRN	% wt	
1. Aromatic diamine	106264-79-3	45 - 55	
2. Oxyalkylene polyol	Proprietary	10 - 15	
3. N-Methylpyrrolidone	872-50-4	<5	
4. Naphtha, light aromatic	64742-95-6	<2	

Trace Impurities: N/A

	OSHA PEL		ACGIH TLV		NIOSH REL		OTHER
Ingredient	TWA	STEL	TWA	STEL	TWA	STEL	LIMITS
#1	NE	NE	NE	NE	NE	NE	NE
#2	NE	NE	NE	NE	NE	NE	NE
#3	NE	NE	NE	NE	NE	NE	100 ppm (BASF)
#4	400	NE	(50)	NE	NE	NE	NE

Section 3 - Hazards Identification

፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟ Emergency Overview ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟

Appearance: Orange-yellow liquid; Odor: Mild, naphtha-like; May cause eye and skin irritation. Possible reaction with strong oxidizing materials. Combustible, avoid ignition sources.

HMIS H 2 F 1 R 1 PPE[†] †Sec. 8

Potential Health Effects

Primary Entry Routes: Eye and skin contact; inhalation of vapors, accidental ingestion.

Inhalation/Ingestion: Excessive vapors caused by heat or spray mist can cause respiratory problems.

Eve: May cause irritation and redness.

Skin: May cause irritation and possible allergic sensitivity with repeated contact. **Medical Conditions Aggravated by Long-Term Exposure:** None known.

Section 4 - First Aid Measures

Inhalation: Not likely. Remove to fresh air environment.

Ingestion: If swallowed, call a physician immediately. Remove stomach contents by gastric suction or induce vomiting only as directed by medical personnel. Never give anything by mouth to an unconscious person.

Eye Contact: Flush eyes with clean, lukewarm water or saline eye wash for 15 minutes. Obtain medical attention if irritation develops.

Skin Contact: Remove contaminated clothing and wash affected areas well with soap and water. Wash contaminated clothing before use.

Note to Physicians: Treat any ill effects symptomatically.

Section 5 - Fire-Fighting Measures

Flash Point/Method: 225°F (107°C) PMCC

Extinguishing Media: Water spray, foam or dry chemical extinguisher.

Unusual Fire or Explosion Hazards: Low. Can react with strong oxidizing materials. Combustible. Avoid ignition sources.

Fire-Fighting Instructions: Cool fire exposed containers with water spray. Remove containers from fire area if possible. Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Firefighters should wear positive pressure self–contained breathing apparatus (SCBA) and consider use of unmanned hose holders or monitor nozzles for fighting large fires.



Section 6 - Accidental Release Measures

Spill /Leak Procedures: Provide adequate ventilation and wear personal protective equipment. Evacuate personnel as a precaution. Prevent product spill from entering sewers, streams or drinking water supplies. Collect liquid or soak up with inert filler or an absorbent, such as dry earth, sand or oil absorbent (sweeping) compound. Collect material into suitable containers for disposal. Wash area with dilute ammonia solution.

Containment: For large spills, dike ahead of liquid spill for later neutralization, absorption, clean up and disposal.

Section 7 - Handling and Storage

Handling Precautions: Avoid prolonged or repeated contact. Wear chemical gloves. Avoid breathing fumes directly over open containers.

Storage Requirements: Store in a cool, dry place away from excessive heat in original or similar waterproof containers. Avoid unnecessary contact. Protect from freezing. Containers should be tightly sealed to prevent contamination with foreign materials.

Shelf life: 6 months, from date of shipment, under manufacturers recommended storage conditions.

Section 8 - Exposure Controls / Personal Protection

Eye Protection Requirements: Safety goggles or glasses are recommended. Plastic face shield should be worn for complete face protection.

Skin Protection Requirements: Impermeable gloves should be worn. Employees should wash their hands and face before eating, drinking, or using tobacco products.

Ventilation/Respiratory Requirements: Use in well-ventilated area. Local exhaust or mechanical ventilation recommended. An organic vapor cartridge or fresh air supplied respirator may be necessary for certain applications. Consider the type of application, environmental concentrations and other materials being used concurrently when determining respirator use and selection. Observe OSHA regulations for respirator use (29 CFR 1910.134).

Additional Protective Measures: Safety showers and eye wash stations should be easily accessible to the work area. Training is important. Follow all label precautions.

Section 9 - Physical and Chemical Properties

Physical State: Viscous liquid

Appearance/Odor: Orange-yellow; mild, naphtha-like

Vapor Pressure: 3 mm Hg at 100°F (38°C)

<1 mm Hg @ 77°F (25°C)

Specific Gravity (H₂O=1): 1.14

pH: N/A

Water Solubility: Slightly soluble

Boiling Point: 240°F (116°C) @ 10 mm Hg;

375°F (191°C) @ 760 mm Hg

Revision date: 03/21/2001

Viscosity: 250 cps % Volatile: <10

V.O.C. (ref EPA meth 24): 78 gm/liter

Section 10 - Stability and Reactivity

Stability: TC-8764 PART B is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization will not occur.

Chemical Incompatibilities/Conditions to Avoid: Isocyanates, oxidizers and mineral acids.

Section 11- Toxicological Information

No Toxicological Information Available

Section 12 - Ecological Information

No Ecological Information Available

Section 13 - Disposal Considerations

Waste Disposal Method: Dispose of in compliance with federal, state or local environmental control regulations.

Revision date: 03/21/2001 **TC-8764 PART B**

Section 14 - Transport Information

DOT

IATA/ICAO

IMO/IMDG

Not regulated

Not regulated Not regulated

Section 15 - Regulatory Information

U.S. Federal Regulations:

OSHA:

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard.

SARA TITLE III:

Sections 311/312 Hazard Classification:

None

Section 313: This product contains the following substances subject to the reporting requirements of EPCRA, Section 313 and 40 CFR Part 372:

N-Methylpyrrolidone

CAS# 872-50-4

5% (max)

TSCA: This product or its components are listed in or exempt from the TSCA inventory requirements.

This product contains the following substances subject to export notification under Section 12 (b) of TSCA:

None

Section 16 - Other Information

Reason for Issue: Revised sections 3, 9 and 15.

Prepared By: S.F. Marks **Approval Date:** 03/21/2001 **Supersedes Date:** 08/23/99

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of BJB Enterprises, Inc. The data on this sheet relates only to the specific material designated herein. BJB Enterprises, Inc. assumes no legal responsibility for use or reliance upon these data.