

# FinalMD

*Ilaria Torre<sup>1</sup>, Frank Loesche<sup>1</sup>*

<sup>1</sup>Plymouth University

ilaria.torre@plymouth.ac.uk, frank.loesche@plymouth.ac.uk

## 1. Header 1

This is some very basic text.

### 1.1. Header 2

This is some other text in a sub-heading. You can go on until level 6.

Newlines are interpreted as new paragraphs.

I can emphasize text like *this* or like **this**.

Unordered lists are created with symbols like \*, -, +... but the first item of the list needs to be preceded by an empty line:

- I like cooking
- I also like languages
- and I like folk music
  - especially Blackbeard's Tea Party!

Ordered lists are created with numbers and dots. Even if you mess up the numbering, MD will fix it for you:

1. Item 1
2. Item 2
3. Item 3

Links can be added in text like this: click here or like this:

<http://www.blackbeardsteaparty.com/>

Images are basically links, but they have to be also separated from the main text by an empty line before and after:



Figure 1: A super fluffy cat

Tables can be written with – and || symbols:

Tables	Are	Cool
col 3 is	right-aligned	\$1600
col 2 is	centered	\$12
zebra stripes	are neat	\$1

### 1.2. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
##           speed           dist
## Min.      : 4.0         Min.    :  2.00
## 1st Qu.:12.0         1st Qu.: 26.00
## Median :15.0         Median : 36.00
## Mean     :15.4         Mean    : 42.98
## 3rd Qu.:19.0         3rd Qu.: 56.00
## Max.     :25.0         Max.    :120.00
```