

AWS Create Ubuntu 20 Elastic Compute Instance

In this tutorial, we will be creating an [AWS Elastic Compute \(EC2\)](#) instance with Ubuntu 20 as the operating system.

Prerequisites


- an AWS Free Tier account
- internet access

If you do not have an AWS account, you can access my **AWS Create Free Tier Account** tutorial [here](#).

Steps to complete tutorial:

- [Update Virtual Private Cloud \(VPC\)](#)
- [Create Ubuntu 20 EC2 Instance](#)
- [Connect to Ubuntu 20](#)

To begin, go to the following website, <https://aws.amazon.com/console/> and log in to the console.




If you've already completed my [AWS Create RHEL 8 Elastic Compute Instance](#) tutorial, you can skip this step and go directly to [Create Ubuntu 20 EC2 instance](#).



Before we create the EC2 instance, we will configure our default [VPC \(Virtual Private Cloud\)](#) so that it will be easier to work with moving forward. The VPC will allow us to launch resources in an isolated virtual network.

Update Virtual Private Cloud (VPC)

Once logged in, enter VPC in the search bar and select **VPC** Isolated Cloud Resources.



On the VPC Dashboard, select **VPCs**



Let's set the name to **vpc_default** and click **save**.

The screenshot shows the AWS VPC console interface. On the left sidebar, under 'VIRTUAL PRIVATE CLOUD', the 'Your VPCs' link is selected. The main panel displays 'Your VPCs (1/1)' with a table containing one VPC. An 'Edit Name' dialog box is open, showing the current name 'vpc-01ac0d160f388c36e' and the new name 'vpc_default' entered in the text field. The 'Save' button is highlighted with a red box. Below the dialog, the 'Details' tab for the VPC is visible.

Name	VPC ID	State	IPv4 CIDR
vpc_default	vpc-01ac0d160f388c36e	Available	172.31.0.0/16

Now, on the left hand side of the screen click **Subnets**

The screenshot shows the AWS VPC console interface. In the left sidebar, under 'VIRTUAL PRIVATE CLOUD', the 'Subnets' link is highlighted with a red box. The main panel displays 'Subnets (1/6)' with a table containing three subnets. The 'Details' tab for the first subnet is visible.

Name	Subnet ID	State	VPC	IPv4 CIDR
-	subnet-0096efb1b7740b3da	Available	vpc-01ac0d160f388c36e vpc...	172.31.0.0/20
-	subnet-0c2a65ce598b60ea3	Available	vpc-01ac0d160f388c36e vpc...	172.31.48.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20

Once the subnet list page appears, notice that 6 subnets have already been created for us.

The screenshot shows the AWS VPC console interface. The left sidebar shows 'Subnets' selected. The main panel displays 'Subnets (1/6)' with a table containing 6 subnets. The 'Details' tab for the first subnet is visible.

Name	Subnet ID	State	VPC	IPv4 CIDR
-	subnet-0096efb1b7740b3da	Available	vpc-01ac0d160f388c36e vpc...	172.31.0.0/20
-	subnet-0c2a65ce598b60ea3	Available	vpc-01ac0d160f388c36e vpc...	172.31.48.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20

Set the name of the first subnet to **subnet_default** and click **save**. Also note that the CIDR IPv4 subnet is 172.31.0.0/20.

The screenshot shows the AWS Management Console interface. On the left, the 'VIRTUAL PRIVATE CLOUD' section is expanded, showing 'Subnets'. The main panel displays a table of subnets. The first subnet is selected, and an 'Edit Name' modal is open. The name field contains 'subnet_default', and the 'Save' button is highlighted with a red box. The table shows the following data:

Name	Subnet ID	State	VPC	IPv4 CIDR
subnet_default	subnet-0096efb1b7740b3da	Available	vpc-01ac0d160f388c36e vpc...	172.31.0.0/20
-	subnet-0c2a65ce598b60ea3	Available	vpc-01ac0d160f388c36e vpc...	172.31.48.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20

The screenshot shows the AWS Management Console interface after the subnet name has been updated. The table now displays:

Name	Subnet ID	State	VPC	IPv4 CIDR
subnet_default	subnet-0096efb1b7740b3da	Available	vpc-01ac0d160f388c36e vpc...	172.31.0.0/20
-	subnet-0c2a65ce598b60ea3	Available	vpc-01ac0d160f388c36e vpc...	172.31.48.0/20
-	subnet-0c9fa28ee05faa645	Available	vpc-01ac0d160f388c36e vpc...	172.31.80.0/20


Create Ubuntu 20 EC2 Instance

Now we can proceed to create our instance, enter **EC2** in the search bar and select the 1st EC2 listing.


The screenshot shows the AWS Management Console interface with the search bar containing 'EC2'. The search results for 'EC2' are displayed, and the 'EC2' service listing is highlighted with a red box. The listing includes the text 'Virtual Servers in the Cloud' and 'Top features' with links to 'Dashboard', 'Launch templates', 'Instances', 'Spot Instance requests', and 'Savings plans'.

You will be brought to the **EC2 Dashboard**. It contains links to the resources being used in the selected AWS region. In my case it's US East (N. Virginia).


From the EC2 dashboard, click **Instances** (all links will work, your choice).



Next, click **Launch Instances** (either link will work, your choice).



The first step will be to select the image we want to use.



Scroll down the page until you locate **Ubuntu 20 LTS** and click the **Select** button next to the listing.

Services [Alt+S]

You've been invited to try an early, beta iteration of the new launch instance wizard. We will continue to improve the experience over the next few months. We're asking customers for their feedback on this early release. To exit the new launch instance wizard at any time, choose the Cancel button.

Try it now!

1. Choose AMI2. Choose Instance Type3. Configure Instance4. Add Storage5. Add Tags6. Configure Security Group7. Review

Step 1: Choose an Amazon Machine Image (AMI)

Cancel and Exit

Free tier eligible

SUSE Linux Enterprise Server 15 Service Pack 3 (HVM), EBS General Purpose (SSD) Volume Type. Amazon EC2 AMI Tools preinstalled; Apache 2.2, MySQL 5.5, PHP 5.3, and Ruby 1.8.7 available.

Root device type: ebsVirtualization type: hvmENA Enabled: Yes

Free tier eligible

Ubuntu Server 20.04 LTS (HVM), SSD Volume Type - ami-04505e74c0741db8d (64-bit x86) / ami-0b49a4a6e8e22fa16 (64-bit Arm)

Ubuntu Server 20.04 LTS (HVM), EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Root device type: ebsVirtualization type: hvmENA Enabled: Yes

Free tier eligible

Ubuntu Server 18.04 LTS (HVM), SSD Volume Type - ami-0e472ba40eb589f49 (64-bit x86) / ami-0a940cb939351ccca (64-bit Arm)

Ubuntu Server 18.04 LTS (HVM), EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Root device type: ebsVirtualization type: hvmENA Enabled: Yes

64-bit (x86)
64-bit (Arm)

64-bit (x86)
64-bit (Arm)

FeedbackEnglish (US)

© 2022, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

In the second step, we choose the instance type. Since we want a free instance, select **t2.micro** and click **"Next: Configure Instance Details"**.

Services [Alt+S]

1. Choose AMI2. Choose Instance Type3. Configure Instance4. Add Storage5. Add Tags6. Configure Security Group7. Review

Step 2: Choose an Instance Type

Amazon EC2 provides a wide selection of instance types optimized to fit different use cases. Instances are virtual servers that can run applications. They have varying combinations of CPU, memory, storage, and networking capacity, and give you the flexibility to choose the appropriate mix of resources for your applications. [Learn more](#) about instance types and how they can meet your computing needs.

Filter by: All instance familiesCurrent generationShow/Hide Columns

Currently selected: t2.micro (- ECUs, 1 vCPUs, 2.5 GHz, -, 1 GiB memory, EBS only)

	Family	Type	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance	IPv6 Support
<input type="checkbox"/>	t2	t2.nano	1	0.5	EBS only	-	Low to Moderate	Yes
<input checked="" type="checkbox"/>	t2	t2.micro Free tier eligible	1	1	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	t2	t2.small	1	2	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	t2	t2.medium	2	4	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	t2	t2.large	2	8	EBS only	-	Low to Moderate	Yes

CancelPreviousReview and LaunchNext: Configure Instance Details

FeedbackEnglish (US)

© 2022, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

The third step allows us to select the VPC (**vpc_default**) and subnet (**subnet_default**) that we named earlier. After making those changes, click **Next: Add Storage**.

Step 3: Configure Instance Details
Configure the instance to suit your requirements. You can launch multiple instances from the same AMI, request Spot instances to take advantage of the lower pricing, assign an access management role to the instance, and more.

Number of instances: 1 [Launch into Auto Scaling Group](#)

Purchasing option: ☐ Request Spot instances

Network: vpc-01ac0d160f388c36e | vpc_default (default) [Create new VPC](#)

Subnet: subnet-0096efb1b7740b3da | subnet_default | Default [Create new subnet](#)
4091 IP Addresses available

Auto-assign Public IP: Use subnet setting (Enable)

Hostname type: Use subnet setting (IP name)

DNS Hostname: ☒ Enable IP name IPv4 (A record) DNS requests
☒ Enable resource-based IPv4 (A record) DNS requests
☐ Enable resource-based IPv6 (AAAA record) DNS requests

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Add Storage](#)

The fourth step allows us to set the storage size and add volumes if we wish. The root volume of 8GB is enough for Ubuntu 20. In a future tutorial, I will be demonstrating disk partitioning, as well as, LVM management, so I will also add 3 additional volumes. Click **Add New Volume**

Step 4: Add Storage
Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encryption
Root	/dev/sda1	snap-0f7a6eae6d90437c4	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted

[Add New Volume](#)

After clicking the **Add New Volume** button, I set the size to 1GB and checked **Delete on Termination**.

Step 4: Add Storage
Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encryption
Root	/dev/sda1	snap-0f7a6eae6d90437c4	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted
EBS	/dev/sdb	Search (case-insensitive)	1	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted

[Add New Volume](#)

I repeated these steps 3 times total. After setting the storage, click **Next: Add Tags**.

aws Services Search for services, features, blogs, docs, and more [Alt+S] N. Virginia llamsfitness

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 4: Add Storage

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encryption
Root	/dev/sda1	snap-0f7a6eae6d90437c4	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted
EBS	/dev/sdb	Search (case-insensit)	1	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted
EBS	/dev/sdc	Search (case-insensit)	1	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted
EBS	/dev/sdd	Search (case-insensit)	1	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted

Add New Volume

Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage. [Learn more](#) about free usage tier eligibility and

Cancel Previous Review and Launch **Next: Add Tags**

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

*****Note:** There is a 30GB max volume size for all your instances combined throughout the month. If you go over it, you will pay the cost.

The fifth step allows us to tag our instance. Tagging helps categorize our resources. We will add a name tag.

To do this click the **click to add a Name tag** link and set the name to whatever you desire.

aws Services Search for services, features, blogs, docs, and more [Alt+S] N. Virginia llamsfitness

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver.
A copy of a tag can be applied to volumes, instances or both.
Tags will be applied to all instances and volumes. [Learn more](#) about tagging your Amazon EC2 resources.

Key (128 characters maximum)	Value (256 characters maximum)	Instances	Volumes	Network Interfaces
------------------------------	--------------------------------	-----------	---------	--------------------

This resource currently has no tags

Choose the Add tag button or **click to add a Name tag.**

Make sure your [IAM policy](#) includes permissions to create tags.

Add Tag (Up to 50 tags maximum)

Once finished, click **Next: Configure Security Group**.

Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver.
A copy of a tag can be applied to volumes, instances or both.
Tags will be applied to all instances and volumes. [Learn more](#) about tagging your Amazon EC2 resources.

Key	Value	Instances	Volumes	Network Interfaces
Name	u20_vm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

[Add another tag](#) (Up to 50 tags maximum)

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Configure Security Group](#)

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

In the sixth step, before launching, we will create a security group named **security-group1**. Note that only port 22 is open and that we are only allowing SSH connections to our instance. I also provided a small description, **Limit access to instance**. After you've set the security group details, click **Review and Launch**.

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group: ☒ Create a new security group
☐ Select an existing security group

Security group name: security-group1

Description: Limit access to instance

Type	Protocol	Port Range	Source	Description
SSH	TCP	22	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop

[Add Rule](#)

Warning

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

[Cancel](#) [Previous](#) [Review and Launch](#)

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

This final step allows you to review your selections. After you've finished reviewing, click **Launch**.

Step 7: Review Instance Launch
Please review your instance launch details. You can go back to edit changes for each section. Click **Launch** to assign a key pair to your instance and complete the launch process.

Warning: Improve your instances' security. Your security group, security-group1, is open to the world. Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only. You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

AMI Details [Edit AMI](#)
Ubuntu Server 20.04 LTS (HVM), SSD Volume Type - ami-04505e74c0741db8d
Free tier eligible
Ubuntu Server 20.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).
Root Device Type: ebs Virtualization type: hvm

Instance Type [Edit instance type](#)

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance
t2.micro	-	1	1	EBS only	-	Low to Moderate

[Cancel](#) [Previous](#) [Launch](#)

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Prior to launch, we must create a key pair that can be used with an SSH connection to access our newly created instance.

Step 7: Review Instance Launch
Please review your instance launch details. You can go back to edit changes for each section. Click **Launch** to assign a key pair to your instance and complete the launch process.

Warning: Improve your instances' security. Your security group, security-group1, is open to the world. Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only. You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

AMI Details [Edit AMI](#)
Ubuntu Server 20.04 LTS (HVM), SSD Volume Type - ami-04505e74c0741db8d
Free tier eligible
Ubuntu Server 20.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).
Root Device Type: ebs Virtualization type: hvm

Instance Type [Edit instance type](#)

Instance Type	ECUs	vCPUs
t2.micro	-	1

Select an existing key pair or create a new key pair

A key pair consists of a **public key** that AWS stores, and a **private key file** that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance. Amazon EC2 supports ED25519 and RSA key pair types.

Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about [removing existing key pairs from a public AMI](#).

Choose an existing key pair
Select a key pair
No key pairs found


No key pairs found
You don't have any key pairs. Please create a new key pair by selecting the **Create a new key pair** option above to continue.

[Cancel](#) [Launch Instances](#)


[Cancel](#) [Previous](#) [Launch](#)

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Ensure **Create a new key pair** is selected. Also, ensure that **Key pair type** is set to **RSA**. Then, give it a name (**aws_connection**). Finally, click **Download Key Pair** and save it somewhere on your PC.



After you download the key pair (which will be named **aws_connection.pem**), you will be able to click **Launch Instances** to bring up the Ubuntu 20 instance.



As you can see, it can take up to a minute, or two, for the instance to be brought up.

aws Services Search for services, features, blogs, docs, and more [Alt+S] N. Virginia liamsfitness

Launch Status

✓ Your instances are now launching
The following instance launches have been initiated: [i-0239b2daaf54ae364](#) [View launch log](#)

Get notified of estimated charges
Create [billing alerts](#) to get an email notification when estimated charges on your AWS bill exceed an amount you define (for example, if you exceed the free usage tier).

How to connect to your instances

Your instances are launching, and it may take a few minutes until they are in the **running** state, when they will be ready for you to use. Usage hours on your new instances will start immediately and continue to accrue until you stop or terminate your instances.

Click **View Instances** to monitor your instances' status. Once your instances are in the **running** state, you can connect to them from the Instances screen. [Find out](#) how to connect to your instances.

▼ Here are some helpful resources to get you started

- How to connect to your Linux instance
- Amazon EC2: User Guide
- Learn about AWS Free Usage Tier
- Amazon EC2: Discussion Forum

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Now, you can click on **Services** at the top left of the screen and then select **EC2** under **Recently visited**.

Or, you can enter **EC2** in the search bar to access your running instance (both methods work).

aws Services Search for services, features, blogs, docs, and more [Alt+S] N. Virginia liamsfitness

Launch Status

✓ Your instances are now launching
The following instance launches have been initiated: [i-0239b2daaf54ae364](#) [View launch log](#)

Get notified of estimated charges
Create [billing alerts](#) to get an email notification when estimated charges on your AWS bill exceed an amount you define (for example, if you exceed the free usage tier).

How to connect to your instances

Your instances are launching, and it may take a few minutes until they are in the **running** state, when they will be ready for you to use. Usage hours on your new instances will start immediately and continue to accrue until you stop or terminate your instances.

Click **View Instances** to monitor your instances' status. Once your instances are in the **running** state, you can connect to them from the Instances screen. [Find out](#) how to connect to your instances.


▼ Here are some helpful resources to get you started

- How to connect to your Linux instance
- Amazon EC2: User Guide
- Learn about AWS Free Usage Tier
- Amazon EC2: Discussion Forum

Feedback English (US) © 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Ensure your new instance is selected (**u20_vm**), then on the **Details** tab, note the value for **Public IPv4 DNS**.


I usually keep the instance's name, public IP, private IP and public IPv4 DNS stored for easy access. We will need some of this information to connect to the instance.



The screenshot shows the AWS Management Console interface. On the left is a navigation menu with options like EC2 Dashboard, EC2 Global View, Events, Tags, Limits, and Instances. The main area displays the 'Instances (1/1)' list with a table containing columns for Name, Instance ID, Instance state, Instance type, Status check, Alarm status, Availability Zone, and Public IP. The instance 'u20_vm' with ID 'i-0239b2daaf54ae364' is shown in a 'Running' state. Below the table, the 'Details' tab for instance 'i-0239b2daaf54ae364 (u20_vm)' is selected. It shows various tabs like Details, Security, Networking, Storage, Status checks, Monitoring, and Tags. Under the 'Instance summary' section, the 'Public IPv4 address' is '3.231.211.145' and the 'Private IPv4 addresses' is '172.31.0.127'. The 'Public IPv4 DNS' is 'ec2-3-231-211-145.compute-1.amazonaws.com'. These three values are highlighted with red boxes.


Connect to Ubuntu 20

Now you will need an SSH client to connect to your instance. I am on Windows 10 and have installed [GitBash](#) which includes an SSH client. If you do not want to install GitBash, I also use [MobaXterm Portable](#) and I find it to be a great tool and easy to use. Using **MobaXterm**, I would first create a session by clicking the "Session" button in the top left corner:



The screenshot shows the MobaXterm application window. The 'Session' button in the top left corner is highlighted with a red box. The interface includes a menu bar (Terminal, Sessions, View, X server, Tools, Games, Settings, Macros, Help) and a toolbar with icons for Session, Servers, Tools, Games, Sessions, View, Split, MultiExec, Tunneling, Packages, Settings, and Help. A 'Quick connect...' search bar is present. On the left, a 'User sessions' list shows various sessions like 'aws_u18_django', 'aws_u18_docker', 'AWS-RH8_VM', 'AWS-U20_VM', 'OCI-MY-CENTOS', 'OCI-MY-DOCKER', and 'OCI-MY-UBUNTU'. The main area displays the MobaXterm logo and buttons for 'Start local terminal' and 'Recover previous sessions'. Below these is a search bar 'Find existing session or server name...'. A 'Recent sessions' list shows 'OCI-MY-DOCKER', 'AWS-RH8_VM', 'AWS-U20_VM', 'aws_u18_django', 'OCI-MY-UBUNTU', and 'OCI-MY-CENTOS'. At the bottom, a message says 'Enable advanced features and enhance security with MobaXterm Professional Edition!'. The footer indicates 'UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net'.


Followed by clicking the **SSH** button.



For **Remote host**:, enter your **Public IPv4 DNS** from your instance's **Details** tab.

Also specify the username of **ubuntu**. That is the default username for every Ubuntu instance created on AWS.

Then, under **Advanced SSH Settings** select the key that you downloaded earlier (**aws_connection.pem**). Finally, click **OK**.



Your session should open to your newly created EC2 instance running Ubuntu 20.

```
ec2-3-231-211-145.compute-1.amazonaws.com (ubuntu)
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...
/home/ubuntu/
Name
...
.cache
.ssh
.bash_logout
.bashrc
.profile
.Xauthority

Remote monitoring
Follow terminal folder

X11-forwarding : ✓ (remote display is forwarded through SSH)
For more info, ctrl+click on help or visit our website.

Welcome to Ubuntu 20.04.3 LTS (GNU/Linux 5.11.0-1022-aws x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage

System information as of Tue Mar 29 14:14:50 UTC 2022

System load: 0.0          Processes: 99
Usage of /: 18.4% of 7.69GB Users logged in: 0
Memory usage: 20%        IPv4 address for eth0: 172.31.0.127
Swap usage: 0%

1 update can be applied immediately.
To see these additional updates run: apt list --upgradable

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

/usr/bin/xauth: file /home/ubuntu/.Xauthority does not exist
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-0-127:~$
```

If you installed [GitBash](#), you can open either PowerShell or a Windows command prompt. Then, from the command line, enter the following (**NOTE**: make sure you enter **your** connection details):

```
ssh -i /path/my-key-pair.pem my-instance-user-name@my-instance-public-dns-name
```

```
ssh -i C:\Users\pc\.ssh\aws_connection.pem ubuntu@ec2-3-231-211-145.compute-1.amazonaws.com
```

```
Select ubuntu@ip-172-31-0-127: ~

PS C:\Users\pc> ssh -i C:\Users\pc\.ssh\aws_connection.pem ubuntu@ec2-3-231-211-145.compute-1.amazonaws.com
Welcome to Ubuntu 20.04.3 LTS (GNU/Linux 5.11.0-1022-aws x86_64)Welcome to Ubuntu 20.04.3 LTS (GNU/Linux 5.11.0-1022-aws
x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage

System information as of Tue Mar 29 14:29:05 UTC 2022

System load: 0.0          Processes: 102
Usage of /: 18.4% of 7.69GB Users logged in: 1
Memory usage: 21%        IPv4 address for eth0: 172.31.0.127
Swap usage: 0%

1 update can be applied immediately.
To see these additional updates run: apt list --upgradable

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Tue Mar 29 14:20:43 2022 from 24.48.113.24
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-0-127:~$
```


I hope you've enjoyed this tutorial.

Please note that the free tier allows for 750 hours per month of Amazon EC2. You can create many EC2 instances but beware of the limit. If you go over that limit, you will pay the cost. My advice to you is to shutdown your instance/s after you've done your work.

I have another tutorial where I demonstrate the creation of a **RHEL 8** EC2 (Elastic Compute Cloud) instance.

If you're interested in an **rpm** based **RHEL 8** EC2 instance installation, you can access the tutorial [here](#).

[Back to Top](#)