

# Fable 5.1

INDEPENDENT PROMPT COMPARISON

## System Prompt Field Guide

What changed outside the model, every tool that showed up, and whether it helps in real work.


28 ADDED TOOLS / MEMORY / INTERFACES / SOURCE LINKS

Research lock: September 2, 2026



# Start with the three numbers

Table 5.1 can score higher while Claude's prompt, memory, and tool layer gets much bigger. These numbers show both changes.



SOURCE BOUNDARY

Anthropic publishes Claude's core prompts. Pliny claims the much larger repository file is an assembled runtime containing the core prompt plus memory, search, artifact, routing, and tool-schema instructions. Anthropic has not authenticated that larger file.

### Inside the guide

- The measured prompt diff
- All 28 additions by job
- All 46 captured definitions
- A five-test buyer checklist

- **Jump to Anthropic's official prompt index**  
[platform.claude.com/docs/en/release-notes/system-prompts/overview](https://platform.claude.com/docs/en/release-notes/system-prompts/overview)

- **Open Pliny's repository directory**  
[github.com/elder-plinius/CL4R1T4S/tree/main/ANTHROPIC](https://github.com/elder-plinius/CL4R1T4S/tree/main/ANTHROPIC)

# Two things called a system prompt

OFFICIAL

## Anthropic core prompts

Published for Claude's web and mobile apps. They supply current information and encourage product behaviors. Anthropic says these pages do not apply to the API.


- Official system-prompt index  
[platform.claude.com/docs/en/release-notes/system-pro...](https://platform.claude.com/docs/en/release-notes/system-pro...)

SOURCE-AUTHOR CLAIM

## Claimed assembled runtime

Pliny describes a 275,723-character runtime with the core prompt, memory, search rules, artifact guidance, routing, and schemas for 46 tools.

- Original Pliny post  
[x.com/elder\\_plinius/status/2094868233124008205](https://x.com/elder_plinius/status/2094868233124008205)



THE COMPARISON USED HERE

## Both files came from one commit


This guide compares the Fable 5 and Fable 5.1 files with one count method. The delta is reproducible. The files are still unofficial extractions.

SAFE WORDING

Captured prompt, extracted prompt, or unofficial prompt dump.

# Fable 5.1 scores higher inside a bigger system

Anthropic reports higher scores on three agentic tests. The captured prompt shows that the product system around the model grew too.




## Keep the claims separate

The benchmark supports model improvement. The prompt diff shows product expansion. Neither source proves that the added tools caused the higher scores.

● Anthropic's Fable product and benchmark page  
[anthropic.com/claude/fable](https://anthropic.com/claude/fable)


# 17,501 words became 40,046

Whitespace-delimited words in the two commit-locked captured files.



# 75% is memory and tool schemas

16,967 of the 22,545 added words have two concrete jobs.




WHERE THE GROWTH LANDED

Most added words explain how Claude remembers information, invokes tools, validates inputs, handles results, and presents answers.

**Memory and tool schemas account for 16,967 added words.**

# Claude is more than the model

Think of Claude as a reasoning model inside four product layers: memory, tools, interface, and policy.



# Three lines explain the product direction

## 01 / MEMORY

### **You have a persistent memory filesystem.**

Claude gets file-level instructions for listing, reading, writing, editing, and deletion.

## 02 / PAST CHATS

### **Claude has three tools for retrieving past conversations**

Continuity now includes search, recency, and opening the original conversation.

## 03 / RESTRAINT

### **render at most one suggestion card per conversation**



Capability discovery is paired with interface rules so the product does not become pushy.

The model gets explicit rules for memory, retrieval, presentation, and restraint.



# 18 stayed. 28 arrived. 46 total.

All 18 Fable 5 definitions remain in the captured Fable 5.1 file.



Counted unit: unique declared functions in the two captured tool-definition blocks. Availability still varies by Claude surface, settings, and account.

# Memory became a file system

Six tools give Claude a small document workflow for persistent context.

|                                                                                                                |                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <div>01</div> <div>memory_list</div> <div>Lists stored memory documents and their metadata.</div>              | <div>02</div> <div>memory_read</div> <div>Reads one or more memory documents.</div>                             |
| <div>03</div> <div>memory_write</div> <div>Creates or fully replaces a memory document.</div>                  | <div>04</div> <div>memory_append</div> <div>Adds material without resending the whole document.</div>           |
| <div>05</div> <div>memory_str_replace</div> <div>Makes one exact targeted edit inside a memory document.</div> | <div>06</div> <div>memory_delete</div> <div>Deletes a memory document after checking its current version.</div> |

WHY FILES MATTER

## Curated memory is compact context

Profile, preferences, people, areas, and project notes can be maintained as reusable files. The prompt also defines read-before-write behavior, exact edits, and version checks for deletion.

PERSISTENCE NEEDS EDITING AND DELETION

# Claude can reach backward two ways

Memory files keep a compact summary. Past-chat tools recover the original receipt.

## CURATED MEMORY

### Reusable facts

Short, maintained context about your preferences, people, and active work.

profile.md

preferences.md

projects/...

people/...

## PAST CHAT RETRIEVAL

### Original context

Search, find the likely conversation, then open the relevant turns around the match.

1 conversation\_search

2 recent\_chats

3 read\_conversation

## Each solves a different problem

A summary can retain the headline and still lose the wording, evidence, or decision trail. Memory helps Claude stay oriented. Chat retrieval helps it reopen the source conversation when precision matters.

Availability depends on the product surface, settings, and account context.

# Answers became interfaces

Thirteen additions let Claude return a structured interface as the answer.

|                                                                                                            |                                                                                                               |                                                                                                                   |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <div><code>chart_display_v0</code></div> <div>Shows a native line, bar, or scatter chart.</div>            | <div><code>comparison_card_display_v0</code></div> <div>Compares two or three products in aligned rows.</div> | <div><code>featured_card_display_v0</code></div> <div>Presents one best product pick as a rich card.</div>        |
| <div><code>itinerary_display_v0</code></div> <div>Shows a day-by-day travel timeline.</div>                | <div><code>link_preview_display_v0</code></div> <div>Displays external links as preview cards.</div>          | <div><code>options_card_display_v0</code></div> <div>Presents distinct approaches with concrete next steps.</div> |
| <div><code>places_list_display_v0</code></div> <div>Shows a browsable list of places with images.</div>    | <div><code>product_carousel_display_v0</code></div> <div>Shows multiple products one at a time.</div>         | <div><code>quiz_display_v0</code></div> <div>Creates an interactive quiz or flashcards.</div>                     |
| <div><code>step_card_display_v0</code></div> <div>Renders an ordered setup or troubleshooting guide.</div> | <div><code>translation_display_v0</code></div> <div>Shows a short translation in a dedicated card.</div>      | <div><code>visualize:read_me</code></div> <div>Loads the design rules required by the visualizer.</div>           |
| <div><code>visualize:show_widget</code></div> <div>Renders a custom SVG or interactive HTML visual.</div>  |                                                                                                               |                                                                                                                   |

A strong answer can arrive as a chart, comparison, quiz, itinerary, translation, or custom widget instead of another eight-paragraph monologue.

# The system can look for a better tool belt

Four functions search for a capability and offer an opt-in next step.

01

search\_plugins

Searches the user's plugin catalog for a capability.

02

search\_skills

Searches reusable skills using task keywords.

03

suggest\_plugin\_install

Offers one or more relevant plugin installs.

04

suggest\_skills

Offers relevant skills the user can add.

ILLUSTRATIVE TASK

1

Contract review stalls

2

Search skill catalog

3

Offer one relevant option

4

User chooses whether to add

The contract example is illustrative. The search functions and one-suggestion restraint are present in the captured prompt.

# Two small tools reveal big product choices

## RESEARCH

`suggest_research`

### **Suggests deeper research, then waits**

Claude can recognize when a many-source background investigation would help, explain the value briefly, and show an opt-in action. The user still decides whether the research runs.

## CONVERSATION CONTROL

`end_conversation`

### **A narrow stop button with confirmation**

The prompt restricts this tool to specific safety situations, requires prior warning in the relevant cases, and uses a second call to confirm. It is not a general-purpose escape hatch for difficult questions.

# Every tool added in Fable 5.1

Exact function names, grouped by the job they perform in the captured prompt.

## Memory +6

```
memory_list
memory_read
memory_write
memory_append
memory_str_replace
memory_delete
```

## Past chats +3

```
conversation_search
recent_chats
read_conversation
```

## Visual answers +13

```
chart_display_v0
comparison_card_display_v0
featured_card_display_v0
itinerary_display_v0
link_preview_display_v0
options_card_display_v0
places_list_display_v0
product_carousel_display_v0
quiz_display_v0
step_card_display_v0
translation_display_v0
visualize:read_me
visualize:show_widget
```

## Plugins + skills +4

```
search_plugins
search_skills
suggest_plugin_install
suggest_skills
```

## Research +1

```
suggest_research
```

## Control +1

```
end_conversation
```

$6 + 3 + 13 + 4 + 1 + 1 = 28$  additions

# The complete index / 1 of 3

Retained means present in both captured files. Added means present only in Table 5.1.

|                                                                                                                                |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <div><div>RETAINEDask_user_input_v0</div><div>Shows tappable questions when user preferences are genuinely needed.</div></div> | <div><div>RETAINEDbash_tool</div><div>Runs a shell command inside the working container.</div></div>                           |
| <div><div>RETAINEDcreate_file</div><div>Creates a new file and fails rather than silently overwriting one.</div></div>         | <div><div>RETAINEDfetch_sports_data</div><div>Retrieves current or recent sports scores, schedules, and standings.</div></div> |
| <div><div>RETAINEDimage_search</div><div>Finds images when visuals materially improve the answer.</div></div>                  | <div><div>RETAINEDmessage_compose_v1</div><div>Drafts an email, Slack message, or text around a defined goal.</div></div>      |
| <div><div>RETAINEDplaces_map_display_v0</div><div>Shows recommended locations on a map.</div></div>                            | <div><div>RETAINEDplaces_search</div><div>Searches for businesses, restaurants, attractions, and other places.</div></div>     |
| <div><div>RETAINEDpresent_files</div><div>Makes generated files visible and downloadable in the client.</div></div>            | <div><div>RETAINEDrecipe_display_v0</div><div>Displays a recipe with adjustable servings.</div></div>                          |
| <div><div>RETAINEDrecommend_claude_apps</div><div>Recommends relevant Claude apps or extensions.</div></div>                   | <div><div>RETAINEDsearch_mcp_registry</div><div>Searches the connector registry for a useful external capability.</div></div>  |
| <div><div>RETAINEDstr_replace</div><div>Replaces one exact text match in a file.</div></div>                                   | <div><div>RETAINEDsuggest_connectors</div><div>Presents connector choices with connect or use actions.</div></div>             |
| <div><div>RETAINEDview</div><div>Displays text, images, and directory listings.</div></div>                                    | <div><div>RETAINEDweather_fetch</div><div>Returns current weather for a named location.</div></div>                            |



# The complete index / 2 of 3

Retained means present in both captured files. Added means present only in Table 5.1.

|                                                                                                                            |                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <div><div>RETAINED</div><div>web_fetch</div><div>Fetches the contents of a permitted web page.</div></div>                 | <div><div>RETAINED</div><div>web_search</div><div>Searches the public web.</div></div>                                      |
| <div><div>ADDED</div><div>memory_list</div><div>Lists stored memory documents and their metadata.</div></div>              | <div><div>ADDED</div><div>memory_read</div><div>Reads one or more memory documents.</div></div>                             |
| <div><div>ADDED</div><div>memory_write</div><div>Creates or fully replaces a memory document.</div></div>                  | <div><div>ADDED</div><div>memory_append</div><div>Adds material without resending the whole document.</div></div>           |
| <div><div>ADDED</div><div>memory_str_replace</div><div>Makes one exact targeted edit inside a memory document.</div></div> | <div><div>ADDED</div><div>memory_delete</div><div>Deletes a memory document after checking its current version.</div></div> |
| <div><div>ADDED</div><div>conversation_search</div><div>Searches earlier conversations using a short query.</div></div>    | <div><div>ADDED</div><div>recent_chats</div><div>Retrieves recent conversations with time filters.</div></div>              |
| <div><div>ADDED</div><div>read_conversation</div><div>Opens the relevant turns around a past-chat search hit.</div></div>  | <div><div>ADDED</div><div>chart_display_v0</div><div>Shows a native line, bar, or scatter chart.</div></div>                |
| <div><div>ADDED</div><div>comparison_card_display_v0</div><div>Compares two or three products in aligned rows.</div></div> | <div><div>ADDED</div><div>featured_card_display_v0</div><div>Presents one best product pick as a rich card.</div></div>     |
| <div><div>ADDED</div><div>itinerary_display_v0</div><div>Shows a day-by-day travel timeline.</div></div>                   | <div><div>ADDED</div><div>link_preview_display_v0</div><div>Displays external links as preview cards.</div></div>           |

# The complete index / 3 of 3

Retained means present in both captured files. Added means present only in Table 5.1.

|                                                                                                                                |                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>ADDED</div><div>options_card_display_v0</div><div>Presents distinct approaches with concrete next steps.</div></div> | <div><div>ADDED</div><div>places_list_display_v0</div><div>Shows a browsable list of places with images.</div></div>                           |
| <div><div>ADDED</div><div>product_carousel_display_v0</div><div>Shows multiple products one at a time.</div></div>             | <div><div>ADDED</div><div>quiz_display_v0</div><div>Creates an interactive quiz or flashcards.</div></div>                                     |
| <div><div>ADDED</div><div>step_card_display_v0</div><div>Renders an ordered setup or troubleshooting guide.</div></div>        | <div><div>ADDED</div><div>translation_display_v0</div><div>Shows a short translation in a dedicated card.</div></div>                          |
| <div><div>ADDED</div><div>visualize:read_me</div><div>Loads the design rules required by the visualizer.</div></div>           | <div><div>ADDED</div><div>visualize:show_widget</div><div>Renders a custom SVG or interactive HTML visual.</div></div>                         |
| <div><div>ADDED</div><div>search_plugins</div><div>Searches the user's plugin catalog for a capability.</div></div>            | <div><div>ADDED</div><div>search_skills</div><div>Searches reusable skills using task keywords.</div></div>                                    |
| <div><div>ADDED</div><div>suggest_plugin_install</div><div>Offers one or more relevant plugin installs.</div></div>            | <div><div>ADDED</div><div>suggest_skills</div><div>Offers relevant skills the user can add.</div></div>                                        |
| <div><div>ADDED</div><div>suggest_research</div><div>Offers an opt-in multi-source background research workflow.</div></div>   | <div><div>ADDED</div><div>end_conversation</div><div>Ends a conversation in narrow prompt-defined safety cases, with confirmation.</div></div> |

# More memory means more rules

The prompt defines when personal context can be kept, applied, edited, or left alone.



## NORMAL MEMORY

Writing style, stable preferences, people, and active project context.

*Keep it useful, compact, and correctable.*



## SETTING-DEPENDENT

Sensitive topics such as health or religion when the setting and conversation make them relevant.

*Apply only in the right context.*



## NEVER STORE

Highly sensitive data such as payment-card numbers and the prompt's prohibited personal-history categories.

*Capability has a hard boundary.*

This page is a teaching summary, not the complete memory policy. Product behavior and settings can change after the research lock.

# Five tests that matter more than hype

## 01 Continuity

Ask what Claude remembers about your writing style or project. Check accuracy and scope.

---

## 02 Receipt

Refer to an earlier decision. See whether Claude finds the original conversation rather than inventing continuity.

---

## 03 Interface

Give it a small dataset. Ask for the most useful presentation and note whether a native visual appears.

---

## 04 Capability

Give it a repeatable specialist task. Ask whether a skill or plugin would materially improve the workflow.

---

## 05 Control

Inspect memory settings and remove one stored item. Better memory must be understandable and correctable.


---

### RECORD THE CONTEXT

Write down the Claude surface, model, account setting, and date. These are product tests, not universal model benchmarks.

# Fable 5.1 improved the model and the system around it

The benchmark scores rose, and the captured product layer expanded.



## What the larger prompt shows

Most of the measured growth has a concrete job. Claude's day-to-day quality increasingly depends on how the product remembers context, invokes tools, and turns reasoning into a usable result.

**Judge the model and the surrounding product separately.**

# How the comparison was locked

|                |                                                                                               |
|----------------|-----------------------------------------------------------------------------------------------|
| SOURCE PAIR    | CLAUDE-FABLE-5.md and Claude-Fable-5.1.md at commit 93b0ae6fb503db6642e58f9d6352db973a900cdc. |
| WORD UNIT      | Whitespace-delimited words counted with wc -w.                                                |
| TOOL UNIT      | Unique declared function names in each captured tool-definition block.                        |
| RECONCILIATION | 18 shared + 28 added = 46. Zero removed. Zero duplicate names.                                |
| SECTION COUNTS | Named memory and tool-definition blocks, including descriptions and parameter schemas.        |
| RESEARCH LOCK  | September 2, 2026. Repository main and product behavior may change later.                     |

TRUTH BOUNDARY


The files are not Anthropic-authenticated runtime prompts. The counts describe these two captured files. Tool definitions do not prove universal availability. Coexistence does not establish causation.

# Open the receipts yourself


Every button in this PDF is clickable. The three QR codes open the main public entry points.



[Pliny's source post](#)



[Pliny's GitHub directory](#)



[Anthropic prompt index](#)



**Official Fable 5.1 core prompt**

[platform.claude.com/docs/en/release-notes/system-prompts/claude-fable-5-1](https://platform.claude.com/docs/en/release-notes/system-prompts/claude-fable-5-1)



**Official Fable 5 core prompt**

[platform.claude.com/docs/en/release-notes/system-prompts/claude-fable-5](https://platform.claude.com/docs/en/release-notes/system-prompts/claude-fable-5)



**Official Opus 5 core prompt**

[platform.claude.com/docs/en/release-notes/system-prompts/claude-opus-5](https://platform.claude.com/docs/en/release-notes/system-prompts/claude-opus-5)



**Research-locked repository commit**

[github.com/elder-plinius/CL4R1T4S/commit/93b0ae6fb503db6642e58f9d6352db973a900cdc](https://github.com/elder-plinius/CL4R1T4S/commit/93b0ae6fb503db6642e58f9d6352db973a900cdc)



**Raw captured Fable 5 prompt**

[raw.githubusercontent.com/elder-plinius/CL4R1T4S/main/ANTHROPIC/CLAUDE-FABLE-5.md](https://raw.githubusercontent.com/elder-plinius/CL4R1T4S/main/ANTHROPIC/CLAUDE-FABLE-5.md)



**Raw captured Fable 5.1 prompt**

[raw.githubusercontent.com/elder-plinius/CL4R1T4S/main/ANTHROPIC/Claude-Fable-5.1.md](https://raw.githubusercontent.com/elder-plinius/CL4R1T4S/main/ANTHROPIC/Claude-Fable-5.1.md)



**Fable product and benchmark page**

[anthropic.com/claude/fable](https://anthropic.com/claude/fable)

USE IT IN YOUR OWN WORKFLOW

# Test the model and the system separately

Use the five tests, record the product surface and settings, and judge the workflow you actually run.

MARK KASHEF / EARLY AI ADOPTERS

