

Compare models on your own work.

Pick three tasks you repeat. Give two models the same brief and source material. Save the outputs, then score what you can verify.

01 / Pick three real tasks

Use one routine task, one task that needs several steps, and one case your current model struggles with. Examples: extract facts from notes, draft a customer reply, or handle missing information. Use approved or synthetic data.

02 / Define a pass before running

For each task, write the exact output, three required checks and any failure that disqualifies it. Keep an answer key or source evidence. A polished answer with a made-up fact still fails.

03 / Keep the comparison fair

Start a fresh chat for each task. Paste the identical brief and files. Record the model, date, settings and tools. Match tool access where possible; label differences when comparing whole apps. Save the first output before editing.

04 / Score and record the fixes

Use the rubric below and the sheet on page 2. Inspect sources yourself. Record the cleanup minutes and one concrete error or strength. Hide model names while grading if someone can help.

SCORE EACH DIMENSION FROM 0 TO 2

Accuracy / 0 = material error; 1 = minor error; 2 = required facts and checks pass.

Usefulness / 0 = unusable; 1 = partly meets the brief; 2 = meets the required output.

Cleanup / 0 = rewrite; 1 = meaningful edits; 2 = ready with at most tiny edits.

Three tasks give you an initial fit check. Repeat close results and test more examples before a costly switch. Record missing tests as not run, never as a passing score.

Keep the receipts.

Model A: _____ Model B: _____
Date: _____ Settings / tools: _____

TASK 1 / _____

Required checks / failure that disqualifies it: _____

TASK 2 / _____

Required checks / failure that disqualifies it: _____

TASK 3 / _____

Required checks / failure that disqualifies it: _____

Task / model	Accuracy	Useful	Cleanup	Total / 6	Fix mins
1 / A					
1 / B					
2 / A					
2 / B					
3 / A					
3 / B					

DECIDE BY TASK

A disqualifying failure overrides the total. Keep your current model where it wins; try the alternative where it saves verified cleanup. If results tie, repeat with new examples and compare cost and setup effort.

Decision + output/evidence location: _____
