Ch 6: Normalization

CSCI 475

Algorithm for Developing ER Model


- Create detailed narrative of organization's order of operation
- 2. Identify business rules based on operations
- 3. Identify entities, attributes and relationships
- 4. Develop ERD
- 5. Identify <u>primary keys</u> and <u>foreign keys</u> for each entity (if applicable)
- 6. REVISE as necessary




Normalization

- A technique used in designing relational databases
 - Removes redundancies
 - Minimizes dependencies
 - Removes anomalies
 - Insert
 - Update
 - Delete
- 5 Normal Forms
 - 3 are most important


Before Normalization



After Normalization



Normalization



Unnormalized

PROJ_NUM	PROJ_NAME	EMP_NUM	EMP_NAME	JOB_CLASS	CHG_HOUR	HOURS
15	Evergreen	103	June E. Arbough	Elect. Engineer	84.50	23.80
		101	John G. News	Database Designer	105.00	19.40
		105	Alice K. Johnson *	Database Designer	105.00	35.70
		106	William Smithfield	Programmer	35.75	12.60
		102	David H. Senior	Systems Analyst	96.75	23.80
18	Amber Wave	114	Annelise Jones	Applications Designer	48.10	24.60
		118	James J. Frommer	General Support	18.36	
		104	Anne K. Ramoras *	Systems Analyst	96.75	32.40
		112	Darlene M. Smithson	DSS Analyst	45.95	44.00
22	Rolling Tide	105	Alice K. Johnson	Database Designer	105.00	64.70
		104	Anne K. Ramoras	Systems Analyst	96.75	48.40
		113	Delbert K. Joenbrood	* Applications Designer	48.10	23.60
		111	Geoff B. Wabash	Clerical Support	26.87	22.00
		106	William Smithfield	Programmer	35.75	12.80
25	Starflight	107	Maria D. Alonzo	Programmer	35.75	24.60
		115	Travis B. Bawangi	Systems Analyst	96.75	45.80
		101	John G. News *	Database Designer	105.00	56.30
		114	Annelise Jones	Applications Designer	48.10	33.10
		108	Ralph B. Washington	Systems Analyst	96.75	23.60
		118	James J. Frommer	General Support	18.36	
		112	Darlene M. Smithson	DSS Analyst	45.95	41.40

Unnormalized

- Unnormalized Repeating groups
 - Project(Project_Num, Project_Name, (Emp_Num, Emp_Name), (Job_Class, Chg_Hour))

1NF

- 1NF The Key
 - Let Project_Num and Emp_Num be the composite key
 - Project(Project_Num, Project_Name, Emp_Num, Emp_Name, Job_Class, Chg_Hour)

FIGURE 6.2

A table in first normal form

PROJ_NUM PROJ_NAME EMP_NUM

103

101

Evergreen

Evergreen

Table name: DATA_ORG_1NF

Database name: Ch06_ConstructCo

CHG_HOUR HOURS

23.8 19.4

84.50

105.00

JOB CLASS

Elect. Engineer

Database Designer

35.7	105.00	Database Designer	Alice K. Johnson *	105	Evergreen
12.6	35.75	Programmer	William Smithfield	106	Evergreen
23.8	96.75	Systems Analyst	David H. Senior	102	Evergreen
24.8	48.10	Applications Designer	Annelise Jones	114	Amber Wave
45.3	18.36	General Support	James J. Frommer	118	Amber Wave
32.4	96.75	Systems Analyst	Anne K. Ramoras *	104	Amber Wave
44.0	45.95	DSS Analyst	Darlene M. Smithson	112	Amber Wave
64.7	105.00	Database Designer	Alice K. Johnson	105	Rolling Tide
48.4	96.75	Systems Analyst	Anne K. Ramoras	104	Rolling Tide
23.8	48.10	Applications Designer	Delbert K. Joenbrood *	113	Rolling Tide
22.0	26.87	Clerical Support	Geoff B. Wabash	111	Rolling Tide
12.8	35.75	Programmer	William Smithfield	106	Rolling Tide
24.8	35.75	Programmer	Maria D. Alonzo	107	Starflight
45.8	96.75	Systems Analyst	Travis B. Bawangi	115	Starflight
56.3	105.00	Database Designer	John G. News *	101	Starflight
33.1	48.10	Applications Designer	Annelise Jones	114	Starflight
23.8	96.75	Systems Analyst	Ralph B. Washington	108	Starflight
30.5	18.36	General Support	James J. Frommer	118	Starflight
41.4	45.95	DSS Analyst	Darlene M. Smithson	112	Starflight


EMP NAME

June E. Arbough

John G. News



First normal form (1NF) dependency diagram



1NF (PROJ_NUM, EMP_NUM, PROJ_NAME, EMP_NAME, JOB_CLASS, CHG_HOURS, HOURS)

PARTIAL DEPENDENCIES:

(PROJ_NUM PROJ_NAME)
(EMP_NUM EMP_NAME, JOB_CLASS, CHG_HOUR)

TRANSITIVE DEPENDENCY:

SOURCE: Course Technology/Cengage Learning

Second Normal Form (2NF)

- 2NF The Whole Key
 - Remove <u>partial dependencies</u>
 - Break schema into two tables and use a bridge or associative table to create a relationship
 - Project_Num alone determines Project_Name
 - Don't need Emp_Num as part of the key
 - Emp_Num alone determines Emp_Name
 - Don't need Project Num as part of the key
 - Project(<u>Project_Num</u>, Project_Name)


Employee(Emp_Num, Emp_Name, Job_Class,

Chg_Hour, Hours)

Assignment(<u>Project_Num, Emp_Num, Hours</u>)



Second normal form (2NF) conversion results




2NF

EMP_NUM	EMP_NAME		JOB_CLASS	CHG_HOUR
101	News	John	502	105
102	Senior	David	501	96.75
103	Arbough	June	503	84.5
104	Ramoras	Anne	501	96.75
105	Johnson	Alice	502	105
106	Smithfield	William	500	35.75
107	Alonzo	Maria	500	35.75
108	Washington	Ralph	501	96.75
109	Smith	Larry	501	96.75
110	Olenko	Gerald	505	22.56
111	Wabash	Geoff	506	26.87
112	Smithson	Darlene	507	45.95
113	Joenbrood	Delbert	508	48.1
114	Jones	Annelise	508	48.1
115	Bawangi	Travis	501	96.75
116	Pratt	Gerald	510	18.36
117	Williamson	Angie	509	15.56
118	Frommer	James	510	18.36


PROJ_NUM	PROJ_NAME
15	Evergreen
18	Amber Wave
22	Rolling Tide
25	Starflight


PROJ_NUM	EMP_NUM	ASSIGN_HOURS
15	103	2.6
18	118	1.4
15	101	3.6
22	113	2.5
15	103	1.9
25	115	4.2
22	105	5.2
25	101	1.7
15	105	2
15	102	3.8
22	104	2.6
15	101	2.3
25	114	1.8
22	111	4
25	114	3.4
18	112	1.2
18	118	2
18	104	2.6
15	103	3
22	105	2.7
25	108	4.2
25	114	5.8
22	106	2.4

Before Normalization - 1NF




After Normalization - 2NF





Third Normal Form (3NF)

- 3NF And Nothing but the Key
 - Remove transitive dependencies
 - Create a new table and establish a pk, fk relationship
 - Job_Class determines Chg_Hour
 - But Job_Class is not a primary key!
 - Create a fourth table so Chg_Hour is determined by the primary key
 - Project(<u>Project Num</u>, Project_Name)
 - **■** Employee(Emp_Num, Emp_Name, Job_Class)
 - Assignment(<u>Project_Num, Emp_Num,</u> Hours)
 - Job<u>(Job_Class, Chg_Hour)</u>



3NF

EMP_NUM	EMP_NAME		JOB_CLASS
101	News	John	502
102	Senior	David	501
103	Arbough	June	503
104	Ramoras	Anne	501
105	Johnson	Alice	502
106	Smithfield	William	500
107	Alonzo	Maria	500
108	Washington	Ralph	501
109	Smith	Larry	501
110	Olenko	Gerald	505
111	Wabash	Geoff	506
112	Smithson	Darlene	507
113	Joenbrood	Delbert	508
114	Jones	Annelise	508
115	Bawangi	Travis	501
116	Pratt	Gerald	510
117	Williamson	Angie	509
118	Frommer	James	510

PROJ NUM	EMP NUM	ASSIGN HOURS
15	103	2.6
18	118	1.4
15	101	3.6
22	113	2.5
15	103	1.9
25	115	4.2
22	105	5.2
25	101	1.7
15	105	2
15	102	3.8
22	104	2.6
15	101	2.3
25	114	1.8
22	111	4
25	114	3.4
18	112	1.2
18	118	2
18	104	2.6
15	103	3
22	105	2.7
25	108	4.2
25	114	5.8
22	106	2.4

PROJ_NUM	PROJ_NAME
15	Evergreen
18	Amber Wave
22	Rolling Tide
25	Starflight

JOB_CLASS	CHG_HOUR
500	35.75
501	96.75
502	105.00
503	84.50
504	67.90
505	55.78
506	26.87
507	45.95
508	48.10
509	34.55
510	18.36

Denormalization

- Sometimes we DO NOT want to remove Transitive Dependencies
 - Purposely keep database in 2NF
 - Want to avoid extra joins data not updated much and joins would take more time to process
 - Data complex data updates are more efficient in 2NF
 - EXAMPLE Tax


Improving Overall Design

- Primary Key Assignment better if numeric to avoid possible typos (surrogate key)
- Naming Convention use abbreviated table name in attribute
 - o Ex. EMP_LNAME
- Attribute Atomicity like an atom; an attribute cannot be further subdivided.
 - EMP_LNAME and EMP_FNAME not EMP_NAME
- Identify New Relationships put the right attributes in the right tables
- Maintain Historical Accuracy determine if a value may or may not change.
 - o E.g., hourly rate of an employee likely to change
- Evaluate Derived Attributes gpa may be stored even though it creates a transitive dependency


Review of Normal Forms

- Unnormalized Has repeating group
- First Normal Form (1NF) Has no repeating group/duplicate columns
- Second Normal Form (2NF) Has all non-key attributes dependent on "the whole key"
- Third Normal Form (3NF) Has all non-key attributes dependent on "nothing but the key"


Normalization Example - Book (1NF)




Book: Remove Partial Dependencies and create a bridge entity (2NF)



Book: Remove Transitive Dependencies create a foreign key (3NF)



Normalization Example - Medical Clinic (1NF)



Medical Clinic: Remove Partial Dependencies create a bridge entity (2NF)

