INDEX


SR. NO	DATE	TITLE	PG. NO.	TEACHERS SIGN
1	05\07\2024	Install Selenium IDE; Write a test suite containing minimum 4 test cases for different formats.	**2**	
2	12\07\2024	Write 2 test cases.	**7**	
3	26\07\2024	Install Selenium server and demonstrate it using a script in Java/PHP.	**16**	
4	02\08\2024	Write and test a program to login specific web page.	**21**	
5	09\08\2024	Write and test a program to update 10 student records into table into Excel file.	**23**	
6	16\08\2024	Write and test a program to select the number of students who have scored more than 60 in any one subject (or all subjects).	**34**	
7	23\08\2024	Write and test a program to provide total number of objects available in the web page.	**42**	
8	30\08\2024	Write and test a program to get the number of items in a list / combo box.	**47**	
9	06\09\2024	Write and test a program to count the number of check boxes on the page checked and unchecked count.	**53**	
10	20\092024	Load Testing using JMeter.	**59**	

Practical No. 1

Aim: Install Selenium IDE; Write a test suite containing minimum 4 test cases for different formats.

Step 1 : Install Mozilla Firefox if not Installed

Step 2 : Type URL : https://addons.mozilla.org/en-US/firefox/addon/selenium-ide/




In this SS, Where there is a remove button you will have a Add Extension Button


instead. Step 3 : Now, Restart Mozilla.

Step 4 : Once Mozilla is turned on.

Step 5 : Click on the Puzzle Piece like button on the Top-Right Corner as shown in the SS below.




Step 6 :




A Window like this will pop-up.

Step 7 : LCick on “Create a new project”.


Step 8 :




Step 9 : Press “Ok”. Then Type the value for our Base URL : http://demo.guru99.com/test/newtours/ . Toggle the Record button on (if it is not yet toggled on by default).



Step 10 : A web page like this will open



Step 11 :



Step 12 :

In the "User Name" text box of Mercury Tours, type an invalid username, "invalidUNN". In the "Password" text box, type an invalid password, "invalidPWD".

Step 13 : Click on the "Sign-In" button. Firefox should take you to this page. Step 6 Toggle the record button off to stop recording.

Step 14 : Now that we are done with our test script, we shall save it in a test case.

Step 15 : Choose your desired location, and then name the Test Case as "Invalid_login". Click the "Save" button.

Step 16 : Notice that the file was saved

as side extension.

Step 17 : Go back to Selenium IDE and click the Playback button to execute the whole script. Selenium IDE should be able to replicate everything properly.

Step 18 : Now do this to 3 other websites


i. http://www.youtube.com

ii. https://www.yahoo.in


iii. htttp://www.google.com

Step 19 :

Google Case –




Step 20.Yahoo Case



Step 21 :


Youtube case




Practical No. 2

Aim : Write 2 test cases


Step 1. Open Mozilla Firefox.
Step 2. Open Selenium IDE.
Step 3. Type this in base URL : https://www.google.com/




Step 4. Search “selenium IDE” in the search bar.



Step 5. Click the first link which takes you to Selenium HQ.
Step 6. Use the Assert Title .




Step 7. Save the test cases's name as "valid_assert_title".



Step 8. Create a new case named "invalid_assert_title".
Step 9. Now perform from Step 3 to Step 6.


Step 10.Now do the following, perform an assert title test with the target name as "Selenese".




Checking the verify title command :

Step 1. Repeat the steps given for assert title command. But, instead of choosing assert titlecommand from Selenium IDE option, choose verify title command. Give appropriate names to test cases (valid_verify_title and invalid_verify_title)

Step 2. Do this ,




Step 3. Then do this,




Checking the working of the Assert Text Command :


Step 1. Create a new test named “valid_assert_text”.
Step 2. Start Recording with Base URL same as that of the previous tests.
Step 3. Once the recording starts type in “Selenium IDE”
Step 4. Click on the first site.
Step 5. Highlight the text shown in the image and then Open the Selenium Menu by right clicking mouse button (RMB) and selecting things as shown below. Highlight the text shown in the image and then Open the Selenium Menu by right clicking mouse button (RMB) and selecting things as shown below.



Step 6. Now save the test and stop recording.




Step 7. Open a new test, named “invalid_assert_text”.
Step 8. Do the Steps from Step 1 to Step 4.
Step 9. Highlight the text shown in the image and then Open the Selenium Menu by right clicking mouse button (RMB) and selecting things as shown below.



Step 10. Type in the the Value Selenese instead of the Selenium IDE in value bar.


Step 11. Turn off Recording and save.




To check the working of verify text command :

Step 1. Repeat the steps given for assert text command. But, instead of choosing assert text command from Selenium IDE option, choose verify text command. Give appropriate names to test cases.


Step 2.



Step 3.


Extension: (Selenium IDE) - Selenium IDE - STQA Prac2* — Mozilla Firefox
Project: STQA Prac2*
Tests
Search tests...
✗ invalid_assert_title*
✗ invlaid_assert_text*
✗ invlaid_verify_title*
✓ valid_assert_text*
✓ valid_assert_title
✓ valid_verify_text*
✓ valid_verify_title*
https://www.google.com/
Command
Target
Value
1 ✓ open https://www.google.com/
2 ✓ set window size 840x998
3 ✓ click css=.SDkEP
4 ✓ click id=APjFqb
5 ✓ type id=APjFqb Selenium ide
6 ✓ click css=#jZ2SBf > .wM6W7d > span
7 ✓ mouse over linkText=Commands
8 ✓ click css=.hlcw0c:nth-child(1) .LC20lb:nth-child(2)
9 ✓ click css=.inner > .projectTitle
10 ✓ verify text css=.inner > .projectTitle Selenium IDE\nOpen source record and playback test automation for the web
Command
Target
Value
Description
Log
Reference
6. click on css=#jZ2SBf > .wM6W7d > span OK 12:06:58
7. mouseOver on linkText=Commands OK 12:06:58
8. click on css=.hlcw0c:nth-child(1) .LC20lb:nth-child(2) OK 12:06:59
9. click on css=.inner > .projectTitle OK 12:06:59
10. verifyText on css=.inner > .projectTitle with value Selenium IDE\nOpen source record and playback test automation for the web OK 12:07:00
'valid_verify_text' completed successfully 12:07:00


Step 4.


Extension: (Selenium IDE) - Selenium IDE - STQA Prac2* — Mozilla Firefox
Project: STQA Prac2*
Executing
✗ invalid_verify_text*
https://www.google.com/
Command
Target
Value
1 ✓ open https://www.google.com/
2 ✓ set window size 840x998
3 ✓ click css=.SDkEP
4 ✓ click id=APjFqb
5 ✓ type id=APjFqb selenium ide
6 ✓ click css=#jZ2SBf > .wM6W7d > span
7 ✓ mouse over linkText=Getting Started with Plugins
8 ✓ click css=.hlcw0c:nth-child(1) .LC20lb:nth-child(2)
9 ✓ click css=.inner > .projectTitle
10 ✗ verify text css=.inner > .projectTitle Selenese\nOpen source record and playback test automation for the web
Command verify text
Target css=.inner > .projectTitle
Value Selenese\nOpen source record and playback test automation fo...
Description
Runs: 1 Failures: 1
Log
Reference
7. mouseOver on linkText=Getting Started with Plugins OK 12:11:53
8. click on css=.hlcw0c:nth-child(1) .LC20lb:nth-child(2) OK 12:11:53
9. click on css=.inner > .projectTitle OK 12:11:53
10. verifyText on css=.inner > .projectTitle with value Selenese\nOpen source record and playback test automation for the web Failed: Actual value "Selenium IDE Open source record and playback test automation for the web" did not match "Selenese Open source record and playback test automation for the web" 12:11:54
'invalid_verify_text' ended with 1 error(s) 12:11:54


To check the working of verify element present :

Step 1. First Create an appropriate test case with an appropriate name like "verify_element_present"

Step 2. Perform the basic steps.




Step 3. Stop Recording and save then Run the Test



Step 4. Now create a new test named “invalid_verify_element_present”.

Step 5. Do as done in the SS Below.




Practical No. 3

Aim: Install Selenium server and demonstrate it using a script in Java/PHP.

Installation of Selenium RC and Eclipse :

Step 1. Go to Google and Search Eclipse IDE for Java Developers.

Step 2. Download this



Step 3. Click on Ok button and save to your desired Drive be it Local Disk C or Local Disk D.

Step 4. In this instance we are going to put it inside the Local Disk D

Step 5. Once the zip file is downloaded unzip it and name it as “Eclipse”.

Step 6. Create one more folder “Eclipse-Workspace” in the same drive where Eclipse is unzipped and renamed.

Step 7. Now we need to create a workspace folder named “Eclipse-WorkspaceSeleniumTests” in the same folder where we extracted Eclipse from a zip format.

Step 8. Open the Eclipse Application by double clicking on the Eclipse.exe.

- Now we need to download Selenium RC and Client Driver Step 1. Download Selenium Client

https://github.com/SeleniumHQ/selenium/releases/download/selenium-4.14.0/selenium-java-4.14.1.zip


Step 2. Download Selenium Server
https://github.com/SeleniumHQ/selenium/releases/download/selenium-4.14.0/selenium-server-4.14.1.jar

Step 3. Create a folder named “Selenium” in the same location where you have kept the folder of Eclipse.


Step 4. Now that the unzipping and processing is done we now need to configure the appropriate Selenium Client driver Jar file to the Eclipse.

First open Eclipse then,


Step 1. Go to Eclipse , Click File > New > Project (from various options need to select just "project") .



Step 2. In Select Wizard > Click Java > "Java Project"




Step 3. Click next, then Name the Project. In this instance, we gave the name as "PracticalNo3".




Step 4. Click Finish > Click Yes

Step 5. Now we are done with creation of project and need to configure the Selenium Client driver to this Project.


Step 6. Do this, Right Click on the PracticalNo3 under the Package Explorer. And do as shown.




Step 7. Click on Classpath as shown in this below image. Click on “Add External JARs”. Then add the Files from the STQA Folder wherein there is a folder named “selenium” Select everything. And then, Click on “Add External Class Folder“.Again Open the STQA Folder and select the folder named “jxl-2.6.12”and click on the Select Folder Button. Also import Selenium Server File that we downloaded through the “Add External JARs“ method.



Step 8. Create a new class named “SeleniumDemo” by right clicking on the “src“ folder Click Finish.






Step 9. Copy the below code in the newly created file

```
package Sele3;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.remote.DesiredCapabilities;
public class DC {
    static String driverPath = "F:\\STQA\\chromedriver\\chrome-win64\\chrome.exe";
    public static WebDriver driver;
    public static void main(String[] args) {
            int a=10,b=20;
            System.out.println("Hi.   ");
            System.out.println(a+b);
            System.out.println("Selenium demo.    ");
            System.setProperty("webdriver.chrome.driver",driverPath);
            DesiredCapabilities capabilities = new DesiredCapabilities();
            capabilities.setCapability("marionette",true);
            driver= new ChromeDriver() ;
            driver.get("https://www.facebook.com/");
            driver.manage().window().maximize();
            driver.quit();
    }
}
```

Output:



Practical No 4

Aim: Write and test a program to login specific web page

Create a new Java Project and also add the respective .jar files and also add a new class.

Then type the following code –

```
package Prac3;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;

import org.openqa.selenium.firefox.FirefoxDriver;

public class P3 {

	public static void main(String[] args) throws InterruptedException {

		System.setProperty("webdriver.gecko.driver","D:\\STQA\\Mozilla
Driver- 20230927T030950Z-001\\Mozilla Driver\\geckodriver.exe");

		WebDriver driver = new FirefoxDriver();

		driver.get("https://accounts.google.com/");

		driver.findElement(By.id("identifierId")).sendKeys("debo123@gmail.com");
// enter username

		driver.findElement(By.id("identifierNext")).click();

		Thread.sleep(5000);

	driver.findElement(By.name("password")).sendKeys("TYPE_YOUR_PASSWORD");
// enter password

		driver.findElement(By.id("passwordNext")).click()

		; String title = driver.getTitle();

		if(title.equals("Google Account"))

		{

		System.out.println("LOGIN SUCCESSFUL...");

		}

		else

		{


		System.out.println("LOGIN FAILED");

		}
```

}

}

Output –


Google
Sign in
Use your Google Account
Email or phone
debo123@gmail.com
Forgot email?
Not your computer? Use a Private Window to sign in.
Learn more
Create account
Next

Practical No. 5

AIM : Write and test a program to update 10 student records into table into Excel file.


Step 1: Open The Google And Download The Jxl Jar file, Form use This URL https://sourceforge.net/projects/jexc.

Step 2: We Need to Create the Excel file Form the Students records present in it . Eclipse Does not support .xlsx file s save your file in .xls extension only.


A	B	C	D	E	F
Roll No	Java	DBMS	OS	Total	
1	34	45	23	102	
2	64	34	34	135	
3	56	45	56	157	
4	89	76	76	241	
5	65	98	56	219	
6	45	77	67	189	
7	35	55	43	133	
8	67	57	34	158	
9	54	76	56	186	
10	78	56	33	167	

Step 3: Now We need to install the TestNG Plugins For The Eclpise IDE .


1. Open the Eclipse IDE , Go to the Help option and click on Eclipse Marketplace.




2. Click on the search bar and search the TestNG.




3. Then Install the TestNG For Eclipse.




4. Now then click the Confirm And It’s Finish the installation.




5 . Go to help Option Select the install new software option.




5. Now copy The URL https://testng.org/testng-eclipse-update-site And Past The Work With Option Bar.




6. Then Click Add Button And Past The URL https://testng.org/testng-eclipse-update-site and Give The Name (TestNG). And Click the Add Button.




Step 8 : Add All plugins And Click on the next button.




Step 4: Now open the Eclipse Create a new java project.




Step 5: Now Give the Project Name.




Step 6: Now Create the java Class . So go to the Eclipse IDE Click the File, Select the New, And Click on the Class.




Step 7: Give the class name(StudentRecord) and Click on the Finish button. Select on the public static void main(String[] args).




Step 8: Now We need to Some Libraries References. Then click on the file > select The Build Path > Click on the Config Build Path.




Step 9 : Go to the Libraries section and select the classpath , and click on the Add External JARS.




Step 10 : Then Add the .Jar files and click on the Apply and Close.



Step 11 : Then Add The TestNG . So Go to the Windows option and click the Show view > Other .



Step 12: Go to Other and Click the Java Folder and select the TestNG.



Step 13: Then Run The Code.

Step 14 : Then Copy the path of the Excel Workbook.

```
import java.io.FileOutputStream;

import jxl.Sheet;

import jxl.Workbook; import jxl.write.Label;

import jxl.write.WritableSheet; import
    jxl.write.WritableWorkbook; import
    org.testng.annotations.*;

public class StudRecords {

@BeforeClass //@BeforeClass runs once before the
    entire test. public void setUp() throws Exception
    {}

@Test

public void testImportexport1() throws Exception {
    FileInputStream fi = new

FileInputStream("C:\\Users\\Champs\\Desktop\\Studen
    ts.xls"); tColumns()];

FileOutputStream fo = new
    FileOutputStream("C:\\Users\\Champs\\Desktop\\
    Result.xls");

WritableWorkbook w = Workbook.getWorkbook(fi);
    Sheet s = w.getSheet(0);

String a[][] = new String[s.getRows()][s.geWorkbook
    wwb = Workbook.createWorkbook(fo);

WritableSheet ws = wwb.createSheet("result1", 0); for
    (int i = 0; i < s.getRows(); i++)

for (int j = 0; j < s.getColumns(); j++)

{

a[i][j] = s.getCell(j, i).getContents(); Label l2 = new
    Label(j, i, a[i][j]); ws.addCell(l2);

Label l1 = new Label(6, 0, "Result"); ws.addCell(l1);


}

for (int i = 1; i < s.getRows(); i++) { for (int j = 2; j <
    s.getColumns(); j++)

{
```

```
a[i][j] = s.getCell(j, i).getContents(); int
      x=Integer.parseInt(a[i][j]);
if(x > 35)
{
Label l1 = new Label(6, i, "pass"); ws.addCell(l1);
}
}
else
{
Label l1 = new Label(6, i, "fail"); ws.addCell(l1);
break;
}
}
System.out.println("Records sucessfully updated ");
}
wwb.write();
wwb.close();
}
```

Output:



	A	B	C	D	E	F	G
1	Roll No	Java	DBMS	OS	Total		Result
2	1	34	45	23	102		fail
3	2	67	34	34	135		fail
4	3	56	45	56	157		pass
5	4	89	76	76	241		pass
6	5	65	98	56	219		pass
7	6	45	77	67	189		pass
8	7	35	55	43	133		pass
9	8	67	57	34	158		fail
10	9	54	76	56	186		pass
11	10	78	56	33	167		fail

Practical No. 6

AIM: - Write and test a program to select the number of students who have scored more than 60 in any one subject (or all subjects).

Step1: Go to Google and Search Junit-4.10.jar


Use URL: http://www.java2s.com/code/Jar/j/Downloadjunit410jar.htm

Step2: Then Download Jxl2.6.jar file


Use URL : http://www.java2s.com/Code/Jar/j/Downloadjxl26jar.htm

Step3: We Need TestNG Then Open Eclipse IDE


1. On the menu bar, click Help.




2. Then Select Eclipse Marketplace.




3. Search the TestNG using the Find option and, click on the installation button.



4. Confirm the installation process and Click on confirm button.




5. Accept the license agreement and Select the radio button “I accept the terms of the license agreement” Click on Finish.




6. After accept the licence agreement, wait for installation.
7. Verify if the installation is done properly.

After the restart, verify if TestNG for Eclipse was indeed successfully installed. Click Window > Show View > Other.



8. Then open the Java directory and see if TestNG is included. Select TestNG And Click Open button. Now It's Done.




Step4: Create A Input file in Excel File With 10 records Give the StudentName of this excel file(Student.xls)

Roll No	JAVA	DBMS	OS	Total
1	34	45	23	102
2	67	34	34	135
3	56	45	56	157
4	89	76	76	241
5	65	98	56	219
6	45	77	67	189
7	35	55	43	133
8	67	57	34	158
9	54	76	56	186
10	78	56	33	167


Step5: Create a Empty excel Output file Save this Name (Result.xsl)

	A	B	C	D	E
1	Roll No	JAVA	DBMS	OS	Total
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					

Step 6: Open the Eclipes IDE And Go to File And Then Select The New option then click Java Project




Step 7 : Give the Project Name And Then Click Next Buton




Step 6: Go to the Left Side And click on the project so click on the new button and select class.


Step 7: Click Right Button on Project Src And create a package.




Step 8 : Then Right click on the package and Add a Class And Class Name Is (StudentScore) In Both Source Folder And Name.




Step 9: Add A referenced Libraries .



Step 10 : Go to Windows Option in Eclipse Then Select Show View . Go to the Other Option Click on Java Folder And Select The TestNG.





Step 11: Type The code.

```
package StudentScore;
import jxl.Sheet;
import jxl.Workbook;
import jxl.write.*;
import java.io.*;
import
org.testng.annotations.Test;
@Test
public class StudentScore {
        public void testImportexport1() throws Exception {
                FileInputStream fi = new
FileInputStream("C:\\Users\\Rushi\\Desktop\\Student.xls");
                Workbook w = Workbook.getWorkbook(fi);
                Sheet s = w.getSheet(0);
                String a[][] = new String[s.getRows()][s.getColumns()];
                FileOutputStream fo = new
FileOutputStream("C:\\Users\\Rushi\\Desktop\\Result.xls");

                WritableWorkbook wwb = Workbook.createWorkbook(fo);
                WritableSheet ws = wwb.createSheet("result", 0);
                int c = 0;

                for (int i = 0; i < s.getRows(); i++) {

                        for (int j = 0; j < s.getColumns(); j++) {
                                if (i >= 1) {
                                        String b = new String();
```

```
                        b = s.getCell(3, i).getContents();
                        int x = Integer.parseInt(b);
                        if (x < 60) {

                                c++;

                                break;

                        }

                }

                a[i][j] = s.getCell(j, i).getContents();

                Label l2 = new Label(j, i - c, a[i][j]);
                ws.addCell(l2);
            }


        }


        System.out.println("Students scored less than 60: " +c);
        wwb.write();
        wwb.close();

}

}
```

Step 12 : Then Copy the Created Both Excel File And Past in Code.





Step 13: Run The Code


Output:

	A	B	C	D	E
1	Roll No	Java	DBMS	OS	Total
2	4	89	76	76	241
3	6	45	77	67	189


Practical No. 7

AIM : Write and test a program to provide total number of objects available in the web page.


Step 1: Download Selenium Server Form Server Grid
Step 2: Open The Eclipse IDE
Step 3: Create a JAVA Project Give the Name Links.




Step 4: Then Add a Class And Class Name Is (TestLinks) In Both Source Folder And Name.




Step 5: Then Select The public static void main(String[] args) and click Finish button.




Step 6: Add All the Basics selenium jars. So look at the left side Package Explorer then click the right button to the Project Name Then Choose A JAVA Build Path. Then Select Configuration build path.




Step 7: Go to the Libraries.




Step 8: Go to Right Side Click on The Add External JARS.



Step 9: Then Select rcserver folder then Select The All .jar file then click the open button.



Step 10: Select Again External Jar option then select rcserver so click lib folder and Select All Jar file . Click on Open button. Then Apply and Close.



Step 11: Then Type Full Code.

```
import java.util.List;
import org.openqa.selenium.By;


import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
public class TestLinks {
public static void main(String[] args) {

System.setProperty("webdriver.gecko.driver","yourLocationToGeckoDriver\\geckodriver.exe ");


WebDriver driver=new
FirefoxDriver();
driver.get("https://www.gmail.com");
List< WebElement>
mylist=driver.findElements(By.xpath("//a"));
System.out.println("Number of links =" +mylist.size());
}

}
```

Step 12: Give the GekoDriver path. Go to the file folder . Open STQA folder Go to The Mozella Driver Then Go To The GEKODRIVER properties And Copy The Path



Step 13: Then Run The Project




Practical No. 8


AIM : Write and test a program to get the number of items in a list / combo box

Step 1: Go to the Eclipes IDE.


Step 2 : Create a JAVA Project .Give the name on the project .




Step 3 : Go to the Left Side Bar and Click the Right button on the project and create a new Class.




Step 4: Then Give the Class Name and Select on public static void main(String[] args). Then click on Finish button.




Step 5: Then Go again Right Side Click the Right Button On Project Name. and the click on the Build Path and click on the Config Build Path.




Step 6 : Then Go to Libraries and select the Classpath and Click on the Add External Jars.




Step 7: Add All Jar file So go to the rcserver ,selenium, lib folders and select the all .jar file



Step 8 : Add All jar files.



Step 9: Add the Jxl.4.2.0 folder . then go to classpath and click on add External class folder option and add the Jxl folder. Then apply and close.



Step 10: Type code in the project.

```
package TestComboBox;
import java.util.*;

import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.support.ui.Select;
public class TestComboBox
 {

        public static void main(String args[])

        {


            System.setProperty("webdriver.gecko.driver","E:\\soft\\software
testing\\Mozilla Driver\\geckodriver.exe");

      WebDriver driver = new
      FirefoxDriver();
      driver.get("https://www.facebook.com");
      Select se = new
     Select(driver.findElement(By.xpath("//Select[@id='month']"))); List
     <WebElement> mylist = se.getOptions();
      mylist.size();

      System.out.println("Number of items = "+mylist.size());

        }
```

Step 11 : Then need to gekodriver path. So open Mozilla Driver folder and copy gekodriver.exe path.



Step 12 : Then Add GekoDriver Path in code .

```
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.support.ui.Select;

public class TestComboBox

{

public static void main(String args[])

{

System.setProperty("webdriver.gecko.driver","C:\\Users\\Rushi\\Desktop\\STQA\\Mozilla Driver-202309

WebDriver driver = new FirefoxDriver();

 driver.get("https://www.facebook.com");

Select se = new Select(driver.findElement(By.xpath("//Select[@id='month']")));

List <WebElement> mylist = se.getOptions();

mylist.size();

System.out.println("Number of items = "+mylist.size());

}

}
```

Step 13 : Then Run the code .

Code:

```
package Prac08;
import java.util.List;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.support.ui.Select;
public class P08 {
	public static void main(String[] args) {

		System.setProperty("webdriver.gecko.driver","D:\\STQA\\Mozilla
Driver- 20230927T030950Z-001\\Mozilla Driver\\geckodriver.exe");

		WebDriver driver=new FirefoxDriver();
		driver.get("https://www.facebook.com")
		; Select se = new
Select(driver.findElement(By.xpath("//Select[@id='month']")));
		List <WebElement> mylist = se.getOptions();
		mylist.size();
		System.out.println("Number of items = "+mylist.size());

	}

}
```

Output:



Practical No. 9

AIM : Write and test a program to count the number of check boxes on the page checked and unchecked count


Step 1: Open the notepad
Step2 : Create a basic html page with some of the checkboxes checked and unchecked

HTML Code:


```
<!DOCTYPE html>
<html>
<body>
<form>
<h2>Text Input</h2>
  First name:<br>
<input type="text" name="firstname"><br>
  Last name:<br>
<input type="text" name="lastname">
<br>
<h2>Select Gender</h2>
<input type="radio" name="gender" value="male" checked> Male<br>
<input type="radio" name="gender" value="female"> Female<br>
<input type="radio" name="gender" value="other"> Other<br>
<h2>Select Languages Known</h2>
<input type="checkbox" name="lang" value="Java"> Java<br>
<input type="checkbox" name="lang" value="PHP" checked="checked"> PHP<br>
<input type="checkbox" name="lang" value="C#"> C#<br>
<input type="checkbox" name="lang" value="Python" checked="checked"> Python<br>
<input type="checkbox" name="lang" value="Ruby"> Ruby<br>
<br><br>
<input type="submit" value="Submit">
</form>
</body>
</html>
```

Step 3 : Open the Eclipse IDE


Step 4: Go to File and click New button and Create A Java Project. Give the name on the project .




Step 5 : Go to the Left Side Bar and Click the Right button on the project and create a new Class.




Step 6 : Step 4: Then Give the Class Name(TestCheckBox) and Select on public static void main(String[] args). Then click on Finish button.




Step 7 : Then Go again Right Side Click the Right Button On Project Name. and the click on the Build Path and click on the Config Build Path.



Step 8: Then Go to Libraries and select the Classpath and Click on the Add External Jars.



Step 9: Add All Jar file So go to the rcserver ,selenium, lib folders and select the all .jar file and Selenium Sever Grid file



Step 10: Copy the html code path and the gekodriver path to the past inn code


Step 11 : Type All Code.

```
import java.util.*;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
public class TestCheckBox
{
	public static void main(String args[])
	{
System.setProperty("webdriver.gecko.driver","C:\\Users\\Rushi\\Desktop\\STQA\\Mozilla
Driver-20230927T030950Z-001\\Mozilla Driver\\geckodriver.exe");
	 WebDriver driver = new FirefoxDriver();
	 driver.get("C:\\Users\\Rushi\\Desktop\\STQA Practicals\\STQA PR0.html");
```

```
 int chk = 0;
Page No. 59
int unchk = 0;
 List <WebElement> els = driver.findElements(By.xpath("//input[@type='radio']"));
 for(WebElement el : els)
{
        if(el.isSelected())
        {
                chk++;
         }
         else{
                unchk++;
         }
 }
 System.out.println("Total checked items" + chk);
 System.out.println("Total unchecked items" + unchk);
    }
}
```

Step 12 : Run The Code

Step 13 : Website page



Step 14: Output The Code

```java
import java.util.*;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;

public class TestCheckBox
{
   public static void main(String args[])
   {
       System.setProperty("webdriver.gecko.driver","C:\\Users\\Rushi\\Desktop\\STQA\\Moz
       WebDriver driver = new FirefoxDriver();
       driver.get("C:\\Users\\Rushi\\Desktop\\STQA Practicals\\STQA PR0.html");
       int chk = 0;
       int unchk = 0;
       List <WebElement> els = driver.findElements(By.xpath("//input[@type='radio']"));
       for(WebElement el : els)
       {
           if(el.isSelected()) {
               chk++;
           }
           else{
               unchk++;
           }

       }
       System.out.println("Total checked items" + chk);
       System.out.println("Total unchecked items" + unchk);
   }
}

```


```
Problems  Javadoc  Declaration  Console ×
terminated> TestCheckBox [Java Application] C:\Program Files\Java\jdk-19\bin\javaw.exe  (31-Oct-2023, 1:29:44 pm – 1:29:55 pm) [pid: 2621
698739191537   RemoteAgent     WARN    TLS certificate errors will be ignored for this sessio
avaScript error: resource://gre/modules/XULStore.sys.mjs, line 60: Error: Can't find profile
ct 31, 2023 1:29:54 PM org.openqa.selenium.remote.ProtocolHandshake createSession
NFO: Detected dialect: W3C
otal checked items1
otal unchecked items2
```

Practical No 10


Step1 : Go to The Google And Download Apache JMeter Zip File.

Step2: Extract The Apache JMeter Zip File.


Step3 : Open the JMeter Folder Then Go To Bin Folder And Click On Jmeter.sh




Step4 : Now In JMeter Add A New TestPlan As Give The Name Of TestPlan Is “Google”.




Step 5 : Now Right Click On TestPlan. Then Add A Thread And The Select Therad Group And Give The GroupName As “Performance Testing”.




Step 6 : Now Add The Number Of Threads, to The Ramp-Up Period And Loop control Values as Shown Below.




Step 7 : Right Click On Thread Group. Add And Select Config Element And Choose The HTTP request Default.




Step 8: Now The Type The http://www.google.com/ In The Path Section.




Step 9 : Once Again Right Click On the Thread Group Select Add And Click On Sampir And Choose The HTTP Request.



Step 10 : Then Once Again Type The http://www.google.com/ In The Path Section.



Step 11: Once Again Right Click On Thread Group And Add , Listener And Click The Graphics Result.



Step 12: Now Run The Test. And Its Output.

