

ISYE 3133 Project Phase 3 Deliverable

Nathan Cung, Eashan Gandotra, and Malina Hy

11/11/2021

Notes/Assumptions

- The indices of animal, food type, and facility are the indices of the table in the provided data set - $i, j, k \forall i \in [1 : 3], j \in [1 : 20], k \in [1 : 9]$.
- The model requires that recommended food value be assigned to individual animals before the model is run - for example, child animals will be assigned the child food recommended intake, and adult animals will be assigned the adult food recommended intake, based on the adulthood age of the animal's species.
- We assume there are 90 days/3 months in one fiscal quarter.
- The number of species are indicated by the original indices of the data set: $m \in [1 : 14]$
- Assume the animals adopted are adults
- We can adopt at most 1 species of big cats, which is the species of cat that got moved to the new enclosure

Data / Parameters

c_{ij} = cost per pound of food type j for individual animal i

w_{ij} = welfare score for food type j for individual animal i

q_k = estimated monthly attendance increase per 10,000 dollar investment in facility k

r_i = pounds of food required per day by individual animal i

Variables

z_m = number of animals of species m adopted

$d_{n,j,m}$ = amount of food given to n th animal up for adoption for food type j of species m

$f_{j,m}$ = welfare score for food type j for species m

g_m = recommended food quantity for an adult of species m

y_m = if an animal of species m is adopted

$$\begin{cases} 1, & \text{if } z_m > 0 \\ 0, & \text{otherwise} \end{cases}$$

$h_{n,m}$ = if the n th animal of species m is adopted

$$\begin{cases} 1, & \text{if } z_m > 0 \\ 0, & \text{otherwise} \end{cases}$$

Model

$$\begin{aligned}
\max z = & \sum_{i=1}^{20} \sum_{j=1}^3 \frac{x_{i,j} w_{i,j}}{r_i} + \sum_{n=1}^5 \sum_{j=1}^3 \sum_{m=1}^{14} \frac{d_{n,j,m} f_{j,m}}{g_{m,n}} \\
\text{s.t.} \quad & a_k \leq 20,000 \forall i \\
& 200000 + \sum_{k=1}^9 \frac{3(10)(q_k)(a_k)}{10000} \geq 1.05 \left(100000 + \sum_{k=1}^9 a_k + \sum_{i=1}^{20} \sum_{j=1}^3 \frac{90(x_{ij})(c_{ij})}{10} \right) \\
& \sum_{j=1}^3 x_{ij} = r_i \forall i \\
& \sum_{m=1}^{14} z_m \geq 5 \\
& z_m \leq 4 \text{ where } m \in \{5, 6, 7, 10\} \\
& z_m \leq 2 \text{ where } m \in \{1, 2, 3, 4, 8, 9, 11, 12, 13, 14\} \\
& y_5 + y_6 + y_7 + y_{10} \leq 1 \\
& y_1 + y_4 + y_{12} + y_{13} + y_{14} \leq 1 \\
& y_2 + y_3 + y_8 + y_9 + y_{11} \leq 2 \\
& d_{n,j,m} \leq h_{n,m} g_m \\
& x_{ij}, a_k, z_m \geq 0 \forall i, j, k, m \\
& y = 0 \text{ or } 1 \\
& h = 0 \text{ or } 1
\end{aligned}$$