

# IBM

## Data Science Final Project

### INTRODUCTION

This is a capstone project for IBM Data Science Professional Certificate. In this project, I am creating a hypothetical scenario for a concept that there may not be enough Indian Restaurants in Toronto Area. Therefore, it might be a great opportunity for an entrepreneur who is based in Canada.

As Indian food is popular among the Asian community, so this entrepreneur might think of opening its business in areas where the Asian community resides. With the purpose in mind, finding the location to open such a restaurant is one of the most important decisions for this entrepreneur and I am designing this project to help him find the most suitable location.

### BUSINESS PROBLEM

The objective of this capstone project is to find the most suitable location for the entrepreneur to open a new Indian Restaurant in Toronto, Canada. By using data science methods and tools along with machine learning algorithms such as clustering, this project aims to provide solutions to answer the business question: In Toronto, if an entrepreneur wants to open an Indian Restaurant, where should they consider opening it?

### TARGET AUDIENCE

The entrepreneur who wants to find the location to open an authentic Indian restaurant.

### DATA

To solve this problem, we will need below data:

- List of neighborhoods in Toronto, Canada
- Latitude and Longitude of these neighborhoods
- Venue data related to Indian restaurants. This will help us find neighborhoods that are more suitable to open an Indian Restaurant.

## EXTRACTING THE DATA

- The scrapping of Toronto neighborhoods via Wikipedia
- Getting Latitude and Longitude data of these neighborhoods via Geocoder package
- Using Foursquare API to get venue data related to these neighborhoods

## METHODOLOGY

First, I need to get the list of neighborhoods in Toronto, Canada. This is possible by extracting the list of neighborhoods from Wikipedia: [https://en.wikipedia.org/wiki/List\\_of\\_postal\\_codes\\_of\\_Canada:\\_M](https://en.wikipedia.org/wiki/List_of_postal_codes_of_Canada:_M)

I did the web scraping by utilizing pandas HTML table scraping method as it is easier and more convenient to pull tabular data directly from a web page into the data frame.


However, it is only a list of neighborhood names and postal codes. I need to get their coordinates to utilize Foursquare to pull the list of venues near these neighborhoods. To get the coordinates, I tried using Geocoder Package but it was not working so I used the CSV file provided by IBM team to match the coordinates of Toronto neighborhoods. After gathering these coordinates, I visualize the map of Toronto using Folium package to verify whether these are correct coordinates. Next, I use Foursquare API to pull the list of top 100 venues within 500 meters radius. I have created a Foursquare developer account in order to obtain account ID and API key to pull the data. From Foursquare, I am able to pull the names, categories, latitude, and longitude of the venues. With this data, I can also check how many unique categories that I can get from these venues. Then, I analyze

each neighborhood by grouping the rows by neighborhood and taking the mean on the frequency of occurrence of each venue category. This is to prepare clustering to be done later.

Here, I made a justification to specifically look for “Indian restaurants”. Lastly, I performed the clustering method by using k-means clustering. K-means clustering algorithm identifies k number of centroids, and then allocates every data point to the nearest cluster while keeping the centroids as small as possible. It is one of the simplest and popular unsupervised machine learning algorithms and it is highly suited for this project as well. I have clustered the neighborhoods in Toronto into 3 clusters based on their frequency of occurrence for “Indian food”. Based on the results (the concentration of clusters), I will be able to recommend the ideal location to open the restaurant.

## RESULT

### CLUSTERS



The results from k-means clustering show that we can categorize Toronto neighborhoods into 3 clusters based on how many Indian restaurants are in each neighborhood:

- Cluster 0: Neighborhoods with less number of Indian restaurants.
- Cluster 1: Neighborhoods with more number of Indian restaurants.
- Cluster 2: Neighborhoods with no Indian restaurants.

The results are visualized in the above map with Cluster 0 in green, Cluster 1 in red, Cluster 2 in green.

## RECOMMENDATIONS

Most of the Indian restaurants are in cluster 1 which is around Central Bay Street, St. James Town / Cabbagetown, Church and Wellesley, Davisville, Riverdale.

Looking at nearby venues it seems cluster 0 might be a good location as there are not a lot of Indian restaurants in these areas. Therefore, this project recommends the entrepreneur to open an authentic Indian restaurant in these locations.