	20.7+ R DR	48.4 57 24
	23.10 S DR 23.6+ L DR	48.8 58 24
	24.5+ BR DR	49.2 59 24
	24.5+ R DR	49.2+ R BT
	26.4+ BL WR	
2025 PIDGE	27.5+ R BT RT8	49.6 00 24
2025 RIDGE ENDURO	27.80 L BT	50.0 01 24
	29.5+ R DR 34.1+ L FIELD	50.4 02 24
0.0 00 27	*SLOW HORSES*	50.8 03 24
1.00 S TR	34.4 22 24	50.8+ L BT R8
2.1+ R DR	Start Ctrl	
2.3+ L GTRK	34.4 22 24	51.2 04 24
3.6 08 27	34.8+S TR	51.3+ R BT
4.5 10 27	36.1+ S TR	51.6 05 24
	36.6+ R WR	52.0 06 24
4.80 WR 5.00 G TRK	37.6 30 24	52.4 07 ²⁴
5.4 12 ₂₇	37.60 S TR	
Reset	38.0 31 24	52.8 08 18
		52.80 R WR
from 5.45	38.4 32 24	53.1 09 18
to 13.95	38.50 S TR	53.3+ S BT
13.9+ X BT	38.8 33 24	53.4 10 18
14.4 32 24	Reset	53.6+ R TR
Free Zone	from 38.83	53.7 11 18
from 14.40	to 46.83	54.0 12 18
to 34.40	47.0+ L BT CR20	
14.8+ R BT	47.2 54 24	54.3 13 18
15.3+ BR BT	47.6 55 24	54.4+ S TR
15.9+ BL BT		54.6 14 18
17.7+ R BT RT206 18.1+ L BT RT27	47.9+ L BT R206	54.9 15 18
19.2+ R DR	48.0 56 24	54.90 S TR

55.2 16 18	69.9 02 24	84.7 39 24
55.5 17 18	70.3 03 24	84.80 R BT R13
55.8 18 18	70.7 04 24	85.1 40 24
56.1 19 18	71.1 05 24	85.5 41 24
56.4 20 18	71.5 06 24	85.9 42 24
56.5+ L TR	71.8+ L TR	86.3 43 24
56.7 21 18	71.9 07 24	86.6+ R BT
57.0 22 18	72.3 08 24	86.7 44 24
57.1+ S TR	72.7 09 24	87.1 45 24
57.3 23 18	72.7+ L TR	87.4+ R TR
Reset	73.1 10 24	87.5 46 24
from 57.35	73.5 11 24	87.9 47 24
to 66.30	73.5+ S TR 88.10 S TR	
GAS AVAIL	73.9 12 24	88.3 48 24
66.3 53 24	74.3 13 24	88.7 49 24
66.3+ L BT	74.50 S TR	88.90 S TR
66.40 R BT 66.7 54 24	74.7 14 24	89.1 50 24
	75.1 15 24	89.5 51 24
67.1 55 24		89.80 L TR
67.5 56 24	75.5 16 24	89.9 52 24
67.9 57 24	75.70 S TR	90.3 53 24
68.10 R BT	75.9 17 24	90.7 54 24
68.3 58 24	76.3 18 24	90.9+ L BT
68.7 59 24	Reset 91.00 R TR	
69.1 00 24	from 76.35 Reset	
69.10 L BT	to 84.30	from 91.00
69.5 01 24	84.3 38 24	to 95.00
	84.3+ L BT	Free Zone

from	95.0	00	1
to 9	8.30)	
95.90	LB	Γ	
96.4+ L		R35	
97.80		Γ	
98.2+	Ĭ	Υ	
	13	24	
98.7	14) Π R35 Γ 24 24	
99.1	15	24	
99.5	16	24	
99.83	L		
	4 —	24	
00.3			
		4 4	
00.7	L <u>-</u>	24 24 R 24	
100.7-		R	
01.1	20	24	
01.5	21	24	
101.80 \$	CC	RD	
01.9	22	24	
02.3		24	
102.30	L	R	4
02.7		24	
		_ ·	
03.1		4 4	
03.5	26	24	
03.9	27	24	
04.3	28	24 RD 24 24 24 24 24 24 R 24	
104.3	L	R	
04.7	29	24	

104.7+ R	BT CR27	
05.1	30 24	
105.10 L DR		
05.5	31 24	
05.9	32 24	
06.3	33 24	
06.7	34 24	
106.9	⊦ L BT	
07.1	35 24	
	R BT	
07.5	36 24	
	L BT	
	BL BT	
07.9	37 24	
08.3	38 24	
08.7	39 24	
09.1	40 24	
109.4+	R BT	
09.5	41 24	
109.85 F	`	
	42 30	
Start		
	42 30	
111.90 เ	JP HILL	
	G TRK	
12.9	48 30	
112.98 L BT		
Reset		

from 112.98		
to 1	15.38	
15.4	53 30	
15.9	54 30	
EN	ND	
at 11	15.90	