		•		•				
			7.2	18	24	15.6	39	24
		7.6	19	24	16.0	40	24	
			8.0	20	24	16.11	STR	
				LBT		16.4	41	24
				21	24	16.8	42	24
SAND	SANDY LANE			22	24		set	
ENDU			8.8 22 24 9.00 RBT			from 16.83		
SHORT				Υ	04		20.8	
0.0	00	24	9.2	23			1	
0.20	0 LBT		9.6	24	24	20.8		
1.53 LWR			10.0	25	24	2 WAY	1	
	1.60 RFC			<u>26</u>		21.2	53	24
) LWR 4 RFC					21.6	54	24
3.2	08		10.8	27	24	Re	set	
			11.2	28	24	from	21.8	36
3.6	09	24	11.6	29	24		26.0	
	S LWR							
4.0	10	24	12.0			26.0		
4.4	11	24		12.00 RWR 2 WAY TRAFFIC		26.00 GAS & GO 26.00 RBT		
4.8	12	24	ļ	Υ	····		1	
			12.4			26.4		
	' RWR I RWR		12.8	32	24	26.75		
5.2			13.08	RWF	7	26.8	07	24
	2 LFC	4 T	13.2	33	24	27.2	08	24
5.6	14	24	13.6	34	24	27.6	09	24
			14.0	35	24	28.0	10	24
6.0	15	24				28.25		
6.4	16	24	14.4	3 b	24		11	
6.45 RWR			14.8	37	24			
6.8	17	24	15.02	STR	2	28.8	12	24
<u> </u>	k		15.2	38	24	29.2	13	24
			<u> </u>			<u> </u>		

29.6	14	24	53.4	33	18	63.3	06	18
29.94 LTR		53.7	34	18	63.6	07	18	
30.0	15	18	54.0	35	18	63.9	08	18
30.3	16	18	54.14			64.2		18
30.6	17	18	54.3	36	18	64.21		
30.65 LTR			54.6	37	18	64.5	``````	` 18
30.9	18	18		38	18		RWF	
31.2	19	18				ļ	R PI	
31.24			55.2	39	18	64.8	11	18
	LIT		55.5	40	18	Free	Time	,
A/B RIDERS RTR			55.8	41	18	at 6	4.80)
	C RIDERS STRAIGHT		56.1	42	18	30	min	
31.5	T	18	56.1	<u>- —</u>		64.8	41	18
			56.4	43	18	GAS	AVAII	<u></u>
31.8 21 18		56.7	11	18	Reset to 0			
Reset			Free Zone			at 64.80		
from 31.90 to 49.00			from 56.80			0.0	41	24
49.10			to 61.30			Star	t Ctrl	
49.2			61.30 RWR		0.0	41	24	
49.20		l	61.46 LWR		0.50 S FENCE			
	t Ctrl		61.5 00 18			1.19 STR		
49.2	19	18	61.8	01	18		STR	
51.99			62.1			3.2		
52.2	29	18				3.6	50	24
52.5		18	62.4			4.0	51	24
	STR		62.7 04 18		4.26	STR		
52.8	Ϊ	18	62.76 SV		_	4.4	52	24
	32		63.0	T		4.8	53	24

5.2	54	24	17.2	24	24	from	25.4	10
5.6	55	24	17.6	25	24	to	31.2	0
6.0	56	24	17.86	ļ		31.2	59	24
6.0 56 24 6.11 STR		18.0	26	24	31.6	00	24	
6.4	7	r	18.30	RTF	2	32.0		
6.8			18.4	27	24	32.4		
6.95	.1	L	18.8	28	24			
7.2	Υ	r	19.2	29	24	32.8		
7.55		l	19.6			33.2		
7.6	00	24	20.0			33.34		
8.0	01	24				33.6		
8.4			20.4			34.0	06	24
8.73	L	l	20.8	33	24	34.4	07	24
	LWR	·	21.2	34	24	34.8	08	24
Re	set		21.48 STR			35.03 STR		
from	8.7	'5	21.6	35	24	35.2	09	24
to 14.80			22.0	36	24	35.6	10	24
14.8	18	24	22.4	37	24	35.80		
15.2	19	24	22.8	38	24	36.0	11	24
15.57	LWF	2	23.12			36.4	12	24
BRIDGE XX 2 WAY TRAFFIC			23.2	39	24	36.8		
15.6	Υ	r	23.6			37.2		
15.72			24.0			37.2 37.3		
16.0	Υ	r		3 STR		37.6	1	
16.4			24.4				set	4 7
						from		70
16.8	J	l	24.8				41.8	
17.16 LWR			25.2	<u>-</u>	24	42.0		
			Re	set		74.0	20	<u>_</u>

42.4	27	24						
42.65 RWR								
42.8	28	24						
43.2	29	24						
43.35	43.35 RWR							
43.6	30	24						
44.0	31	24						
44.4	32	24						
44.8	33	24						
44.80 RWR								
45.10 GAS & GO								
Free	Zone)						
from 45.10								
to 54.00								
47.94 LBT								
49.44 BRBT								
53.85 R FIELD								
54.0	56	24						
54.00 END OB CHK								