	18.6 44 24	24.29 <> R SR
		24.36 <> R PL
	19.0 45 24	<b>24.6 59</b> <sup>24</sup>
	19.4   46   24	<b>25.0 00</b> <sup>24</sup>
	19.76 <> R&L WR	25.12 <> L SR
	19.8 47 24	25.12 <> L 3K
2023	20.2 48 24	<b>25.4 01 24</b>
CURLY FERN		
ENDURO	20.6 49 24	<b>25.8 02</b> <sup>24</sup>
MARCH 19, 2023 KEYTIME 9:00	20.65 <> S WR	25.89 <> R PL
	X SR	25.93 <> R SR
0.0 00 36	21.0 50 24	25.99 <> R PL
0.00 S TR	21.28 <> R SR	<b>26.2 03</b> <sup>24</sup>
2.9 SPEEDO	21.4 51 24	26.53 <> L PL
3.0 05 24	21.72 <> S SR	<b>26.6 04</b> <sup>24</sup>
Reset	X SR	26.61 <> L PL
from 3.05	21.8 52 24	26.96 <> R PL
to 10.25	21.80 <> L PL	27.0 05 24
Free Zone	21.94 <> R SR	27.00 <> R SR
from 10.25	22.03 <> R PL	<b>27.4 06</b> <sup>24</sup>
to 17.80	<b>22.2 53</b> 24	27.8 07 24
10.25 <> L BT	22.33 <> L SR	
PICK UP	22.44 <> L PL	28.2 08 24
JACKET	<b>22.6 54</b> <sup>24</sup>	Reset
13.75 <> S SR	22.86 <> R SR	from 28.27
CROSS 206	22.96 <> R PL	to 34.87
17.8 42 24	23.0 55 24	34.87 <> S SR
17.80 <> L SR	23.4 56 24	35.0 25 24
DROP OFF		
JACKET	23.55 <> L SR	35.4 26 24
18.2 43 24	23.66 <> L PL	35.8 27 24
18.53 <> R WR	23.8 57 24	35.81 <> R PL
	<b>24.2</b> 58 24	36.07 <> R WR

36.15 <> L PL	from 40.27	50.2 03 24
36.2 28 24	to 44.00	50.6 04 24
36.34 <> R SR	44.00 <> S SR	51.0 05 24
36.40 <> R PL	44.17 <> L PL	
36.55 <> L WR	44.2 48 24	51.09 <> R SR
<b>36.6 29</b> 24	44.54 <> R SR	51.4 06 24
36.61 <> L PL 36.76 <> R SR	44.6 49 24	<b>51.8 07</b> 24
36.83 <> R PL	45.0 50 24	<b>52.2 08</b> <sup>24</sup>
36.98 <> L WR		<b>52.6 09</b> 24
37.0 30 24	45.4 51 24	
	45.51 <> R WR	52.79 <> S SR
37.03 <> L PL	45.67 <> L SR	X SR
37.19 <> R SR 37.34 <> R PL	<b>45.8 52</b> 24	53.0 10 24
37.4 31 24	45.90 <> L SR	<b>53.4</b> 11 24
37.45 <> L WR	46.2 53 24	53.8 12 24
37.54 <> R PL	46.6 54 24	54.2 13 24
37.69 <> R PL	47.0 55 24	54.35 <> L BT
37.8 32 24		· · · · · · · · · · · · · · · · · · ·
38.13 <> L PL	<b>47.4 56</b> 24	54.6 14 24
38.2 33 24	47.8 57 24	55.0 15 24
38.43 <> L PL	48.2 58 24	<b>55.4 16</b> 24
38.6 34 24	48.24 <> L SR	55.59 <> BLBT
38.84 <> R PL	48.40 <> L PL	<b>55.8 17</b> 24
39.0 35 24	48.57 <> R SR	56.2 18 24
39.24 <> L PL	48.6 59 24	56.6 19 24
39.29 <> L PL	48.62 <> R PL	
39.4 36 24	48.79 <> L SR	56.60 <> L PARKING
	48.99 <> R SR	MICKS CANOE
39.8 37 24	49.0 00 24	Reset
40.2 38 24	49.4 01 24	from 56.60
40.20 <. R SR	49.8 02 24	to 69.04
Reset	TOIU UL LT	10 03.07

GAS AVAILABLE 69.28 <> R BT	76.4 05 18	<b>85.4 35</b> 18
	76.40 <> L SR	85.45 <> R WR
69.4 51 24	Reset	<b>85.7 36</b> 18
69.8 52 24	from 76.43	86.0 37 18
70.2 53 24	to 81.00	86.25 <> R SR
70.28 <> BR BT	81.00 <> R SR	86.3 38 18
70.6 54 24	81.2 21 18	86.42 <> L PL
	81.47 <> L SR	
71.0 55 24	<b>81.5 22</b> 18	86.6 39 18
71.4 56 24		86.64 <> L SR
71.8 57 24	81.8 23 18	86.9 40 18
72.17 <> R PL	81.90 <> L PL	86.99 <> L PL
	82.07 <> R SR	87.07 <> R SR
72.2 58 36	<b>82.1 24</b> 18	<b>87.2 41</b> 18
72.20 <> L PL	82.37 <> R PL	87.42 <> L SR
72.30 <> R PL 72.54 <> L SR	<b>82.4 25</b> 18	87.5 42 18
72.73 <> L PL	<b>82.7 26</b> 18	87.65 <> R PL
<b>72.8 59</b> 36	83.93 <> L SR	<b>87.8 43</b> 18
73.22 <> R PL	83.0 27 18	87.87 <> L&R SR
73.4 00 36	83.12 <> L PL	X SR
73.40 <> L PL	83.3 28 18	<b>88.1 44</b> 18
73.90 <> R PL		88.27 <> R WR
<b>74.0 01</b> 36	83.6 29 18	88.4 45 18
74.15 <> PL	83.84 <> R SR	88.59 <> R SR
74.6 <b>02</b> 36	83.9 30 18	88.67 <> L SR
74.0 UZ 30 74.62 <> R PL	84.2 31 18	<b>88.7 46</b> 18
75.2 03 36	84.5 32 18	88.77 <> L PL
	84.57 <> R PL	89.0 47 18
76.66 <> L PL	84.79 <> R SR	
<b>75.8 04</b> 36	84.8 33 18	89.3 48 18
76.00 <> R PL		<b>89.6 49</b> 18
76.12 <> R PL	85.1 34 18	89.70 <> R SR

89.9 50 18	04.4 21 30	to 117.37
90.2 51 18	04.9 22 30	117.37 <> R SR
90.23 <> R PL	05.4 23 30	<b>17.4 47</b> 30
90.5 52 18	105.60 <> S SR	<b>17.9 48</b> 30
90.8 53 18	X SR	117.90 <> R PL
91.1 54 18	05.9 24 30	<b>18.4 49</b> 30
	06.4 25 30	18.9 50 24
91.4 55 30	06.9 26 30	119.20 <> L SR
91.60 <> L SR	107.30 <> L SR	19.3 51 24
91.89 <> R PL 91.9 56 30		119.36 <> L PL
	07.4 27 30	19.7 52 24
92.4 57 30	07.9 28 30	119.95 <> R SR
92.9 58 30	<b>08.4 29</b> 30	20.1 53 24
93.01 <> L SR	08.9 30 30	120.18 <> R PL
93.12 <> L PL	09.4 31 30	20.5 54 24
93.4 59 30	109.40 <> L SR	120.63 <> L SR
93.9 00 30	109.60 <> R PL	20.9 55 24
94.24 <> R SR	109.77 <> L SR	120.96 <> S SR
94.39 <> R WR	109.83 <> L PL	Reset
94.4 01 30	09.9 32 30	from 121.17
94.9 02 30	110.00 <> R SR	to 124.00
95.4 03 30	110.16 <> R SR	124.00 <> S SR
95.57 <> L SR	10.4 33 30	24.1 03 24
95.9 04 30	10.9 34 30	24.5 04 24
Reset	11.4 35 30	24.9 05 24
from 96.24	11.9 36 30	
to 104.04	12.4 37 30	<b>25.3 06 24</b>
104.04 <>	Reset	<b>25.7 07 24</b>
LBT/LSR	from 112.50	<b>26.1 08</b> <sup>24</sup>

126.11		
26.5	JAC <b>09</b>	KET 24
26.9	10	24
27.3	11	24
27.7	12	24
28.1	13	24
28.5	14	24
28.9	15	24
29.3	16	24 24 24 24 24 24 24 24 24
29.7	17	24
30.1	18	24
	set	
	130.	16
to 1	31.0	00
to 1	<b>31.</b> (	ВТ
to 1	<b>31.</b> (	BT 206
to 1 131.00 CROSS 31.3	31.0 <> S RT 2 21	BT 206 24
to 1 131.00 CROSS 31.3 31.7	31.0 <> S RT 2 21 22	BT 206 24
to 1 131.00 CROSS 31.3 31.7 32.1	31.0 > S RT 2 21 22 23	BT 206 24
to 1 131.00 CROSS 31.3 31.7 32.1 32.5	31.0 > S RT 2 21 22 23 24	BT 206 24
to 1 131.00 CROSS 31.3 31.7 32.1 32.5 32.9 33.3	31.0 > S RT 2 21 22 23 24 25 26	BT 206 24
to 1 131.00 c CROSS 31.3 31.7 32.1 32.5 32.9 33.3 33.7	31.0 > S RT 2 21 22 23 24 25 26 27	BT 206 24 24 24 24 24 24 24
to 1 131.00 CROSS 31.3 31.7 32.1 32.5 32.9 33.3	31.0 > S RT 2 21 22 23 24 25 26 27 <> R	BT 206 24 24 24 24 24 24 24 PL

from 134.40 to 138.48 **GAS AVAILABLE** 138.48 <> R FIEL 38.5 39 24 **Start Ctrl** 38.5 39 24 38.5 39 36 138.50 <> S TR 41.5 44 36 Reset from 141.55 to 144.20 144.20 <> L BT **44.5 49** 36 144.50 <> L FIELD