

(19)
(12)

(KR)
(A)

(51) 。 Int. Cl. ⁷ G06F 19/00A0	(11) (43)	2003-0075071 2003 09 22
(21) 10-2002-0014174		
(22) 2002 03 15		
(71)	617-2	
(72)	617-2	
(74)		
:		
(54) /		

/ , , , /

.

, , / ,

/ , (100) ,

, , , (200) 가 , / (mapping) ,

300) (100) (210) ; (300) GUI (220) (

2 /

3a 3b 3c / .

100 : 200 :

210 : 220 : GUI

300 : 400 : /

[illegible]

가

가 (200) 가

The diagram illustrates a system architecture or process flow. Key components and their connections are as follows:

- Top Level:** 'GUI' is at the top right. Below it, '가' (Ga) is connected to 'PDA, MDT,'.
- Central Flow:** A series of '가' (Ga) nodes are connected by lines, some with arrows indicating direction. These are interspersed with other labels like 'PDA, MDT,' and 'SMS'.
- Data/Action Nodes:** Numerous nodes are enclosed in boxes, many containing numbers in parentheses, such as (100), (200), (300), (400), (210), (220), (30), (100,400), and (100,400). These likely represent specific data points, states, or actions within the system.
- Bottom Level:** The flow concludes with labels like 'PDA, MDT(mobile display terminal)', 'SMS(short messaging service)', and '(mobile)'. A final '가' (Ga) node is at the bottom left.
- Connections:** The diagram uses a mix of solid lines, dashed lines, and arrows to show the relationships and flow between the various components and data points.

2 / .

2 , (100) (200) .

(200) (/ , cc, / ,),

, , (200) , (210) , / ,

(400) (100) . (300) 가

, (200) / 가

, (100) .

, 가 , 가 가

3a 3c / .

) , (S502) (100,400) (200) 가 (200)

(100) (S504) (200) (S506) / (210)

(S514) (300) (S510) (100,400) ,

가 가 가 (S508) (200)

가 가 가 (S512)

(210) (100) / (S514) 가 (200)

(/ , cc, / , 가 (S516) ,

, (S522) , (200) (210) (S520) ,

(S524) .

(100) (S526) ,

가 .

(100) 가 (S528)

0) (S532) . (300) (S530) , / (10

/ 가 / , (S534)가

/ (100) (S536) .

38)가 / 가 / , / (S5

(S542) / (S540) / (400)

200) , (100) 가 가 (

/ (400) (S544) , /

(100) 가 가 .

/ / , (100)
(400) (200)

(S546) / (400)
(S550)
가 (S548) ,
(S552) , (S554)

(S556) .

가 (S558) , 가 / (400)
(S560)
가 (S562) , (S564)
가 / (400) (S566) .

(S568) (300) (S574)
(S572) , (100) 가
(200) (S576)

70) / 가 .

가 (S578) , 가 (S582) , (400)
(S580) (S586) (S58
4) (S590) (S590)

가 ,
가 .

가 /
가 , 가 .

가 ,
가 ,

(57)

1.

가 , / ,
/ ,
(100) 가 , , , 가 ,
가 , /
가 (300) (210) ;
(300) (100)
GUI (220) / .

2.

1 , 가
(210) 가
/ .

3.

1 , / (100,400) 가 PDA, MDT(mobile displ
ay terminal) (mobile) / .


4.

, , / , ,
/ , ,
 ;
 , , , , / , , , , ,
/ ;
(300) 가 , / ;
가 ;
가 , ;
/ 가 / .


5.

4 , / .


1




2



3a



3b



3c

