Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

Bibliography

[1] P. R. Amestoy, T. A. Davis, and I. S. Duff, *An approximate minimum degree ordering algorithm*, SIAM J. Matrix Anal. Appl., 17 (1996), pp. 886–905. (Cited on pp. 131, 186.)

[2] ——, *Algorithm 837: AMD, an approximate minimum degree ordering algorithm*, ACM Trans. Math. Software, 30 (2004), pp. 381–388. (Cited on pp. 131, 186.)

[3] P. R. Amestoy and I. S. Duff, *Vectorization of a multiprocessor multifrontal code*, Intl. J. Supercomp. Appl., 3 (1989), pp. 41–59. (Cited on p. 143.)

[4] P. R. Amestoy, I. S. Duff, and J.-Y. L'Excellent, *Multifrontal parallel distributed symmetric and unsymmetric solvers*, Comput. Methods Appl. Mech. Engrg., 184 (2000), pp. 501–520. (Cited on pp. 94, 143.)

[5] P. R. Amestoy, I. S. Duff, J.-Y. L'Excellent, and J. Koster, *A fully asynchronous multifrontal solver using distributed dynamic scheduling*, SIAM J. Matrix Anal. Appl., 23 (2001), pp. 15–41. (Cited on pp. 94, 143.)

[6] P. R. Amestoy, I. S. Duff, and C. Puglisi, *Multifrontal QR factorization in a multiprocessor environment*, Numer. Linear Algebra Appl., 3 (1996), pp. 275–300. (Cited on pp. 82, 143.)

[7] P. R. Amestoy, A. Guermouche, J.-Y. L'Excellent, and S. Pralet, *Hybrid scheduling for the parallel solution of linear systems*, Parallel Comput., 32 (2006), pp. 136–156. (Cited on pp. 94, 143.)

[8] E. Anderson, Z. Bai, C. Bischof, S. Blackford, J. Demmel, J. Dongarra, J. Du Croz, A. Greenbaum, S. Hammarling, A. McKenney, and D. Sorensen, *LAPACK Users' Guide*, SIAM, Philadelphia, 3rd ed., 1999. (Cited on p. 67.)

[9] M. Arioli, J. W. Demmel, and I. S. Duff, *Solving sparse linear systems with sparse backward error*, SIAM J. Matrix Anal. Appl., 10 (1989), pp. 165–190. (Cited on pp. 141, 144.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[10] C. Ashcraft, *Compressed graphs and the minimum degree algorithm*, SIAM J. Sci. Comput., 16 (1995), pp. 1404–1411. (Cited on p. 143.)

[11] C. Ashcraft and R. Grimes, *SPOOLES: An object-oriented sparse matrix library*, in Proceedings of the Ninth SIAM Conference on Parallel Processing for Scientific Computing, 1999. (Cited on p. 143.)

[12] C. Ashcraft, R. Grimes, and J. G. Lewis, *Accurate symmetric indefinite linear equation solvers*, SIAM J. Matrix Anal. Appl., 20 (1998), pp. 513–561. (Cited on p. 143.)

[13] C. C. Ashcraft, R. G. Grimes, J. G. Lewis, B. W. Peyton, and H. D. Simon, *Progress in sparse matrix methods for large linear systems on vector supercomputers*, Intl. J. Supercomp. Appl., 1 (1987), pp. 10–30. (Cited on p. 143.)

[14] S. T. Barnard, A. Pothen, and H. D. Simon, *A spectral algorithm for envelope reduction of sparse matrices*, Numer. Linear Algebra Appl., 2 (1995), pp. 317–334. (Cited on p. 132.)

[15] R. Barrett, M. W. Berry, T. F. Chan, J. Demmel, J. Donato, J. Dongarra, V. Eijkhout, R. Pozo, C. Romine, and H. van der Vorst, *Templates for the Solution of Linear Systems: Building Blocks for Iterative Methods*, SIAM, Philadelphia, 1993. (Cited on p. 6.)

[16] C. H. Bischof, C.-T. Pan, and P. T. P. Tang, *A Cholesky up- and downdating algorithm for systolic and SIMD architectures*, SIAM J. Sci. Comput., 14 (1993), pp. 670–676. (Cited on p. 67.)

[17] Å. Björck, *Numerical Methods for Least Squares Problems*, SIAM, Philadelphia, 1996. (Cited on p. 6.)

[18] J. R. Bunch and L. Kaufmann, *Some stable methods for calculating inertia and solving symmetric linear systems*, Math. Comp., 31 (1977), pp. 163–179. (Cited on p. 141.)

[19] J. R. Bunch, L. Kaufmann, and B. N. Parlett, *Decomposition of a symmetric matrix*, Numer. Math., 27 (1976), pp. 95–110. (Cited on p. 141.)

[20] N. A. Carlson, *Fast triangular factorization of the square root filter*, AIIA Journal, 11 (1973), pp. 1259–1265. (Cited on p. 67.)

[21] W. M. Chan and A. George, *A linear time implementation of the reverse Cuthill-McKee algorithm*, BIT, 20 (1980), pp. 8–14. (Cited on p. 132.)

[22] T. F. Coleman, A. Edenbrandt, and J. R. Gilbert, *Predicting fill for sparse orthogonal factorization*, J. Assoc. Comput. Mach., 33 (1986), pp. 517–532. (Cited on pp. 72, 81.)

[23] T. H. Cormen, C. E. Leiserson, and R. L. Rivest, *Introduction to Algorithms*, MIT Press, Cambridge, MA, 1990. (Cited on pp. 6, 35, 132.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[24] H. L. Crane, N. E. Gibbs, W. G. Poole, Jr., and P. K. Stockmeyer, *Algorithm 508: Matrix bandwidth and profile reduction*, ACM Trans. Math. Software, 2 (1976), pp. 375–377. (Cited on p. 132.)

[25] E. Cuthill and J. McKee, *Reducing the bandwidth of sparse symmetric matrices*, in Proceedings of the 24th Conference of the ACM, 1969, Brandon Press, Princeton, NJ, pp. 157–172. (Cited on p. 132.)

[26] A. C. Damhaug and J. K. Reid, *MA46: a Fortran code for direct solution of sparse unsymmetric linear systems of equations from finite-element applications*. Technical report RAL-TR-96-010, Rutherford Appleton Laboratory, Didcot, UK, 1996. (Cited on p. 143.)

[27] T. A. Davis, *Algorithm 832: UMFPACK V4.3, an unsymmetric-pattern multifrontal method*, ACM Trans. Math. Software, 30 (2004), pp. 196–199. (Cited on pp. 94, 186.)

[28] ——, *A column pre-ordering strategy for the unsymmetric-pattern multifrontal method*, ACM Trans. Math. Software, 30 (2004), pp. 165–195. (Cited on pp. 94, 143, 186.)

[29] ——, *Algorithm 849: A concise sparse Cholesky factorization package*, ACM Trans. Math. Software, 31 (2005), pp. 587–591. (Cited on pp. 58, 66, 67, 143.)

[30] ——, *CHOLMOD users' guide*, www.cise.ufl.edu/research/sparse/cholmod, University of Florida, Gainesville, FL, 2005. (Cited on pp. 24, 132, 143, 186.)

[31] T. A. Davis and I. S. Duff, *An unsymmetric-pattern multifrontal method for sparse LU factorization*, SIAM J. Matrix Anal. Appl., 18 (1997), pp. 140–158. (Cited on pp. 94, 143, 143, 186.)

[32] ——, *A combined unifrontal/multifrontal method for unsymmetric sparse matrices*, ACM Trans. Math. Software, 25 (1999), pp. 1–19. (Cited on pp. 94, 143, 186.)

[33] T. A. Davis, J. R. Gilbert, S. I. Larimore, and E. G. Ng, *Algorithm 836: COLAMD, a column approximate minimum degree ordering algorithm*, ACM Trans. Math. Software, 30 (2004), pp. 377–380. (Cited on pp. 131, 186.)

[34] ——, *A column approximate minimum degree ordering algorithm*, ACM Trans. Math. Software, 30 (2004), pp. 353–376. (Cited on pp. 131, 186.)

[35] T. A. Davis and W. W. Hager, *Modifying a sparse Cholesky factorization*, SIAM J. Matrix Anal. Appl., 20 (1999), pp. 606–627. (Cited on p. 67.)

[36] ——, *Multiple-rank modifications of a sparse Cholesky factorization*, SIAM J. Matrix Anal. Appl., 22 (2001), pp. 997–1013. (Cited on p. 67.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[37] ——, *Row modifications of a sparse Cholesky factorization*, SIAM J. Matrix Anal. Appl., 26 (2005), pp. 621–639. (Cited on p. 67.)

[38] T. A. Davis and K. Sigmon, *MATLAB Primer*, Chapman & Hall/CRC Press, Boca Raton, FL, 7th ed., 2005. (Cited on pp. 6, 186.)

[39] J. W. Demmel, *Applied Numerical Linear Algebra*, SIAM, Philadelphia, 1997. (Cited on p. 6.)

[40] J. W. Demmel, S. C. Eisenstat, J. R. Gilbert, X. S. Li, and J. W. H. Liu, *A supernodal approach to sparse partial pivoting*, SIAM J. Matrix Anal. Appl., 20 (1999), pp. 720–755. (Cited on p. 143.)

[41] J. W. Demmel, J. R. Gilbert, and X. S. Li, *An asynchronous parallel supernodal algorithm for sparse Gaussian elimination*, SIAM J. Matrix Anal. Appl., 20 (1999), pp. 915–952. (Cited on p. 143.)

[42] F. Dobrian, G.-K. Kumfert, and A. Pothen, *The design of sparse direct solvers using object-oriented techniques*, in Advances in Software Tools for Scientific Computing, Springer-Verlag, Berlin, 2000, pp. 89–131. (Cited on p. 143.)

[43] D. S. Dodson, R. G. Grimes, and J. G. Lewis, *Algorithm 692: Model implementation and test package for the sparse basic linear algebra subprograms*, ACM Trans. Math. Software, 17 (1991), pp. 264–272. (Cited on p. 24.)

[44] ——, *Sparse extensions to the Fortran basic linear algebra subprograms*, ACM Trans. Math. Software, 17 (1991), pp. 253–262. (Cited on p. 24.)

[45] J. J. Dongarra, J. R. Bunch, C. B. Moler, and G. W. Stewart, *LINPACK Users' Guide*, SIAM, Philadelphia, 1979. (Cited on p. 67.)

[46] J. J. Dongarra, J. Du Croz, I. S. Duff, and S. Hammarling, *A set of level-3 basic linear algebra subprograms*, ACM Trans. Math. Software, 16 (1990), pp. 1–17. (Cited on p. 67.)

[47] I. S. Duff, *On the number of nonzeros added when Gaussian elimination is performed on sparse random matrices*, Math. Comp., 28 (1974), pp. 219–230. (Cited on p. 186.)

[48] ——, *Algorithm 575: Permutations for a zero-free diagonal*, ACM Trans. Math. Software, 7 (1981), pp. 387–390. (Cited on p. 132.)

[49] ——, *On algorithms for obtaining a maximum transversal*, ACM Trans. Math. Software, 7 (1981), pp. 315–330. (Cited on p. 132.)

[50] ——, *Design features of a frontal code for solving sparse unsymmetric linear systems out-of-core*, SIAM J. Sci. Statist. Comput., 5 (1984), pp. 270–280. (Cited on p. 143.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[51] ——, *MA57—a code for the solution of sparse symmetric definite and indefinite systems*, ACM Trans. Math. Software, 30 (2004), pp. 118–144. (Cited on p. 143.)

[52] I. S. Duff, A. M. Erisman, and J. K. Reid, *On George's nested dissection method*, SIAM J. Numer. Anal., 13 (1976), pp. 686–695. (Cited on p. 132.)

[53] ——, *Direct Methods for Sparse Matrices*, Oxford University Press, New York, 1986. (Cited on pp. 6, 94, 131.)

[54] I. S. Duff, N. I. M. Gould, J. K. Reid, J. A. Scott, and K. Turner, *The factorization of sparse symmetric indefinite matrices*, IMA J. Numer. Anal., 11 (1991), pp. 181–204. (Cited on p. 143.)

[55] I. S. Duff, R. G. Grimes, and J. G. Lewis, *Sparse matrix test problems*, ACM Trans. Math. Software, 15 (1989), pp. 1–14. (Cited on p. 24.)

[56] I. S. Duff, M. A. Heroux, and R. Pozo, *An overview of the sparse basic linear algebra subprograms: The new standard from the BLAS technical forum*, ACM Trans. Math. Software, 28 (2002), pp. 239–267. (Cited on p. 24.)

[57] I. S. Duff and J. Koster, *The design and use of algorithms for permuting large entries to the diagonal of sparse matrices*, SIAM J. Matrix Anal. Appl., 20 (1999), pp. 889–901. (Cited on pp. 94, 132, 133.)

[58] ——, *On algorithms for permuting large entries to the diagonal of a sparse matrix*, SIAM J. Matrix Anal. Appl., 22 (2001), pp. 973–996. (Cited on pp. 94, 132, 133.)

[59] I. S. Duff and J. K. Reid, *Algorithm 529: Permutations to block triangular form*, ACM Trans. Math. Software, 4 (1978), pp. 189–192. (Cited on p. 132.)

[60] ——, *An implementation of Tarjan's algorithm for the block triangularization of a matrix*, ACM Trans. Math. Software, 4 (1978), pp. 137–147. (Cited on p. 132.)

[61] ——, *Some design features of a sparse matrix code*, ACM Trans. Math. Software, 5 (1979), pp. 18–35. (Cited on pp. 94, 131, 143.)

[62] ——, *The multifrontal solution of indefinite sparse symmetric linear equations*, ACM Trans. Math. Software, 9 (1983), pp. 302–325. (Cited on pp. 94, 131, 143.)

[63] ——, *The multifrontal solution of unsymmetric sets of linear equations*, SIAM J. Sci. Statist. Comput., 5 (1984), pp. 633–641. (Cited on pp. 94, 143.)

[64] ——, *MA47, a Fortran code for the direct solution of indefinite sparse symmetric linear systems*. Technical report RAL-95-001, Rutherford Appleton Laboratory, Didcot, UK, 1995. (Cited on p. 143.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[65] ——, *The design of MA48: A code for the direct solution of sparse unsymmetric linear systems of equations*, ACM Trans. Math. Software, 22 (1996), pp. 187–226. (Cited on p. 143.)

[66] ——, *Exploiting zeros on the diagonal in the direct solution of indefinite sparse symmetric linear systems*, ACM Trans. Math. Software, 22 (1996), pp. 227–257. (Cited on p. 143.)

[67] I. S. Duff and J. A. Scott, *The design of a new frontal code for solving sparse, unsymmetric systems*, ACM Trans. Math. Software, 22 (1996), pp. 30–45. (Cited on p. 143.)

[68] ——, *A frontal code for the solution of sparse positive-definite symmetric systems arising from finite-element applications*, ACM Trans. Math. Software, 25 (1999), pp. 404–424. (Cited on p. 143.)

[69] ——, *A parallel direct solver for large sparse highly unsymmetric linear systems*, ACM Trans. Math. Software, 30 (2004), pp. 95–117. (Cited on p. 143.)

[70] I. S. Duff and C. Voemel, *Algorithm 818: A reference model implementation of the sparse BLAS in Fortran 95*, ACM Trans. Math. Software, 28 (2002), pp. 268–283. (Cited on p. 24.)

[71] I. S. Duff and T. Wiberg, *Remarks on implementation of $O(n^{1/2}\tau)$ assignment algorithms*, ACM Trans. Math. Software, 14 (1988), pp. 267–287. (Cited on p. 132.)

[72] A. L. Dulmage and N. S. Mendelsohn, *Two algorithms for bipartite graphs*, J. Soc. Indust. Appl. Math., 11 (1963), pp. 183–194. (Cited on p. 130.)

[73] S. C. Eisenstat, M. C. Gursky, M. H. Schultz, and A. H. Sherman, *Yale sparse matrix package, I: The symmetric codes*, Internat. J. Numer. Methods Engrg., 18 (1982), pp. 1145–1151. (Cited on pp. 66, 131.)

[74] S. C. Eisenstat and J. W. H. Liu, *Exploiting structural symmetry in a sparse partial pivoting code*, SIAM J. Sci. Comput., 14 (1993), pp. 253–257. (Cited on p. 94.)

[75] ——, *The theory of elimination trees for sparse unsymmetric matrices*, SIAM J. Matrix Anal. Appl., 26 (2005), pp. 686–705. (Cited on p. 94.)

[76] S. C. Eisenstat, M. H. Schultz, and A. H. Sherman, *Algorithms and data structures for sparse symmetric Gaussian elimination*, SIAM J. Sci. Statist. Comput., 2 (1981), pp. 225–237. (Cited on pp. 66, 131.)

[77] C. M. Fiduccia and R. M. Mattheyses, *A linear-time heuristic for improving network partitions*, in Proceedings of the 19th Design Automation Conference, Las Vegas, NV, 1982, pp. 175–181. (Cited on p. 132.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[78] M. Fiedler, *Algebraic connectivity of graphs*, Czechoslovak Math J., 23 (1973), pp. 298–305. (Cited on p. 132.)

[79] T. Frängsmyr, ed., *Les Prix Nobel*, Nobel Foundation, Stockholm, 1991. (Cited on p. 131.)

[80] C. Fu, X. Jiao, and T. Yang, *Efficient sparse LU factorization with partial pivoting on distributed memory architectures*, IEEE Trans. Parallel Distrib. Systems, 9 (1998), pp. 109–125. (Cited on p. 143.)

[81] A. George, *Nested dissection of a regular finite element mesh*, SIAM J. Numer. Anal., 10 (1973), pp. 345–363. (Cited on p. 132.)

[82] ——, *An automatic one-way dissection algorithm for irregular finite-element problems*, SIAM J. Numer. Anal., 17 (1980), pp. 740–751. (Cited on p. 132.)

[83] A. George and M. T. Heath, *Solution of sparse linear least squares problems using Givens rotations*, Linear Algebra Appl., 34 (1980), pp. 69–83. (Cited on pp. 72, 81.)

[84] A. George, M. T. Heath, and E. Ng, *Solution of sparse underdetermined systems of linear equations*, SIAM J. Sci. Statist. Comput., 5 (1984), pp. 988–997. (Cited on p. 82.)

[85] A. George and J. W. H. Liu, *The design of a user interface for a sparse matrix package*, ACM Trans. Math. Software, 5 (1979), pp. 139–162. (Cited on pp. 131, 143.)

[86] ——, *An implementation of a pseudo-peripheral node finder*, ACM Trans. Math. Software, 5 (1979), pp. 284–295. (Cited on p. 132.)

[87] ——, *A minimal storage implementation of the minimum degree algorithm*, SIAM J. Numer. Anal., 17 (1980), pp. 282–299. (Cited on p. 131.)

[88] ——, *An optimal algorithm for symbolic factorization of symmetric matrices*, SIAM J. Comput., 9 (1980), pp. 583–593. (Cited on p. 66.)

[89] ——, *Computer Solution of Large Sparse Positive Definite Systems*, Prentice–Hall, Englewood Cliffs, NJ, 1981. (Cited on pp. 6, 52, 66, 143.)

[90] ——, *Householder reflections versus Givens rotations in sparse orthogonal decomposition*, Linear Algebra Appl., 88 (1987), pp. 223–238. (Cited on p. 81.)

[91] ——, *The evolution of the minimum degree ordering algorithm*, SIAM Rev., 31 (1989), pp. 1–19. (Cited on p. 131.)

[92] A. George, J. W. H. Liu, and E. G. Ng, *Row ordering schemes for sparse Givens transformations: I. Bipartite graph model*, Linear Algebra Appl., 61 (1984), pp. 55–81. (Cited on p. 81.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[93] ——, *Row ordering schemes for sparse Givens transformations: II. Implicit graph model*, Linear Algebra Appl., 75 (1986), pp. 203–223. (Cited on p. 81.)

[94] ——, *Row ordering schemes for sparse Givens transformations: III. Analyses for a model problem*, Linear Algebra Appl., 75 (1986), pp. 225–240. (Cited on p. 81.)

[95] ——, *A data structure for sparse QR and LU factorizations*, SIAM J. Sci. Statist. Comput., 9 (1988), pp. 100–121. (Cited on pp. 72, 80, 81.)

[96] A. George and E. Ng, *On row and column orderings for sparse least square problems*, SIAM J. Numer. Anal., 20 (1983), pp. 326–344. (Cited on p. 81.)

[97] ——, *An implementation of Gaussian elimination with partial pivoting for sparse systems*, SIAM J. Sci. Statist. Comput., 6 (1985), pp. 390–409. (Cited on pp. 72, 83, 94.)

[98] ——, *Symbolic factorization for sparse Gaussian elimination with partial pivoting*, SIAM J. Sci. Statist. Comput., 8 (1987), pp. 877–898. (Cited on p. 94.)

[99] N. E. Gibbs, *Algorithm 509: A hybrid profile reduction algorithm*, ACM Trans. Math. Software, 2 (1976), pp. 378–387. (Cited on p. 132.)

[100] N. E. Gibbs, W. G. Poole, Jr., and P. K. Stockmeyer, *A comparison of several bandwidth and reduction algorithms*, ACM Trans. Math. Software, 2 (1976), pp. 322–330. (Cited on p. 132.)

[101] J. R. Gilbert, *Predicting structure in sparse matrix computations*, SIAM J. Matrix Anal. Appl., 15 (1994), pp. 62–79. (Cited on pp. 6, 17, 66, 83, 84, 135.)

[102] J. R. Gilbert, X. S. Li, E. G. Ng, and B. W. Peyton, *Computing row and column counts for sparse QR and LU factorization*, BIT, 41 (2001), pp. 693–710. (Cited on pp. 66, 81.)

[103] J. R. Gilbert and J. W. H. Liu, *Elimination structures for unsymmetric sparse LU factors*, SIAM J. Matrix Anal. Appl., 14 (1993), pp. 334–352. (Cited on p. 94.)

[104] J. R. Gilbert, G. L. Miller, and S.-H. Teng, *Geometric mesh partitioning: Implementation and experiments*, SIAM J. Sci. Comput., 19 (1998), pp. 2091–2110. (Cited on p. 132.)

[105] J. R. Gilbert, C. Moler, and R. Schreiber, *Sparse matrices in MATLAB: Design and implementation*, SIAM J. Matrix Anal. Appl., 13 (1992), pp. 333–356. (Cited on pp. 24, 35, 141, 143, 186.)

[106] J. R. Gilbert and E. G. Ng, *Predicting structure in nonsymmetric sparse matrix factorizations*, in Graph Theory and Sparse Matrix Computations, A. George, J. R. Gilbert, and J. W. H. Liu, eds., vol. 56 of IMA Vol. Math. Appl., Springer-Verlag, New York, 1993, pp. 107–139. (Cited on pp. 81, 83, 84, 94.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[107] J. R. Gilbert, E. G. Ng, and B. W. Peyton, *An efficient algorithm to compute row and column counts for sparse Cholesky factorization*, SIAM J. Matrix Anal. Appl., 15 (1994), pp. 1075–1091. (Cited on pp. 66, 81.)

[108] ——, *Separators and structure prediction in sparse orthogonal factorization*, Linear Algebra Appl., 262 (1997), pp. 83–97. (Cited on p. 81.)

[109] J. R. Gilbert and T. Peierls, *Sparse partial pivoting in time proportional to arithmetic operations*, SIAM J. Sci. Statist. Comput., 9 (1988), pp. 862–874. (Cited on pp. 30, 35, 94, 143.)

[110] P. E. Gill, G. H. Golub, W. Murray, and M. A. Saunders, *Methods for modifying matrix factorizations*, Math. Comp., 28 (1974), pp. 505–535. (Cited on p. 67.)

[111] M. I. Gillespie and D. D. Olesky, *Ordering Givens rotations for sparse QR factorization*, SIAM J. Matrix Anal. Appl., 16 (1994), pp. 1024–1041. (Cited on p. 81.)

[112] W. Givens, *Computation of plane unitary rotations transforming a general matrix to triangular form*, J. Soc. Indust. Appl. Math., 6 (1958), pp. 26–50. (Cited on p. 81.)

[113] G. H. Golub, *Numerical methods for solving linear least squares problems*, Numer. Math., 7 (1965), pp. 206–216. (Cited on p. 70.)

[114] G. H. Golub and C. Van Loan, *Matrix Computations*, The Johns Hopkins University Press, Baltimore, MD, 3rd ed., 1996. (Cited on pp. 6, 72, 81.)

[115] K. Goto and R. van de Geijn, *On reducing TLB misses in matrix multiplication*. Technical report TR-2002-55, University of Texas, Austin, TX, 2002. (Cited on p. 67.)

[116] N. I. M. Gould, Y. Hu, and J. A. Scott, *A numerical evaluation of sparse direct solvers for the solution of large sparse, symmetric linear systems of equations*, www.numerical.rl.ac.uk/reports/reports.html. Technical report RAL-2005-005, Rutherford Appleton Laboratory, Didcot, UK, 2005, ACM Trans. Math. Software, to appear. (Cited on pp. 6, 67, 134.)

[117] A. Greenbaum, *Iterative Methods for Solving Linear Systems*, SIAM, Philadelphia, 1997. (Cited on p. 6.)

[118] A. Gupta, *Improved symbolic and numerical factorization algorithms for unsymmetric sparse matrices*, SIAM J. Matrix Anal. Appl., 24 (2002), pp. 529–552. (Cited on pp. 94, 143.)

[119] A. Gupta, G. Karypis, and V. Kumar, *Highly scalable parallel algorithms for sparse matrix factorization*, IEEE Trans. Parallel Distrib. Systems, 8 (1997), pp. 502–520. (Cited on pp. 94, 143, 143.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[120] F. G. Gustavson, *Finding the block lower triangular form of a sparse matrix*, in Sparse Matrix Computations, J. R. Bunch and D. J. Rose, eds., Academic Press, New York, 1976, pp. 275–290. (Cited on p. 132.)

[121] ——, *Two fast algorithms for sparse matrices: Multiplication and permuted transposition*, ACM Trans. Math. Software, 4 (1978), pp. 250–269. (Cited on p. 24.)

[122] S. M. Hadfield, *On the LU Factorization of Sequences of Identically Structured Sparse Matrices within a Distributed Memory Environment*, Ph.D. thesis, University of Florida, Gainesville, FL, 1994. (Cited on p. 94.)

[123] W. W. Hager, *Condition estimates*, SIAM J. Sci. Statist. Comput., 5 (1984), pp. 311–316. (Cited on pp. 96, 186.)

[124] ——, *Updating the inverse of a matrix*, SIAM Rev., 31 (1989), pp. 221–239. (Cited on p. 67.)

[125] ——, *Minimizing the profile of a symmetric matrix*, SIAM J. Sci. Comput., 23 (2002), pp. 1799–1816. (Cited on p. 132.)

[126] W. W. Hager, S. C. Park, and T. A. Davis, *Block exchange in graph partitioning*, in Approximation and Complexity in Numerical Optimization: Continuous and Discrete Problems, P. M. Pardalos, ed., Kluwer Academic Publishers, Dordrecht, The Netherlands, 2000, pp. 299–307. (Cited on p. 132.)

[127] D. R. Hare, C. R. Johnson, D. D. Olesky, and P. van Den Driessche, *Sparsity analysis of the QR factorization*, SIAM J. Matrix Anal. Appl., 14 (1993), pp. 655–669. (Cited on p. 81.)

[128] M. T. Heath, *Numerical methods for large sparse linear least squares problems*, SIAM J. Sci. Statist. Comput., 5 (1984), pp. 497–513. (Cited on p. 81.)

[129] M. T. Heath and P. Raghavan, *A Cartesian parallel nested dissection algorithm*, SIAM J. Matrix Anal. Appl., 16 (1995), pp. 235–253. (Cited on pp. 132, 143.)

[130] ——, *Performance of a fully parallel sparse solver*, Intl. J. Supercomp. Appl., 11 (1997), pp. 49–64. (Cited on p. 143.)

[131] B. Hendrickson and R. Leland, *An improved spectral graph partitioning algorithm for mapping parallel computations*, SIAM J. Sci. Comput., 16 (1994), pp. 452–469. (Cited on p. 132.)

[132] P. Hénon, P. Ramet, and J. Roman, *PaStiX: A high-performance parallel direct solver for sparse symmetric positive definite systems*, Parallel Comput., 28 (2002), pp. 301–321. (Cited on p. 143.)

[133] D. J. Higham and N. J. Higham, *MATLAB Guide*, SIAM, Philadelphia, 2nd ed., 2005. (Cited on pp. 6, 186.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[134] N. J. Higham, *Fortran codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation*, ACM Trans. Math. Software, 14 (1988), pp. 381–396. (Cited on p. 96.)

[135] ——, *Accuracy and Stability of Numerical Algorithms*, SIAM, Philadelphia, 2nd ed., 2002. (Cited on pp. 6, 81, 141, 144.)

[136] N. J. Higham and F. Tisseur, *A block algorithm for matrix 1-norm estimation, with an application to 1-norm pseudospectra*, SIAM J. Matrix Anal. Appl., 21 (2000), pp. 1185–1201. (Cited on pp. 96, 186.)

[137] J. E. Hopcroft and R. M. Karp, *An $n^{5/2}$ algorithm for maximum matchings in bipartite graphs*, SIAM J. Comput., 2 (1973), pp. 225–231. (Cited on p. 132.)

[138] A. S. Householder, *Unitary triangularization of a nonsymmetric matrix*, J. Assoc. Comput. Mach., 5 (1958), pp. 339–342. (Cited on p. 81.)

[139] G. Karypis and V. Kumar, *A fast and high quality multilevel scheme for partitioning irregular graphs*, SIAM J. Sci. Comput., 20 (1998), pp. 359–392. (Cited on p. 132.)

[140] B. W. Kernighan and S. Lin, *An efficient heuristic procedure for partitioning graphs*, Bell System Tech. J., 49 (1970), pp. 291–307. (Cited on p. 132.)

[141] B. W. Kernighan and D. M. Ritchie, *The C Programming Language*, Prentice-Hall, Englewood Cliffs, NJ, 2nd ed., 1988. (Cited on pp. 6, 187.)

[142] G. Kumfert and A. Pothen, *Two improved algorithms for reducing the envelope and wavefront*, BIT, 37 (1997), pp. 559–590. (Cited on p. 132.)

[143] K. S. Kundert, *Sparse matrix techniques*, in Circuit Analysis, Simulation and Design: General Aspects of Circuit Analysis and Design, A. E. Ruehli, ed., vol. 3, part 1 of Advances in CAD for VLSI, North–Holland, New York, 1986, pp. 281–324. (Cited on p. 143.)

[144] R. B. Lehoucq and D. C. Sorensen, *Deflation techniques for an implicitly restarted Arnoldi iteration*, SIAM J. Matrix Anal. Appl., 17 (1996), pp. 789–821. (Cited on p. 186.)

[145] R. B. Lehoucq, D. C. Sorensen, and C. Yang, *ARPACK Users' Guide: Solution of Large-Scale Eigenvalue Problems with Implicitly Restarted Arnoldi Methods*, SIAM, Philadelphia, 1998. (Cited on p. 186.)

[146] J. G. Lewis, *Algorithm 582: The Gibbs-Poole-Stockmeyer and Gibbs-King algorithms for reordering sparse matrices*, ACM Trans. Math. Software, 8 (1982), pp. 190–194. (Cited on p. 132.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[147] X. S. Li and J. W. Demmel, *SuperLU_DIST: A scalable distributed-memory sparse direct solver for unsymmetric linear systems*, ACM Trans. Math. Software, 29 (2003), pp. 110–140. (Cited on pp. 94, 94, 143.)

[148] J. W. H. Liu, *A compact row storage scheme for Cholesky factors using elimination trees*, ACM Trans. Math. Software, 12 (1986), pp. 127–148. (Cited on pp. 40, 41, 66.)

[149] ——, *On general row merging schemes for sparse Givens transformations*, SIAM J. Sci. Statist. Comput., 7 (1986), pp. 1190–1211. (Cited on p. 81.)

[150] ——, *The role of elimination trees in sparse factorization*, SIAM J. Matrix Anal. Appl., 11 (1990), pp. 134–172. (Cited on pp. 6, 44, 66.)

[151] ——, *A generalized envelope method for sparse factorization by rows*, ACM Trans. Math. Software, 17 (1991), pp. 112–129. (Cited on p. 66.)

[152] ——, *The multifrontal method for sparse matrix solution: Theory and practice*, SIAM Rev., 34 (1992), pp. 82–109. (Cited on pp. 66, 94.)

[153] W.-H. Liu and A. H. Sherman, *Comparative analysis of the Cuthill–McKee and the reverse Cuthill–McKee ordering algorithms for sparse matrices*, SIAM J. Numer. Anal., 13 (1976), pp. 198–213. (Cited on p. 132.)

[154] S.-M. Lu and J. L. Barlow, *Multifrontal computation with the orthogonal factors of sparse matrices*, SIAM J. Matrix Anal. Appl., 17 (1996), pp. 658–679. (Cited on p. 82.)

[155] H. M. Markowitz, *The elimination form of the inverse and its application to linear programming*, Management Sci., 3 (1957), pp. 255–269. (Cited on p. 131.)

[156] P. Matstoms, *Sparse QR factorization in MATLAB*, ACM Trans. Math. Software, 20 (1994), pp. 136–159. (Cited on p. 82.)

[157] C. Moler, *Numerical Computing with MATLAB*, SIAM, Philadelphia, 2004. (Cited on p. 6.)

[158] E. G. Ng and B. W. Peyton, *A tight and explicit representation of Q in sparse QR factorization*, IMA Preprint Series 981, University of Minnesota, Minneapolis, MN, 1992. (Cited on p. 81.)

[159] ——, *Block sparse Cholesky algorithms on advanced uniprocessor computers*, SIAM J. Sci. Comput., 14 (1993), pp. 1034–1056. (Cited on p. 143.)

[160] ——, *Some results on structure prediction in sparse QR factorization*, SIAM J. Matrix Anal. Appl., 17 (1996), pp. 443–459. (Cited on p. 81.)

[161] E. G. Ng and P. Raghavan, *Performance of greedy ordering heuristics for sparse Cholesky factorization*, SIAM J. Matrix Anal. Appl., 20 (1999), pp. 902–914. (Cited on p. 132.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[162] S. Oliveira, *Exact prediction of QR fill-in by row-merge trees*, SIAM J. Sci. Comput., 22 (2001), pp. 1962–1973. (Cited on p. 81.)

[163] C.-T. Pan, *A modification to the LINPACK downdating algorithm*, BIT, 30 (1990), pp. 707–722. (Cited on p. 67.)

[164] B. N. Parlett, *The Symmetric Eigenvalue Problem*, SIAM, Philadelphia, 1997. (Cited on p. 6.)

[165] S. Parter, *The use of linear graphs in Gauss elimination*, SIAM Rev., 3 (1961), pp. 119–130. (Cited on p. 39.)

[166] F. Pellegrini, J. Roman, and P. R. Amestoy, *Hybridizing nested dissection and halo approximate minimum degree for efficient sparse matrix ordering*, Concurrency: Pract. Exp., 12 (2000), pp. 68–84. (Cited on p. 132.)

[167] D. J. Pierce and J. G. Lewis, *Sparse multifrontal rank revealing QR factorization*, SIAM J. Matrix Anal. Appl., 18 (1997), pp. 159–180. (Cited on pp. 82, 143.)

[168] A. Pothen, *Predicting the structure of sparse orthogonal factors*, Linear Algebra Appl., 194 (1993), pp. 183–204. (Cited on p. 81.)

[169] A. Pothen and C. Fan, *Computing the block triangular form of a sparse matrix*, ACM Trans. Math. Software, 16 (1990), pp. 303–324. (Cited on p. 132.)

[170] A. Pothen, H. D. Simon, and K.-P. Liou, *Partitioning sparse matrices with eigenvectors of graphs*, SIAM J. Matrix Anal. Appl., 11 (1990), pp. 430–452. (Cited on p. 132.)

[171] P. Raghavan, *Domain-separator codes for the parallel solution of sparse linear systems.* Technical report CSE-02-004, Penn State, University Park, PA, 2002. (Cited on p. 143.)

[172] J. K. Reid and J. A. Scott, *Ordering symmetric sparse matrices for small profile and wavefront*, Internat. J. Numer. Methods Engrg., 45 (1999), pp. 1737–1755. (Cited on p. 132.)

[173] ——, *Implementing Hager's exchange methods for matrix profile reduction*, ACM Trans. Math. Software, 28 (2002), pp. 377–391. (Cited on p. 132.)

[174] D. J. Rose and R. E. Tarjan, *Algorithmic aspects of vertex elimination on directed graphs*, SIAM J. Appl. Math., 34 (1978), pp. 176–197. (Cited on p. 94.)

[175] D. J. Rose, R. E. Tarjan, and G. S. Lueker, *Algorithmic aspects of vertex elimination on graphs*, SIAM J. Comput., 5 (1976), pp. 266–283. (Cited on pp. 37, 94.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[176] E. Rothberg and S. C. Eisenstat, *Node selection strategies for bottom-up sparse matrix ordering*, SIAM J. Matrix Anal. Appl., 19 (1998), pp. 682–695. (Cited on p. 132.)

[177] V. Rotkin and S. Toledo, *The design and implementation of a new out-of-core sparse Cholesky factorization method*, ACM Trans. Math. Software, 30 (2004), pp. 19–46. (Cited on p. 143.)

[178] Y. Saad, *Iterative Methods for Sparse Linear Systems*, SIAM, Philadelphia, 2nd ed., 2003. (Cited on pp. 6, 68, 96.)

[179] O. Schenk and K. Gärtner, *Solving unsymmetric sparse systems of linear equations with PARDISO*, Future Generation Comp. Sys., 20 (2001), pp. 475–487. (Cited on pp. 94, 143.)

[180] O. Schenk, K. Gärtner, and W. Fichtner, *Efficient sparse LU factorization with left-right looking strategy on shared memory multiprocessors*, BIT, 40 (2000), pp. 158–176. (Cited on pp. 94, 143.)

[181] R. Schreiber, *A new implementation of sparse Gaussian elimination*, ACM Trans. Math. Software, 8 (1982), pp. 256–276. (Cited on pp. 39, 52, 66.)

[182] J. A. Scott, *The design of a portable parallel frontal solver for chemical process engineering problems*, Computers in Chem. Eng., 25 (2001), pp. 1699–1709. (Cited on p. 143.)

[183] ——, *A parallel frontal solver for finite element applications*, Internat. J. Numer. Methods Engrg., 50 (2001), pp. 1131–1144. (Cited on p. 143.)

[184] ——, *Parallel frontal solvers for large sparse linear systems*, ACM Trans. Math. Software, 29 (2003), pp. 395–417. (Cited on p. 143.)

[185] K. Shen, T. Yang, and X. Jiao, *S+: Efficient 2D sparse LU factorization on parallel machines*, SIAM J. Matrix Anal. Appl., 22 (2000), pp. 282–305. (Cited on p. 143.)

[186] A. H. Sherman, *Algorithms for sparse Gaussian elimination with partial pivoting*, ACM Trans. Math. Software, 4 (1978), pp. 330–338. (Cited on p. 143.)

[187] S. W. Sloan, *An algorithm for profile and wavefront reduction of sparse matrices*, Internat. J. Numer. Methods Engrg., 23 (1986), pp. 239–251. (Cited on p. 132.)

[188] D. C. Sorensen, *Implicit application of polynomial filters in a k-step Arnoldi method*, SIAM J. Matrix Anal. Appl., 13 (1992), pp. 357–385. (Cited on p. 186.)

[189] G. W. Stewart, *The effects of rounding error on an algorithm for downdating a Cholesky factorization*, J. Inst. Math. Appl., 23 (1979), pp. 203–213. (Cited on p. 67.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

[190] ——, *Matrix Algorithms, Volume I: Basic Decompositions*, SIAM, Philadelphia, 1998. (Cited on pp. 6, 67, 81.)

[191] ——, *Matrix Algorithms, Volume II: Eigensystems*, SIAM, Philadelphia, 2001. (Cited on p. 6.)

[192] ——, *Building an old-fashioned sparse solver*, www.cs.umd.edu/∼stewart. Technical report CS-TR-4527/UMIACS-TR-2003-95, University of Maryland Computer Science Department, College Park, MD, 2003. (Cited on p. 6.)

[193] G. Strang, *Introduction to Linear Algebra*, Wellesley-Cambridge Press, Wellesley, MA, 3rd ed., 2003. (Cited on p. 6.)

[194] R. Tarjan, *Depth-first search and linear graph algorithms*, SIAM J. Comput., 1 (1972), pp. 146–160. (Cited on p. 132.)

[195] ——, *Efficiency of a good but not linear set union algorithm*, J. Assoc. Comput. Mach., 22 (1975), pp. 215–225. (Cited on p. 67.)

[196] W. F. Tinney and J. W. Walker, *Direct solutions of sparse network equations by optimally ordered triangular factorization*, Proc. IEEE, 55 (1967), pp. 1801–1809. (Cited on p. 131.)

[197] C. Walshaw, M. Cross, and M. Everett, *Parallel dynamic graph partitioning for adaptive unstructured meshs*, J. Parallel Distrib. Comput., 47 (1997), pp. 102–108. (Cited on p. 132.)

[198] S. Wolfram, *The Mathematica Book*, Wolfram Media, Champaign, IL, 5th ed., 2003. (Cited on p. 143.)

[199] M. Yannakakis, *Computing the minimum fill-in is NP-complete*, SIAM J. Alg. Disc. Meth., 2 (1981), pp. 77–79. (Cited on p. 130.)

[200] Z. Zlatev, J. Wasniewski, and K. Schaumburg, *Y12M: Solution of Large and Sparse Systems of Linear Algebraic Equations*, Lect. Notes Comput. Sci. 121, Springer-Verlag, Berlin, 1981. (Cited on p. 143.)

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

Index

acyclic graph, 4, 30, 93, 94, 119
acyclic reduction, 139
adjacency list, 4, 100, 103, 112, 119
adjacency matrix, 4, 119
adjacency set, 4
algorithm analysis, 5, 6
amalgamation, 91
AMD package, 101, 102, 112, 132, 140, 186
amortized analysis, 5, 102
ancestor, 4, 41, 47, 50, 54, 67, 68, 93
ARPACK package, 174, 186
assembly tree, 93
asymptotic notation, 5
`augment`, **115**
augmenting path, 112, 122

backslash, *see* MATLAB, `mldivide`
backsolve, *see* solve, 28
bandwidth, 127
bipartite graph, 5, 112, 129
BLAS package, 62, 67, 93, 140, 141
block matrix, 2, 9, 17, 19, 27, 28, 37, 60, 62, 85, 89, 90, 119, 122, 128, 129, 136, 177
block triangular form, 72, 112, 118, 133, 138
breadth-first search, 6, 31, 114, 123, 127

C functions
  `calloc`, 10, 26, 186, 193, 194
  `clock`, 163, 193
  `fabs`, 17, 22, 69, 87, 191, 193
  `free`, 10, 186, 193, 194
  `fscanf`, 23, 193
  `malloc`, 10, 186, 193, 194
  `printf`, 23, 159, 163, 167, 193
  `qsort`, 25, 193
  `rand`, 118, 193
  `realloc`, 11, 186, 193, 194
  `sqrt`, 59, 65, 69, 105, 193
  `srand`, 118, 193
C language, 6, 187
C preprocessor, 194
cancellation, 4, 9, 17, 30, 39, 41, 56, 64, 66, 70, 72, 119, 135, 182
cheap match, 114, 140
child, 4, 39, 41, 44–46, 49, 50, 52–54, 63, 91, 93, 105, 156
`chol_update`, **63**, 67
`chol_downdate`, **65**, 67
Cholesky factorization, 3, 6, 37, 141
  column counts, 37, 46, 52, 61, 66, 76, 154, 175, 177
  data structure, 59
  left-looking, 60, 66, 68, 85, 174
  multifrontal, 62, 66
  normal equations, 72
  ordering, 58, 68, 127, 128, 131
  right-looking, 62, 89, 99
  row counts, 46, 54, 66
  solving $Ax = b$, 67, 135, 146, 176
  supernodal, 61, 66, 140, 174
  symbolic, 56, 84, 85, 152, 175
  up-looking, 37, 58, 66, 140, 150, 176
  update, 63, 153, 175, 176, 181
`chol_left`, **60**
CHOLMOD package, 24, 42, 44, 46, 56, 58, 62, 66, 67, 132, 140, 174, 175, 186
`chol_right`, **62**, 99
`chol_super`, **61**, 63

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

chol_up, **38**
clique, 4, 41, 56, 100
coarsening a graph, 130
COLAMD package, 102, 132, 133, 140, 186
column-perfect matching, 112, 118, 122
compressed-column form, 8–12, 14, 17, 23, 25, 27, 119, 145, 146, 148, 149, 160
compressed-row form, 14
cond1est, **96**
condition number, 96, 140, 173–175
connected graph, 4, 6, 127
contribution block, 63, 93
Crout's method, 95
cs sparse matrix, **8**, 146
cs_add, **19**, 105, 146, 159, 168, 176
cs_amd, 57, 76, **105**, 150, 173, 176
cs_augment, **116**
cs_bfs, 124, **125**
cs_calloc, **10**, 148
cs_chol, **58**, 136, 150, 167, 176, 183
cs_cholsol, **136**, 146, 165, 176
cs_compress, **13**, 14, 146, 159, 163, 169, 171
cs_counts, 44, **55**, 57, 66, 76, 154, 177
CS_CSC, **10**
cs_cumsum, **13**, 14, 22, 57, 154
cs_dalloc, 120, **121**, 124, 157
cs_ddone, 120, **121**, 124, 157
cs_demo1, **159**, 182
cs_demo2, **165**, 182
cs_demo3, **168**, 182
cs_dfree, **121**, 125, 153, 164
cs_dfs, **33**, 119, 120, 154
cs_diag, 106, **111**
cs_dmperm, **124**, 129, 139, 150, 164, 177
cs_dmsol, **139**
cs_dmspy, 121, 178
cs_done, **13**, 14, 18, 19, 21, 157
cs_droptol, **17**, 150, 164, 178, 191
cs_dropzeros, **16**, 151, 163, 183
cs_dupl, **15**, 146, 163, 169, 171
cs_entry, **12**, 23, 147, 159, 169–171
cs_ereach, **43**, 59, 154
cs_esep, **129**
cs_etree, **42**, 50, 57, 76, 154, 178
cs_fiedler, **127**
cs_fkeep, **16**, 106, 124, 126, 154, 162, 191
CS_FLIP, **33**, 103, 104, 158
cs_free, **10**, 148
cs_gaxpy, **10**, 27, 147, 163, 178
cs_happly, **70**, 77, 137, 151
cs_house, **69**, 77, 155
cs_idone, **42**, 45, 55, 106, 115, 116, 157
cs_ipvec, **20**, 136–138, 151, 167
cs_leaf, **51**, 55, 155
cs_load, **23**, 147, 159, 163
cs_lsolve, **28**, 29, 44, 88, 136, 138, 140, 151, 167, 178
cs_ltsolve, **28**, 136, 151, 167, 178
cs_lu, **86**, 90, 102, 138, 151, 174, 179
cs_lusol, **138**, 139, 147, 165, 179
cs_make, 179
cs_malloc, **10**, 149
CS_MARK, **33**, 158
CS_MARKED, **33**, 158
cs_matched, 124, **126**
CS_MAX, **158**
cs_maxtrans, **116**, 124, 155
cs_mex_check, **183**
cs_mex_get_double, **184**
cs_mex_get_int, **185**
cs_mex_get_sparse, **184**
cs_mex_put_double, **185**
cs_mex_put_int, **185**
cs_mex_put_sparse, **184**
CS_MIN, **158**
cs_multiply, **18**, 19, 106, 147, 159, 167, 179, 193
cs_nd, **130**
cs_ndone, 59, **60**, 77, 86, 157
cs_nfree, **60**, 136–138, 153, 166, 183
cs_nonzero, **16**
cs_norm, **22**, 23, 147, 159, 163
cs_nsep, **129**
cs_permute, **21**, 76, 124, 151, 167, 180

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

cs_pinv, **20**, 57, 124, 152, 167
cs_post, 44, **45**, 57, 76, 155
cs_print, 8, **23**, 148, 159, 180
cs_pvec, **20**, 136, 137, 152, 167, 192
cs_qleft, **78**, 180
cs_qr, 73, **76**, 79, 137, 152, 180
cs_qright, **78**, 79, 180
cs_qrsol, **137**, 139, 148, 164, 180
cs_randperm, **118**, 155, 180
cs_reach, **33**, 34, 43, 155
cs_realloc, **11**, 148
cs_rprune, **126**
cs_scatter, **18**, 19, 77, 155
cs_scc, **120**, 124, 156, 180
cs_schol, **57**, 58, 136, 152, 167, 183
cs_sep, **129**
cs_sfree, **57**, 76, 136–138, 153, 183
cs_spalloc, 8, **11**, 12, 149
cs_sparse, 173, 181
cs_spfree, 8, **11**, 149
cs_sprealloc, 8, **11**, 102, 149
cs_spsolve, **34**, 87, 156
cs_sqr, **76**, 137, 138, 152, 181
cs_symperm, **21**, 57, 59, 153, 181
cs_tdfs, **45**, 102, 111, 156
cs_tol, **17**, 191
cs_transpose, **14**, 55, 105, 116, 120, 125, 137, 148, 159, 162, 167, 181, 193
CS_TRIPLET, **10**
CS_UNFLIP, **33**, 158
cs_unmatched, 124, **126**
cs_updown, **65**, 153, 167, 175, 181
cs_usolve, **29**, 88, 137, 138, 140, 153, 182
cs_utsolve, **29**, 137, 153, 182
cs_vcount, **75**, 76
cs_wclear, 106, **111**
csd decomposition, 120, **121**, 123, 124, 150, 164
csn numeric factorization, 58, **60**, 76, 86, 136–138, 149, 166, 183
CSparse package, xi, 145, 176
cspy, 178, 182
css symbolic factorization, **57**, 58, 75, 76, 86, 136–138, 149, 166, 183
cumulative sum, 13
CXSparse package, xii, 144
cycle, 4, 119

DAG, 4, 6, 94
degree, 4
dense matrix, 3, 6, 25, 26, 61, 62, 67, 91, 112, 140, 176, 186
depth-first search, 6, 31, 35
dereference, 188
descendant, 4, 5, 39, 41, 44, 47, 52, 62, 93, 105, 132
dfsr, **32**, 115
diagonal, 3, 24, 25, 29, 94, 112, 126, 127, 133, 138, 140, 172, 174, 177
diagonally dominant, 3, 84
directed graph, 4, 30, 38–40, 83, 93, 94, 119, 135, 154
disjoint-set-union, 41, 50, 67
dot product, 2, 37, 58, 69
downdate, 63, 64, 67, 153, 175, 181
drop tolerance, 16, 68, 96, 133, 150
Dulmage–Mendelsohn decomposition, 81, 112, 118, 122, 128, 130, 133, 138, 139, 141, 150, 174, 177, 178
duplicate entry, 12, 15, 26, 56, 68, 146
dynamic table, 5, 12, 88

edge, 4, 30
edge separator, 5, 128, 129
edge-induced subgraph, 4
eigenvalue/eigenvector, 3, 6, 127, 130, 132, 174
elimination tree, 37, 38, 43, 44, 47, 49, 50, 52, 54, 57, 61, 63, 64, 66, 67, 91, 94, 96, 131, 133
  column, 41, 66, 71, 73, 76, 80, 81, 93, 140
empty row or column, 26
envelope, *see* profile

Fiedler vector, 127, 130, 132
fill-in, 37, 39, 56, 81, 83, 84, 93, 99, 119, 128, 130, 131, 135, 138, 141, 174

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

filled graph, 37, 44, 83, 94
finite-element method, 15, 131, 170
first descendant, 47–49
`firstdesc`, **47**
flint, 191
flop, 69, 144
forest, 4, 6, 39, 133, 155
forward solve, *see* solve
frontal matrix, 62, 91
full rank, 3, 136

gather, 17, 78
Gaussian elimination, 3, 83, 88, 91
Givens rotation, 78, 79, 81, 140, 141, 174
`givens2`, **79**
GPLU algorithm, 35, 88, 94, 140, 174
Gram–Schmidt, 81
graph, 4

Hall, *see* strong Hall
hash, 103, 104
height of a tree, 68, 175
Householder reflection, 69–72, 78, 79, 81, 83, 141

identity matrix, 2, 3, 19, 86, 172
in-adjacency, 4
incident edge, 4, 114, 128
incident node, 4
include file, 158, 186, 191
incomplete factorization, 6, 68, 95
indefinite, 1, 67, 94, 141
inverse, 3, 20, 32, 41, 57, 86, 119, 123, 135, 153
isomorphic graphs, 4, 44
iterative methods, 6, 68, 96, 141, 175
iterative refinement, 84, 135, 144

LAPACK package, 67, 140, 141
Laplacian of a graph, 127
LDL package, 66, 67
leaf, 4, 41, 47–50, 52–54, 68, 155
least common ancestor, 47, 50, 53, 54, 67
least squares, *see* solve
level, 47
linear algebra, 2, 6
linear independence, 3
lower triangular, 2, 3, 27, 36, 37, 43, 63, 73, 83, 89, 140, 151, 153, 156, 178, 182
LU factorization, 3, 6, 83, 141
  block triangular form, 119, 123, 133, 138
  data structure, 59
  left-looking, 85, 86, 91, 94, 138, 151, 174, 179
  multifrontal, 88, 91, 94, 140, 174
  ordering, 102, 112, 118, 127, 131
  partial pivoting, 3, 36, 83–86, 88, 90, 93–96, 133, 138, 140, 147, 151, 174, 179
  QR upper bound, 83
  right-looking, 83, 86, 88, 89, 91, 94
  solving $Ax = b$, 138, 147, 179
  static pivoting, 84, 94
  symbolic, 57, 94, 140, 152
  threshold pivoting, 88, 151, 174
`lu_left`, **86**, 91
`lu_right`, **89**
`lu_rightp`, **91**
`lu_rightpr`, **91**
`lu_rightr`, **89**

macro, 158, 194
Maple, 140
Markowitz's method, 131
matching, 112
MATLAB, 6, 8, 169
  `amd`, 112, 133, 136, 173, 174
  `chol`, 17, 21, 46, 58, 136, 169, 173–176
  `cholinc`, 68, 174
  `cholupdate`, 66, 67, 175
  `colamd`, 79, 133, 173, 174
  `colperm`, 173
  `cond`, 174, 175
  `condest`, 96, 174, 175, 186
  `dmperm`, 118, 121, 126, 174
  `eig`, 174, 175

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

eigs, 127, 174, 175
etree, 42, 46, 175
etreeplot, 175
find, 20, 24, 169, 173
full, 3, 173, 174
gplot, 175
horzcat (,), 26, 175
issparse, 173
lu, 35, 36, 88, 94, 96, 133, 173, 174, 176
luinc, 96, 174
mex.h include file, 158, 186
mexErrMsgTxt, 183, 186
mexFunction, 8, 16, 66, 68, 95, 176, 182, 183, 186, 194
mexMakeMemoryPersistent, 184, 186
minus (-), 175
mldivide (\), 1, 44, 140, 141, 144, 173, 175, 186
mrdivide (/), 141, 175
mtimes (*), 10, 19, 144, 175
mxArray, 183, 186
mxCalloc, 186, 194
mxCreateDoubleMatrix, 185, 186
mxCreateDoubleScalar, 186
mxCreateSparse, 184, 186
mxFree, 186, 194
mxGetIr, 8, 184, 186
mxGetJc, 8, 184, 186
mxGetM, 8, 183, 186
mxGetN, 8, 183, 186
mxGetNumberOfElements, 184, 186
mxGetNzmax, 8, 184, 186
mxGetPr, 8, 184, 186
mxGetScalar, 186
mxGetString, 186
mxIsChar, 186
mxIsComplex, 183, 186
mxIsDouble, 183, 186
mxIsSparse, 183, 186
mxMalloc, 186, 194
mxRealloc, 95, 186, 194
mxSetIr, 184, 186
mxSetJc, 184, 186
mxSetM, 184, 186
mxSetN, 184, 186
mxSetNzmax, 184, 186
mxSetPr, 184, 186
nnz, 12, 17, 133, 173, 174
nonzeros, 173
norm, 22, 159, 175
normest, 22, 96, 174, 175
nzmax, 12, 173
plus (+), 10, 19, 144, 175
poly, 175
qr, 78, 79, 81, 133, 173, 174
randperm, 174
repmat, 169, 170
spalloc, 11, 173
sparse, 16, 20, 159, 169–173
sparse matrix storage, 8
spaugment, 174
spconvert, 173
spdiags, 172
speye, 159, 172, 180
spfun, 173
spones, 173
spparms, 173
sprand, 24, 172, 186
sprandn, 173, 186
sprandsym, 173, 186
sprank, 112, 174, 177
spy, 173
subasgn, 26, 172
subsindex, 172
subsref, 9, 21, 26, 46, 58, 112, 118, 120, 121, 126, 133, 172
svd, 175
svds, 174
symamd, 112, 174
symbfact, 56, 68, 133, 175
symrcm, 127, 128, 174
transpose ('), 14, 26, 136, 175
treelayout, 175
treeplot, 175
vertcat (;), 26, 175
matrix, 2
matrix add, 2, 9, 19, 175, 176, 178
matrix multiply, 2, 9, 17, 147, 179
maximum matching, 112, 114, 122, 123, 125, 126, 132, 174, 177

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php

maximum transversal, *see* maximum matching
`maxtrans`, **115**
minimum degree, 6, 57, 58, 99, 128, 130, 131, 133, 136, 138, 140, 141, 146, 150, 173, 174, 176
  aggressive absorption, 104
  approximate, 101
  assembly tree, 103, 105
  column, 76, 131, 132, 137, 146, 173
  deficiency, 131
  element absorption, 100
  elimination graph, 100
  indistinguishable nodes, 100
  mass elimination, 101
  quotient graph, 100, 102, 103
  tie-breaking, 112

neighbor, 4, 32, 35, 100, 117, 127
nested dissection, 81, 99, 128, 130–132, 141, 179
node, 4, 30
node cover, 5, 128, 129
node separator, 5, 128–130, 132, 180
node-induced subgraph, 4, 5
nonsingular, 3, 135, 136, 147
nonzero, 3
nonzero entry, *see* nonzero
norm, 3, 22, 23, 69, 82, 96, 136, 147, 148, 174, 175, 180, 186
`norm1est`, **96**

one-based, 7
orthogonal, 3, 20, 69, 70, 76, 78, 79, 85, 136, 180
orthonormal, 3
out-adjacency, 4
outer product, 2, 62, 88, 91
overdetermined, 122, 138, 139, 177, 180

parallel algorithms, 141
parent, 4, 39, 40, 42, 52, 54, 63, 73, 74, 91, 93, 105
partial pivoting, *see* LU factorization
path, 4, 30, 37, 39, 43, 47, 52, 64, 80, 112, 119, 122
path compression, 41
path decomposition, 47, 49, 50
permutation, 3, 20, 21, 56, 74, 84, 99, 112, 118, 123, 127, 135, 151, 153, 181
permutation vector, 20
  inverse, 20
pivoting, *see* LU factorization
pointer, 187
positive definite, 1, 3, 6, 37, 58, 62, 63, 66, 72, 84, 88, 94, 135, 136, 140, 144, 146, 173
positive semidefinite, 3, 127
postorder, 5, 37, 44, 46–51, 54, 58, 67, 68, 76, 82, 102, 105, 133, 154–156, 175, 178
profile, 127, 128, 130, 132, 141
proper, 5, 44
prototype, 24, 25, 61, 68, 95, 145, 158, 161, 190, 191
pseudoperipheral node, 127, 132

QR factorization, 3, 6, 81, 141
  block triangular form, 123, 138
  data structure, 59
  Givens, 69, 78–81, 140, 141, 174
  Householder, 69–71, 79, 81, 83, 93, 136, 141, 152, 180
  left-looking, 29, 70, 71, 73
  multifrontal, 71, 80–82
  ordering, 102, 112, 118, 131, 173
  right-looking, 70, 71
  row counts, 55, 74
  row-merge, 81
  solving $Ax = b$, 136
  symbolic, 57, 74, 81, 84, 93, 140, 152
  upper bound on LU, 83
`qr_givens`, **80**
`qr_givens_full`, **80**
`qr_left`, **71**, 74
`qr_right`, **71**

range, 3

rank, 3, 9, 63, 88, 95, 112
rank deficient, 3, 9, 74, 88, 112
reachable, 4, 6, 30, 31, 38, 119, 122
`reachr`, **32**
refining a graph, 130
root of a tree, 4
row subtree, 40, 43, 46–50, 52–54, 61, 66, 154
row-perfect matching, 112, 122
`rowcnt`, **51**, 54, 66

scatter, 17, 58, 96, 155
singular, 3, 144
skeleton matrix, 47, 49, 52–54, 66
solve
  band, 140
  diagonal, 140
  Hessenberg matrix, 140
  least-squares, 69, 136, 141
  lower triangular, 27, 140
  permuted triangular, 140
  sparse right-hand side, 29, 37, 38, 43, 58, 72, 78, 85
  symmetric positive definite, 135
  tridiagonal, 30, 140
  unsymmetric, 138
  upper triangular, 28, 140
sort, 14, 19, 25
span, 3
sparse matrix, 3, 6, 7
sparse matrix storage, *see* compressed-column form, triplet form
`sparse_qr_left`, 73
star matrix, 56
static pivoting, *see* LU factorization
strong Hall, 72, 73, 81, 83, 84, 118, 119, 122, 123, 135, 138
strongly connected components, 39, 119, 121, 123, 132, 156, 177, 181
strongly connected graph, 4
structural rank, 9, 74, 112, 138, 174
subgraph, 4–6, 128, 129, 131
subtree, 5, 39, 41, 72–74, *see also* row subtree
symbolic analysis, 37, 56
symbolic factorization, 56
symmetric matrix, 21
symmetric pruning, 94, 96

tail recursion, 89
topological order, 6, 31, 32, 35, 43, 58, 68
transpose, 2, 14, 54, 95, 148, 175, 181
tree, 4, 38, 41, 102
triplet form, 7, 10–12, 23, 146–149, 158, 169, 181

UFget, 24
UMFPACK package, 88, 94, 140, 141, 174, 186
underdetermined, 136, 138, 139, 180
underlying undirected graph, 4
undirected graph, 4, 100, 112, 128
update, 2, 63, 67, 153, 175, 181
upper triangular, 2, 3, 28, 36, 70, 73, 83, 140, 151, 153, 156, 174, 179, 182

well-determined, 138, 139, 177

zero-based, 7

Downloaded 11/21/13 to 134.99.128.41. Redistribution subject to SIAM license or copyright; see http://www.siam.org/journals/ojsa.php