



B



A

B


A





1. PARTIALLY DEFINED DRAWING (PDD).
INTERPRET PER ASME Y14.41-2019.
- A. THIS DRAWING TO BE USED IN CONJUNCTION WITH CAD MODEL FOR COMPLETE PRODUCT DEFINITION.
 - B. QUERIED CAD MODEL VALUES SHALL BE INTERPRETED AS BASIC DIMENSIONS.
 - C. UNDIMENSIONED VALUES SHALL BE QUERIED FROM CAD MODEL.
 - D. BREAK ALL HARD EDGES.
 - E. ALL DIMENSIONS APPLY AFTER FINISHING.
 - F. FINISH: ANODIZE BLACK AFTER DEBURRING.



2x Ø5 ∇ 12
M6x1.00 ∇ 10



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS ANGULAR = \pm ° SURFACE FINISH  DO NOT SCALE DRAWING BREAK ALL SHARP EDGES AND REMOVE BURRS THIRD ANGLE PROJECTION 		NAME	DATE	TITLE Gear Guard Socket Insert		
	DRAWN	CRAIG HICKMAN	07/05/2024			
	CHECKED					
	APPROVED			SIZE A		
				DWG NO. PP-07052024-01		
	MATERIAL 6061-T6 Aluminum	FINISH Anodize black		SCALE 1:1	WEIGHT	SHEET 1 of 1