

Electrodynamics as a Theorem of Projected Ontology

Engin Atik¹

¹Kleis Research, <https://kleis.io>

Abstract

We show that the complete structure of classical electrodynamics — gauge invariance, the absence of magnetic monopoles, and charge conservation — follows as a chain of one- and two-step derivations from two axioms: the definition $F = dA$ (field strength is the exterior derivative of the potential) and the inhomogeneous Maxwell equation $d \star F = \star J$ (relating the field to its sources via the Lorentzian Hodge star). The sole algebraic ingredient is the nilpotency of the exterior derivative, $d^2 = 0$, which is not a physical assumption but a structural property of the exterior algebra on any smooth manifold. We formalize these derivations on the Kleis verification platform, where every axiom is explicit, every theorem is machine-checked by the Z3 SMT solver, and the entire exterior calculus — wedge product, Hodge star, interior product, Lie derivative, and de Rham cohomology — is axiomatized in the standard library. The electromagnetic structures share the same Cartan geometry substrate used in our companion papers on flat galactic rotation curves and quantum entanglement, where the admissible kernel framework produces gravitational and quantum phenomena from the same projection operator. The present paper adds the gauge-theoretic sector: we derive that the potential A is a projection degree of freedom with no ontological weight, that monopoles are topologically forbidden by the manifold’s de Rham cohomology, and that charge conservation is the Noether invariant of the $U(1)$ gauge symmetry. We further show that the Einstein–Maxwell coupling emerges from the same anholonomy coefficients that govern spacetime curvature, and that the non-abelian Yang–Mills extension $F = dA + A \wedge A$ is already formalized in the same library, setting the stage for a verified treatment of the strong and electroweak interactions. The result is a demonstration that the ‘laws’ of electrodynamics are not empirical regularities but theorems of the projected ontology — the compiled output of structural constraints on a Lorentzian manifold.

Keywords: Maxwell equations, gauge invariance, formal verification, projected ontology, exterior calculus, Noether theorem, Hodge star, differential forms, Z3 theorem prover, Cartan geometry

1 Introduction

What are Maxwell’s equations? The standard answer is: empirical laws, discovered by Faraday and Maxwell, encoding the behavior of electric and magnetic fields. The mathematical physicist’s answer is more refined: they are the unique equations governing a $U(1)$ gauge field on a Lorentzian manifold. But even this answer treats them as **given** — the starting point of a theory, not its output.

We propose a stronger claim: Maxwell’s equations are **theorems**. Given a 4-dimensional Lorentzian manifold, a potential 1-form A , and the definition $F = dA$ of the field strength as an exact 2-form, the entire structure of classical electrodynamics follows from a single algebraic fact — the nilpotency of the exterior derivative, $d^2 = 0$ — plus one irreducible physical axiom: the inhomogeneous equation $d \star F = \star J$ relating the field to its sources.

From these two statements, we derive:

1. **Gauge invariance:** $A \rightarrow A + d\chi$ leaves F unchanged (one step from $d^2 = 0$).
2. **Homogeneous Maxwell equation:** $dF = 0$ — no magnetic monopoles, Faraday’s law (one step from $F = dA$ and $d^2 = 0$).
3. **Charge conservation:** $d(\star J) = 0$, i.e., $\partial_\mu J^\mu = 0$ (two steps: apply d to $d \star F = \star J$, use $d^2 = 0$).

No additional postulates are needed. The potential is an auxiliary projection variable; the field is the only ontologically meaningful object; charge is a Noether invariant of the gauge symmetry; and monopoles are topologically forbidden by the manifold’s de Rham cohomology.

This paper is the third in a series on Projected Ontology Theory (POT). The first derived flat galactic rotation curves from the admissible kernel framework without dark matter. The second derived Bell inequality violation and GHZ contextuality from the same kernel structure, reinterpreting quantum entanglement as a projection artifact. The present paper adds the gauge-theoretic sector, showing that the same Cartan geometry substrate that governs gravity also determines electrodynamics. The Einstein–Maxwell coupling $G_{\mu\nu} + \Lambda g_{\mu\nu} = \kappa T_{\mu\nu}^{\text{EM}}$ emerges from shared anholonomy coefficients, and the non-abelian generalization (Yang–Mills) is already formalized in the library.

Every derivation in this paper is machine-checked. The axioms are explicit, stated in the Kleis verification language, and verified by the Z3 SMT solver. The entire exterior calculus — wedge product, Hodge star, interior product, Cartan’s Magic Formula, de Rham cohomology — is axiomatized in the Kleis standard library (`stdlib/differential_forms.kleis`). The reader can reproduce every result by running the source file.

2 The Projected Ontology Framework

We work within the mathematical framework of Projected Ontology Theory (POT), building on the Cartan geometry pipeline axiomatized in the Kleis standard library. The reader unfamiliar with the full POT axiom set is referred to our companion papers for details; here we summarize only what is needed for the electrodynamics derivation.

2.1 Cartan Geometry Pipeline

The Kleis standard library implements Élie Cartan’s approach to differential geometry using differential forms. The computation pipeline is:

$$\text{Tetrad } e^a \rightarrow \text{Connection } \omega_b^a \rightarrow \text{Curvature } R_b^a \rightarrow \text{Ricci, Einstein}$$

Given a tetrad (orthonormal frame) e^a encoding the metric via $g = \eta_{ab}e^a \otimes e^b$, the torsion-free condition $de^a + \omega_b^a \wedge e^b = 0$ uniquely determines the connection 1-forms ω_b^a . The curvature 2-forms are then:

$$R_b^a = d\omega_b^a + \omega_c^a \wedge \omega_b^c$$

This is Cartan's second structure equation. The Bianchi identity $dR_b^a + \omega_c^a \wedge R_b^c - R_c^a \wedge \omega_b^c = 0$ follows from $d^2 = 0$. Contracting gives the Ricci tensor and scalar curvature, hence the Einstein tensor $G_{\mu\nu}$.

The key point for electrodynamics: the same exterior derivative d and wedge product $\wedge$ that govern spacetime curvature also govern the electromagnetic field. The field strength F is a 2-form, just as the curvature R_b^a is a matrix of 2-forms. The algebraic structures are identical.

2.2 The Exterior Algebra

The derivations in this paper rely on four operations from the exterior algebra, all axiomatized in the Kleis standard library:

1. **Exterior derivative** d : maps p -forms to $(p+1)$ -forms. The fundamental property is $d^2 = 0$ (nilpotency), which encodes the topology of the manifold.
2. **Hodge star** $\star$: maps p -forms to $(n-p)$ -forms on an n -dimensional manifold with metric signature s (the number of negative eigenvalues). The involutivity relation is:

$$\star \star \alpha = (-1)^{p(n-p)+s} \alpha$$

For the electromagnetic 2-form F on a 4D Lorentzian manifold ($p=2$, $n=4$, $s=1$): $\star \star F = (-1)^{4+1} F = -F$. This sign is essential for correct energy-momentum traces.

3. **Interior product** ι_X : contracts a vector field X with a p -form, reducing degree by 1. Metric-independent.
4. **Lie derivative** $\mathcal{L}_X$: Cartan's Magic Formula $\mathcal{L}_X = d \circ \iota_X + \iota_X \circ d$ connects the algebraic and differential operations. Metric-independent.

The Leibniz rule $d(\alpha \wedge \beta) = (d\alpha) \wedge \beta + (-1)^p \alpha \wedge (d\beta)$ and the graded antisymmetry $\alpha \wedge \beta = (-1)^{pq} \beta \wedge \alpha$ complete the algebraic structure. Every identity used in this paper is an axiom in the standard library, verified by Z3.

3 The Electromagnetic 2-Form

In the language of differential forms, the electromagnetic field is a 2-form F on a 4-dimensional Lorentzian manifold (M, g) with signature $(-, +, +, +)$. In coordinates:

$$F = E_i dx^i \wedge dt + \frac{1}{2} B_{ij} dx^i \wedge dx^j$$

The potential is a 1-form $A = \varphi dt + A_i dx^i$, and the 4-current is a 1-form $J = \rho dt + J_i dx^i$ (or equivalently, a 3-form $\star J$ via the Hodge dual).

The entire content of classical electrodynamics rests on two statements:

3.1 The Two Axioms

Axiom 1 (Definition). The field strength is the exterior derivative of the potential:

$$F = dA$$

This is a definition, not a dynamical equation. It asserts that the electromagnetic field is an **exact** 2-form.

Axiom 2 (Physics). The inhomogeneous Maxwell equation relates the field to its sources via the Lorentzian Hodge star:

$$d \star F = \star J$$

This single equation encodes both Gauss's law ($\nabla \cdot E = \frac{\rho}{\epsilon_0}$) and Ampère's law with Maxwell's correction ($\nabla \times B = \mu_0 J + \mu_0 \epsilon_0 \partial \frac{E}{\partial t}$).

These are the only independent axioms. Everything else — gauge invariance, the homogeneous Maxwell equation, charge conservation — is a **derivable theorem**. The remainder of this paper exhibits each derivation and its machine-checked verification.

4 Gauge Invariance as Geometric Tautology

The gauge transformation $A \rightarrow A' = A + d\chi$, where χ is any scalar function (0-form), leaves the field strength invariant:

$$F' = dA' = d(A + d\chi) = dA + d(d\chi) = dA + 0 = F$$

The second equality uses linearity of d . The third uses the nilpotency $d^2 = 0$: the exterior derivative of any exact form vanishes. This is not an approximation, not a symmetry imposed by hand, and not a physical assumption. It is a **tautology of the exterior algebra**.

The physical consequence is profound: the potential A is not an observable quantity. It is a **degree of freedom of the mathematical description** — a choice of representative within an equivalence class of 1-forms that yield the same field F . Only F has ontological weight. The potential is an auxiliary projection variable, and gauge ‘symmetry’ is the statement that the projection is many-to-one.

In the POT framework, this has a precise interpretation: A is a choice of **how** to project from the ontological space to the observable field. Different choices of A correspond to different projections, but the observable field F — the quantity that couples to charged matter — is the same for all of them. Gauge invariance is not a feature of electrodynamics; it is a structural property of exact forms on smooth manifolds.

5 No Magnetic Monopoles: A Topological Theorem

The homogeneous Maxwell equation is:

$$dF = 0$$

This encodes two classical statements: $\nabla \cdot B = 0$ (no magnetic monopoles) and $\nabla \times E = -\partial \frac{B}{\partial t}$ (Faraday's law). The derivation from Axiom 1 is immediate:

$$dF = d(dA) = d^2 A = 0$$

The non-existence of magnetic monopoles is therefore **not** an independent law of physics. It is a one-step consequence of the definition $F = dA$ and the nilpotency $d^2 = 0$.

The deeper statement involves de Rham cohomology. A p -form α is **closed** if $d\alpha = 0$ and **exact** if $\alpha = d\beta$ for some $(p-1)$ -form β . Since $d^2 = 0$, every exact form is closed: $d(d\beta) = 0$. The converse is not always true — it depends on the topology of the manifold.

The second de Rham cohomology group $H_{\text{dR}}^2(M)$ measures the obstruction: it is the space of closed 2-forms modulo exact 2-forms. If $H_{\text{dR}}^2(M) = 0$, then **every** closed 2-form is exact, and any field strength F satisfying $dF = 0$ must be expressible as $F = dA$ for some potential A .

Magnetic monopoles, if they existed, would correspond to F being closed but **not** exact — a nontrivial element of $H_{\text{dR}}^2(M)$. On $\mathbb{R}^4$ (or any contractible manifold), $H_{\text{dR}}^2 = 0$, and monopoles are topologically impossible. Their non-existence is a theorem of the manifold's topology, not a postulate of physics.

In a manifold with nontrivial H^2 (e.g., $\mathbb{R}^3 \setminus \{0\}$, which has a point removed), monopoles become topologically possible. The Dirac monopole lives precisely in this cohomological gap. But on the standard Minkowski spacetime of classical electrodynamics, the topology forbids them.

6 Energy-Momentum Conservation

The electromagnetic stress-energy tensor $T_{\mu\nu}^{\text{EM}}$ encodes the energy density, momentum density, and stress of the electromagnetic field. Its conservation $\partial_\mu T_{\text{EM}}^{\mu\nu} = 0$ (in the absence of sources) is the formal statement of energy-momentum conservation for the field.

In the Cartan formalism, this conservation law is not an additional postulate. It follows from the Bianchi identity. For the Riemann curvature 2-form:

$$dR_b^a + \omega_c^a \wedge R_b^c - R_c^a \wedge \omega_b^c = 0$$

This identity, which itself is a consequence of $d^2 = 0$ applied to Cartan's second structure equation, implies the contracted Bianchi identity $\nabla_\mu G^{\mu\nu} = 0$ for the Einstein tensor. Combined with the Einstein–Maxwell field equation $G_{\mu\nu} + \Lambda g_{\mu\nu} = \kappa T_{\mu\nu}^{\text{EM}}$, this yields $\nabla_\mu T_{\text{EM}}^{\mu\nu} = 0$.

The Poynting vector $S = E \times \frac{B}{\mu_0}$ and the electromagnetic energy density $u = \frac{\epsilon_0 E^2 + \frac{B^2}{\mu_0}}{2}$ are components of $T_{\mu\nu}^{\text{EM}}$. Their conservation — the Poynting theorem — is not an independent result but a component of the tensorial conservation law that follows from the Bianchi identity.

The Lie derivative provides the infinitesimal version. For a timelike vector field ξ^μ (representing time evolution), Cartan's Magic Formula gives:

$$\mathcal{L}_\xi F = d(\iota_\xi F) + \iota_\xi(dF) = d(\iota_\xi F)$$

The last equality uses $dF = 0$ (derived in Section 5). The energy flux along ξ is then entirely determined by the contraction $\iota_\xi F$ and its exterior derivative — no additional structure needed beyond what the exterior algebra provides.

7 Charge Conservation: The Noether Closing Argument

The derivation of charge conservation from the two axioms is a two-step chain:

Step 1. From Axiom 2: $d \star F = \star J$.

Step 2. Apply the exterior derivative d to both sides:

$$d(d \star F) = d(\star J)$$

The left side is $d^2(\star F) = 0$ by nilpotency. Therefore:

$$d(\star J) = 0$$

In components, this is the continuity equation $\partial_\mu J^\mu = 0$: charge is locally conserved.

This result is not a separate law. It is a two-step consequence of the inhomogeneous Maxwell equation and $d^2 = 0$. No additional axiom is needed.

The Noether perspective deepens the result. Noether’s theorem states that every continuous symmetry of the action yields a conserved current. The gauge transformation $A \rightarrow A + d\chi$ is a $U(1)$ symmetry (Section 4), and the associated conserved current is precisely J^μ . Charge conservation is therefore the **Noether invariant** of the gauge symmetry.

The logical chain is:

$$d^2 = 0 \Rightarrow \text{gauge invariance} \Rightarrow U(1) \text{ symmetry} \Rightarrow \text{conserved current } J^\mu \Rightarrow \partial_\mu J^\mu = 0$$

Charge is not an arbitrary ‘stuff’ assigned to particles. It is a geometric quantity forced into existence by the structure of the exterior algebra. If you have a potential 1-form A on a smooth manifold, and you define $F = dA$, then gauge symmetry is automatic, and a conserved current must exist. The source term J in $d \star F = \star J$ is not a free choice — it is constrained by $d(\star J) = 0$.

This is the closing argument of the paper: two axioms and the nilpotency of d yield the complete classical electrodynamics. The field equations, the gauge symmetry, the topological structure, and the conservation laws are all derivable. Nothing is added by hand.

8 Einstein–Maxwell Coupling

The electromagnetic field is not isolated; it couples to gravity through the stress-energy tensor. The Einstein–Maxwell field equation is:

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = \kappa T_{\mu\nu}^{\text{EM}}$$

where $G_{\mu\nu}$ is the Einstein tensor, Λ the cosmological constant, $\kappa = 8\pi \frac{G}{c^4}$ Einstein’s gravitational constant, and $T_{\mu\nu}^{\text{EM}}$ the electromagnetic stress-energy tensor.

In the Kleis standard library, this equation is axiomatized in the `EinsteinMaxwell` structure, which also enforces the symmetry properties: $F_{\mu\nu} = -F_{\nu\mu}$ (antisymmetry of the field tensor), $T_{\mu\nu}^{\text{EM}} = T_{\nu\mu}^{\text{EM}}$ (symmetry of the stress-energy tensor), and $g_{\mu\nu} = g_{\nu\mu}$ (symmetry of the metric).

The coupling is deeper than the equation suggests. In the Cartan formalism, both gravity and electromagnetism arise from the **same** mathematical structures:

- **Gravity:** the curvature 2-form $R_b^a = d\omega_b^a + \omega_c^a \wedge \omega_b^c$ is a matrix of 2-forms built from the connection ω via the exterior derivative d and wedge product $\wedge$.
- **Electromagnetism:** the field strength 2-form $F = dA$ is a single 2-form built from the potential A via the same exterior derivative d .

The connection ω_b^a and the potential A are both 1-forms. The curvature R_b^a and the field strength F are both 2-forms. The Bianchi identity $dR + \omega \wedge R - R \wedge \omega = 0$ and the homogeneous Maxwell equation $dF = 0$ are both consequences of $d^2 = 0$. The anholonomy coefficients that determine the gravitational connection also constrain the electromagnetic field through the coupled Einstein–Maxwell equation.

This is the structural bridge between our companion papers: the same Cartan geometry substrate that produces flat galactic rotation curves (from the gravitational sector of the admissible kernel) and Bell inequality violation (from the measurement sector) also determines classical electrodynamics. The admissibility pipeline is the same; only the sector changes.

9 The Yang–Mills Generalization

Electrodynamics is the $U(1)$ gauge theory. The natural generalization to non-abelian gauge groups — Yang–Mills theory — replaces the abelian field strength $F = dA$ with:

$$F = dA + A \wedge A$$

The additional $A \wedge A$ term (absent in electrodynamics because the $U(1)$ Lie algebra is abelian) encodes the self-interaction of the gauge field. The Bianchi identity becomes the gauge-covariant version:

$$D_A F = dF + [A, F] = 0$$

where D_A is the gauge-covariant exterior derivative.

This structure is **already formalized** in the Kleis standard library as the `YangMillsForm` structure, with the axioms:

- $F = dA + A \wedge A$ (curvature definition)
- $D_A F = 0$ (Bianchi identity)

The formal pattern is identical to the Cartan geometry of gravity:

- **Gravity:** Connection ω , curvature $R = d\omega + \omega \wedge \omega$, Bianchi identity $D_\omega R = 0$.
- **Yang–Mills:** Connection A , curvature $F = dA + A \wedge A$, Bianchi identity $D_A F = 0$.

The gauge group determines the physics: $U(1)$ gives electrodynamics, $SU(2) \times U(1)$ gives the electroweak theory, and $SU(3)$ gives quantum chromodynamics. But the mathematical structure — connection, curvature, Bianchi identity — is the same in every case.

This observation sets the stage for a verified treatment of the Standard Model gauge sector within the POT framework. The Kleis standard library already contains the axioms; what remains is to derive the specific physical consequences for each gauge group, following the same derivation pattern used in this paper for $U(1)$.

10 Discussion and Conclusion

We have shown that classical electrodynamics — in its entirety — follows from two axioms and the nilpotency of the exterior derivative. The derivation chain is short:

Theorem	Derivation	Steps from axioms
Gauge invariance	$d(A + d\chi) = dA + d^2\chi = dA$	1 step
Homogeneous Maxwell ($dF = 0$)	$dF = d(dA) = d^2A = 0$	1 step
Charge conservation ($d(\star J) = 0$)	$d(\star J) = d(d\star F) = d^2(\star F) = 0$	2 steps
No monopoles	Topological: $H_{\text{dR}}^2(\mathbb{R}^4) = 0$	Cohomology
Poynting / energy conservation	Bianchi identity + Einstein–Maxwell	Structural

The irreducible physical content is concentrated in a single equation: $d\star F = \star J$. This is the **only** axiom that connects the geometry (the field F) to the physical world (the source J). Everything else is mathematics.

Several features of this result merit comment.

The role of $d^2 = 0$. The nilpotency of the exterior derivative is not a physical assumption. It is a structural property of the exterior algebra on any smooth manifold, equivalent to the symmetry of mixed partial derivatives (Schwarz’s theorem). Every derivation in this paper reduces, ultimately, to this single identity. Gauge invariance, the homogeneous Maxwell equation, and charge conservation are all shadows of $d^2 = 0$ projected through different algebraic paths.

Comparison with the standard presentation. Textbooks typically present Maxwell’s equations as four independent laws (Gauss, Gauss for magnetism, Faraday, Ampère–Maxwell), then derive gauge invariance and charge conservation as consequences. Our presentation inverts this: we start with the definition $F = dA$ and the single inhomogeneous equation $d\star F = \star J$, and derive everything else. The ‘four laws’ are a redundant encoding of two independent statements.

The Lorentzian Hodge star. The sign in the involutivity relation $\star\star\alpha = (-1)^{p(n-p)+s}\alpha$ depends on the metric signature s (number of negative eigenvalues). For the electromagnetic 2-form on Minkowski spacetime, $\star\star F = -F$. Getting this sign wrong would reverse the sign of the

energy-momentum tensor, predicting negative energy densities. The parameterization of the Hodge star by the signature integer s is therefore not a mathematical nicety but a physical necessity.

Connection to the POT series. This paper is the third in a series demonstrating that the Kleis standard library axiomatizes the mathematical structures from which physical laws can be derived as theorems. The first paper derived flat rotation curves from the admissible kernel framework. The second derived Bell violation from the same kernel structure. The present paper derives electrodynamics from the exterior calculus and Cartan geometry — mathematical structures that **also** live in the kernel framework. The Einstein–Maxwell coupling makes the connection explicit: the same anholonomy coefficients that determine spacetime curvature also constrain the electromagnetic field.

Toward verified unified field theory. The Yang–Mills generalization $F = dA + A \wedge A$ is already axiomatized. The formal structure is identical to gravity (connection, curvature, Bianchi identity). The gauge group determines the physics; the mathematics is universal. A verified treatment of the Standard Model gauge sector — $SU(3) \times SU(2) \times U(1)$ — is within reach using the same derivation patterns and the same verification infrastructure.

We conclude with a philosophical observation. In the Projected Ontology framework, the ‘laws of nature’ are not empirical regularities observed in data and codified in equations. They are **theorems** — logical necessities of the mathematical structures that the ontology selects. The universe does not ‘obey’ Maxwell’s equations; rather, any consistent projection of a $U(1)$ gauge field onto a Lorentzian manifold **must** satisfy them. The equations are the compiled output of the structure.

11 Appendix A: Standard Library Axiom Inventory

The following table lists every axiom from the Kleis standard library used in the derivations of this paper.

Axiom	Structure / File	Statement
$d^2 = 0$	ExteriorDerivative differential_forms.kleis /	$d(d\alpha) = 0$ for any p -form α
Leibniz rule	ExteriorDerivative	$d(\alpha \wedge \beta) = (d\alpha) \wedge \beta + (-1)^p \alpha \wedge (d\beta)$
Hodge involutivity	HodgeStar differential_forms.kleis /	$\star \star \alpha = (-1)^{p(n-p)+s} \alpha$
Lorentzian Hodge	LorentzianHodge	$\star \star \alpha = (-1)^{p(n-p)+1} \alpha$ (specialization with $s = 1$)
Interior nilpotency	InteriorProduct	$\iota_X \iota_X = 0$
Cartan Magic Formula	CartanCalculus	$\mathcal{L}_X = d \circ \iota_X + \iota_X \circ d$
$F = dA$	ElectromagneticForm	Field strength from potential (Axiom 1)

$d \star F = \star J$	ElectromagneticForm	Inhomogeneous Maxwell (Axiom 2)
Exact $\Rightarrow$ Closed	DeRhamCohomology	$d\beta = 0 \Rightarrow d(d\beta) = 0$ (exact implies closed)
F antisymmetry	FieldTensorProperties maxwell.kleis	$F_{\mu\nu} = -F_{\nu\mu}$
T^{EM} symmetry	EinsteinMaxwell / maxwell.kleis	$T_{\mu\nu}^{\text{EM}} = T_{\nu\mu}^{\text{EM}}$
Einstein–Maxwell	EinsteinMaxwell	$G_{\mu\nu} + \Lambda g_{\mu\nu} = \kappa T_{\mu\nu}^{\text{EM}}$
Bianchi identity	CurvatureForm cartan_geometry.kleis	$dR_b^a + \omega_c^a \wedge R_b^c - R_c^a \wedge \omega_b^c = 0$
Yang–Mills curvature	YangMillsForm differential_forms.kleis	$F = dA + A \wedge A$
Yang–Mills Bianchi	YangMillsForm	$D_A F = 0$

11 References

- [cartan1923] É. Cartan, “Sur les variétés à connexion affine et la théorie de la relativité généralisée,” Annales scientifiques de l’É.N.S., 1923.
- [nakahara2003] M. Nakahara, Geometry, Topology and Physics, 2nd ed. CRC Press, 2003.
- [mtw1973] C. W. Misner, K. S. Thorne, and J. A. Wheeler, Gravitation. W. H. Freeman, 1973.
- [noether1918] E. Noether, “Invariante Variationsprobleme,” Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen, 1918.
- [yangmills1954] C. N. Yang and R. L. Mills, “Conservation of isotopic spin and isotopic gauge invariance,” Physical Review, vol. 96, no. 1, 1954.
- [flanders1963] H. Flanders, Differential Forms with Applications to the Physical Sciences. Dover, 1963.
- [frankel2011] T. Frankel, The Geometry of Physics: An Introduction, 3rd ed. Cambridge University Press, 2011.
- [atik2025rotation] E. Atik, “Flat galactic rotation curves from projected ontology,” Kleis Research, 2025.
- [atik2025entanglement] E. Atik, “Quantum entanglement as a projection artifact: Machine-verified Bell violation without non-locality,” Kleis Research, 2025.
- [atik2025lensing] E. Atik, “Gravitational lensing in projected ontology theory,” Kleis Research, 2025.
- [kleis2025] Kleis verification platform, <https://kleis.io>, 2025.