

# Introspection via Self Debugging

Russell Harmon

`reh5586@cs.rit.edu`

Rochester Institute of Technology

Computer Science

November 26, 2013

# 1 Introduction

The omnipresent support for introspection in modern programming languages indicates the usefulness of the tool. [4, 5, 19, 21] Unfortunately, C, which is one of the most pervasive programming languages and the foundation of nearly every modern operating system, does not support introspection.

By leveraging an existing debugger, an API entitled *Ruminate* brings introspection to the programming language C. Debuggers have long had access to the type information which is needed for introspection. On most UNIX platforms, this is accomplished by the debugger reading any debugging symbols which may be present in the target binary, and inspecting the state of the target program. These debugging symbols are not present by default and the compiler must be instructed to add the symbols at compile time. These techniques are leveraged to gain the information which is needed to create an introspection API and building on that, an API which can convert arbitrary types to and from JSON.

# 2 Motivation

One of the motivating factors for any language introducing introspection as a feature is the following use case:

You are tasked with changing the save game format of a popular 1980s style terminal based game from a binary format composed of writing the structs which compose the game state to disk to a more flexible JSON format. After investigation, you discover that in order to do this, you can use the Jansson [17] C library to produce JSON. In order to do so, you invoke variants of the `json_object_set` function as given by the following prototype:

```
int json_object_set(  
    json_t *object,  
    const char *key,  
    json_t *value  
);
```

You observe that `json_object_set` takes as parameters the name and value of the field to be written necessitating the writing of a separate `json_object_set` call for every field of every aggregate type. After considering the literally thousands of fields across the nearly three hundred structs in the game you give up in frustration.

If a programmer were able to introspect types in C, they could write a generalized JSON conversion function which could determine the name of every aggregate type and aggregate member procedurally thereby

significantly shortening the amount of code needed. A programmer could also use an introspective library for creation of platform independent binary structure representations for use in network communication. Clearly, it is a significant convenience to developers to be able to write code which is able to introspect upon data in a meta-programming style.

### 3 Introspection in Current Programming Languages

Introspection is found in many of the programming languages commonly used today including Java [19], Ruby [4], Python [21], Perl [5] and a limited form of introspection in C++ [29]. The various approaches to introspection differ in implementation details; some receiving introspection as a direct consequence of the way they implement objects while some provide it as part of the standard library. Despite this, they all provide approximately the same set of features. It is by these features that introspection can be defined, rather than the details of how the features are implemented.

Introspection implementations generally provide several different forms of introspection. A common form of introspection provided is *type* introspection. Specifically, a program leveraging type introspection is able to inspect the types of identifiers or values used in the program. Another form of introspection is *function* introspection. This form of introspection allows programs to retrieve information about functions which is not part of the type system, such as the function's name or argument's names. Finally, a third form of introspection is *stack* introspection. This allows a program to retrieve a list of stack frames at a given point in a program's execution, commonly referred to as a stacktrace or backtrace.

Existing attempts to add introspection to C or C++ frequently require a separate description of the object to be implemented which is generated using a separate parser [23], a complementary *metadata object* [2], or require specific code to be written that describes the type. All of these introspection implementations have the limitation that objects which come from external libraries cannot be introspected. Ruminant has neither this library boundary limitation nor requires external compile-time tools or hand written object descriptions in order to operate. Instead, Ruminant requires only that the library or executable to introspect contain debugging symbols.

### 4 Debugging in C

There already exist a number of tools for interactive debugging of C programs. Some of the more well known ones include GDB [9], WinDBG, Visual Studio's debugger and LLDB [25]. Traditionally, these debuggers have been used interactively via the command line where more recently debuggers such as the one embedded

within Visual Studio integrate into an IDE.

An understanding of debugging in general, and about LLDB specifically are crucial to the understanding of this document, so some time will be spent explaining debugging.

Conceptually, a debugger is composed of two major components, a symbol parser and a process controller. Among other types of symbols in a binary, Linux usually uses DWARF [6] debugging symbols. These debugging symbols are intended for a debugger to parse and informs the debugger about some information which is not available otherwise from inspection of the compiled binary. This information includes the source file name(s), line number to compiled instruction mappings and type information. Interactive debugging using a debugger is possible without debugging symbols, but difficult. The other major piece of a debugger is the ability to control another process. This is necessary in order for the debugger to inspect or modify a debuggee's runtime state, set break or watchpoints and intercept signals. In order to accomplish this, specific support must exist in the kernel which is hosting the process to be controlled. Across the various modern platforms, there exists several different implementations enabling one process to control another. On Linux, the API for process control is `ptrace(2)` [20].

An important aspect of the type information which is available to a debugger is that this information is almost entirely static. For instance, during an interactive debugging session when printing a variable the debugger knows only the type of the *variable* being displayed, rather than the type of the *data* itself. This is in stark contrast with other introspective languages where the type information is carried with the data and can be recovered without any additional context. An example of the result of this under LLDB is shown in Fig. 1. Notice that even though the value of `baz` is the string "Hello World!", because the type of `baz` is `void *`, LLDB is unable to deduce the type.

## 4.1 LLDB

LLDB [25] is a debugger built on the LLVM [27] framework. Designed to be used as a library, it vends a public C++ API which is promised to be relatively stable, and has bindings to Python in which the LLDB authors have written its unit test suite [24].

Figure 2 shows a simple debugging session using LLDB. In it, a test program is launched and the value of a stack-local variable is printed. Take note that LLDB is aware that the type of `foo.bar` is `char *`. In fact regardless of the language most debuggers make available to their users a non-strict subset of the type information which is available to the programmer writing the original source file.

Under LLDB's public API, a type is represented by an `SBType` [18]. In order to get an instance of `SBType`, you can either retrieve the type by name, or retrieve the type of a variable by that variable's name

```

Process 12066 stopped
* thread #1: tid = 0x1c03, 0x0000000100000f64 a.out`main + 20 at a.c:3
    frame #0: 0x0000000100000f64 a.out`main + 20 at a.c:3
      1   int main() {
      2       void *baz = "Hello World!";
-> 3   }
(llldb) print baz
(void *) $0 = 0x0000000100000f66

```

Figure 1: Static Type Information in Debuggers

```

Current executable set to './a.out' (x86_64).
(llldb) breakpoint set -n main
Breakpoint created: 1: name = 'main', locations = 1
(llldb) run
Process 10103 launched: './a.out' (x86_64)
Process 10103 stopped
* thread #1: tid = 0x1c03, 0x0000000100000f60 a.out`main + 16 at a.c:6
    frame #0: 0x0000000100000f60 a.out`main + 16 at a.c:6
      3   };
      4   int main() {
      5       struct foo foo;
-> 6       foo.bar = "Hello World!";
      7   }
(llldb) next
Process 10103 stopped
* thread #1: tid = 0x1c03, 0x0000000100000f64 a.out`main + 20 at a.c:7
    frame #0: 0x0000000100000f64 a.out`main + 20 at a.c:7
      4   int main() {
      5       struct foo foo;
      6       foo.bar = "Hello World!";
-> 7   }
(llldb) print foo.bar
(char *) $0 = 0x0000000100000f66 "Hello World!"

```

Figure 2: Interactive Debugging with LLDB

with the debuggee stopped at a breakpoint. Once that is accomplished, an SBType can give you much of the static type information about that variable which exists in the target's debugging symbols.

When an operation is performed on an SBType, LLDB lazily retrieves the type information needed to service that operation. Building on clang [3], LLDB uses the debugging symbols to generate a partial clang AST. This AST is then retained for future inspection of that type.

## 5 Related Work

*A System for Runtime Type Introspection in C++* [2] discusses an approach to introspection for C++ whereby metadata objects are created using macros which are expected to be called at the definition of the object which is to be introspected.

*The Seal C++ Reflection System* [23] discusses an introspection system for C++ which uses a metadata generation tool to create descriptor files which contain the information needed for introspection.

C++, along with all the other languages supported by Microsoft's CLR can be reflected upon by leveraging features exposed by the CLR. [22]

*Reflection for C++* [16] uses an approach very similar to the one proposed here, but instead of using a debugger to retrieve debugging information, it instead reads the debugging symbols directly. This limits the API to only leveraging information that it can retrieve from the debugging symbols themselves, as opposed to could be deduced dynamically. This limitation means that it does not support *stack introspection*. It also only supports introspection of classes - no support for enums, unions, bit fields, global or static functions and variables is available. It does however support a limited form of reflection wherein you can create instances of reflected classes and call reflected method pointers. Reflection for C++ also supports optionally describing a class explicitly in the class declaration using a series of macros provided by the library as an alternative to debugging symbol based introspection.

*Ego* [7, 8] is similar to the *Reflection for C++* project. It reads Stabs [28] symbols from a binary and allows static type introspection using those symbols. Like Reflection for C++, because Ego does not dynamically inspect the state of the program it does not support *stack introspection*, nor does it support retrieving the type of arbitrary expressions. Ego is also further limited in that it does not support introspection of third party libraries. Ego does however support retrieving information about the specific source or header files in which code is defined, and supports a more fully featured API for enumerating the different kinds of symbols defined in a project than that found in Ruminant wherein a programmer can fully traverse the structure of a specific symbol including the scope in which it is defined. Ego's documentation does describe a feature it calls "stack introspection," but this does not allow retrieval of a call stack. Instead, it allows retrieval of




Figure 3: RType inheritance graph

variables from the current stack frame using stack specific symbol representations.

*GObject Introspection* [11], a part of the Gnome [10] project allows for introspection of instances of a `GObject`. These objects are plain C structs which are initialized following a specific convention in order to inform the `GObject` subsystem of the type of that object. `GObject Introspection` then uses that type information which was initialized at runtime in order to provide introspective features. It is not possible to introspect structs which were not initialized following the `GObject` initialization contract.

## 6 Ruminare

By leveraging LLDB, an API entitled Ruminare [14] was created which hides the complexities of self debugging and enables a programmer to introspect a C program. The intent is not to express every detail of C’s type system, but instead to expose a subset complete enough to be useful while small enough to be determinable by a debugger. The DWARF standard for debugging symbols attempts to describe a common subset of features found in many procedural languages and Ruminare only attempts to provide introspective features which can be implemented leveraging DWARF debugging symbols.

After a call to `ruminare_init`, the programmer can call `ruminare_get_type` providing it with an expression. `ruminare_get_type` will return an instance of `RType` which represents the type of the expression passed. The programmer can also retrieve an instance of a `RType` with a call to `ruminare_get_types_by_name` passing in a string which will return a list of types which have that name. The name of a function, if extant, is not a part of its type and therefore is not available from an `RType`. A function’s name can be retrieved by address with a call to `ruminare_get_function_name`. Section 10 documents the use of these and other Ruminare functions.

There are only a few methods defined on `RType` itself. Most of the functionality of introspection is found

in the subclasses of `RType`. Figure 3 shows the inheritance hierarchy of `RType`. An instance of `RType` can be safely cast to the child type indicated by a call to `r_type_id`. The type retrieved may itself have sub types, for which there exists analogous functions to the `r_type_id` function, and the type retrieved may be further cast to the corresponding child type.

A simple example of the use of Ruminator can be seen in Fig. 4a wherein a struct is introspected. In this example, `ruminator_get_type` is called to introspect the struct `bar`. The `print_data` function then receives the resulting `RType` and prints its name, then for every member of `foo`, it prints the member name and recursively calls itself passing into the recursive invocation the member's type. The typedef `string_t` is then encountered and is dealt with specially as a string. Because the type system of C does not have a specific string type, it is impossible to determine procedurally whether any given `char *` is a string.<sup>1</sup> Finally the builtin `int` is printed. The output of this program is shown in Fig. 4b.

Since Ruminator is built on a debugger, it can also provide the programmer with stack introspection. A call to `ruminator_backtrace` will return a `RFrameList` representing all the stack frames in the call stack which resulted in the call to `ruminator_backtrace`. Shown in Fig. 5a, a simple `abort_with_stacktrace` function which calls `abort(3)` [1] after printing a full stack trace has been written to demonstrate the use of stack introspection. Its output is shown in Fig. 5b

Leveraging Ruminator, a library built for the conversion of C data structures into JSON [26] was created. An example of the use of this library is shown in Fig. 6. In it, the `json_serialize` function generates a `json_t` by inspecting the `RType` and associated value passed into it. The string member variable `s` of `MyStruct` is handled by registering a custom serializer for that type via a call to `json_state_add_serializer`. Unions and array pointers are not shown in this example, and can only be converted to JSON using custom serializers. This library has two output modes, a simple non-invertable mode and a more verbose invertable mode. These two output modes are shown in Fig. 6b and Fig. 6c respectively. The invertable mode's output can be converted from JSON back to its original type with a call to `json_deserialize`.

Ruminator also supports introspecting third party code. Fig. 7 shows the C standard library's `FILE *stdout` converted to JSON using Ruminator. Declarations found in a public header file make their way into the debug symbols of the file which includes that header file, making those declarations introspectable. Additionally, private types can be introspected if the library which contains that type has debugging symbols.

Building on this, a reference counted typed memory allocator was written. This memory allocator allows the creation of values which carry their type. After a call to one of `r_mem_malloc`, `r_mem_malloc_sized`, `r_mem_calloc` or `r_mem_calloc_sized`, a pointer to heap allocated memory is returned which carries with it the type of that pointer. The type of that memory can be retrieved with a call to `r_mem_type`. The fact

---

<sup>1</sup>See Section 8 for further discussion on why strings are special cased.



```

#include <ruminde.h>
#include <stdlib.h>
#include <string.h>
#include <stdio.h>

typedef char *string_t;

struct foo {
    string_t str;
    int i;
};

void print_data( RType *type, const void *data ) {
    switch( r_type_id(type, NULL) ) {
        case R_TYPE_TYPEDEF:
            if( strcmp(r_string_bytes(r_type_name(type, NULL)), "string_t") == 0 )
                printf("(string_t) \"%s\"\n", *((const string_t *) data));
            break;
        case R_TYPE_BUILTIN:
            switch( r_builtin_type_id((RBuiltinType *) type, NULL) ) {
                case R_BUILTIN_TYPE_INT:
                    printf("(int) %d\n", *((const int *) data));
                    break;
            }
            break;
        case R_TYPEAggregate: {
            RAggregateType *agg = (RAggregateType *) type;
            if( r_aggregate_type_id(agg, NULL) == RAggregateType_STRUCT ) {
                printf("(s) {\n", r_string_bytes(r_type_name(type, NULL)));
                for( size_t i = 0; i < r_aggregate_type_nmembers(agg, NULL); i++ ) {
                    RAggregateMember *memb = r_aggregate_type_member_at(agg, i, NULL);
                    printf("\t.%s = ", r_string_bytes(r_aggregate_member_name(memb, NULL)));
                    RTypeMember *tmemb = (RTypeMember *) memb;
                    off_t offset = r_type_member_offset(tmemb, NULL);
                    print_data(r_type_member_type(tmemb, NULL), data + offset);
                }
                printf("}\n");
            }
            break;
        }
    }
}

int main( int argc, char *argv[] ) {
    (void) argc;
    ruminde_init(argv[0], NULL);
    struct foo bar = {
        .str = "Hello World!",
        .i = 6666
    };
    print_data(ruminde_get_type(bar, NULL), &bar);
}

```

(a) Introspective code

```

(foo) {
    .str = (string_t) "Hello World!"
    .i = (int) 6666
}

```

(b) Output from introspective code

Figure 4: Introspection using Ruminde

```

#include <stdlib.h>
#include <stddef.h>
#include <stdio.h>
#include <stdint.h>

#include <ruminde.h>

void abort_with_backtrace( const char *message ) {
    RFrameList *frames = ruminde_backtrace(NULL);

    fprintf(stderr, "abort(): %s\n", message == NULL ? "" : message);
    size_t frames_len = r_frame_list_size(frames, NULL);
    for( size_t i = 0; i < frames_len; i++ ) {
        RFrame *frame = r_frame_list_at(frames, i, NULL);
        RString *fname = r_frame_function_name(frame, NULL);
        RString *mname = r_frame_module_name(frame, NULL);
        RString *cuname = r_frame_compile_unit_name(frame, NULL);
        uint32_t line = r_frame_line(frame, NULL);
        fprintf(
            stderr,
            "\tat %s(%s, %s:%d)\n",
            r_string_bytes(fname),
            r_string_bytes(mname),
            r_string_bytes(cuname),
            line
        );
        r_string_unref(cuname);
        r_string_unref(mname);
        r_string_unref(fname);
    }

    r_frame_list_unref(frames);
    abort();
}

void bar( int i ) {
    if( i < 2 ) {
        bar(i + 1);
    } else {
        abort_with_backtrace("Hello World!");
    }
}

void foo() {
    bar(0);
}

int main( int argc, char *argv[] ) {
    ruminde_init(argv[0], NULL);
    foo();
}

```

(a) Introspective code

```

abort(): Hello World!
  at ruminde_hit_breakpoint(libruminde.so, ruminde.cpp:49)
  at ruminde_backtrace(libruminde.so, ruminde.cpp:257)
  at abort_with_backtrace(backtrace.exe, util.c:22)
  at bar(backtrace.exe, backtrace.c:11)
  at bar(backtrace.exe, backtrace.c:9)
  at bar(backtrace.exe, backtrace.c:9)
  at bar(backtrace.exe, backtrace.c:9)
  at foo(backtrace.exe, backtrace.c:16)
  at main(backtrace.exe, backtrace.c:23)
  at __libc_start_main(libc.so.6, :0)

```

(b) Output from introspective code

Figure 5: Stack traces using Ruminde

```

#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <glib.h>
#include <ruminde.h>
#include <jansson.h>
#include <ruminde-jansson.h>

typedef char *string;
struct MyStruct {
    int i; string s; int *p;
    union { char b; void *v; } *u;
    enum MyEnum { MY_ENUM_VALUE_1, MY_ENUM_VALUE_2 } e;
    char a[3];
};

static void *deserialize_string( JsonDeserializerArgs args, void *data, GError **error ) {
    const char *str = json_string_value(args.value);
    size_t str_len = strlen(str) + 1;
    char **ret = r_mem_malloc_fn(args.type, NULL);
    *ret = r_mem_malloc_sized(char *, str_len, NULL);
    memcpy(*ret, str, str_len);
    return ret;
}

static json_t *serialize_string( JsonSerializerArgs args, void *data, GError **error ) {
    return json_string(((char **) args.value));
}

static JsonHook string_hook = { .serializer = serialize_string, .deserializer = deserialize_string };

int main( int argc, char *argv[] ) {
    ruminde_init(argv[0], NULL);
    int ipt = 2;
    struct MyStruct foo = { .i = 1, .u = NULL, .s = "hello world!", .e = MY_ENUM_VALUE_2,
                           .p = &ipt, .a = { 1, 2, 3 } };

    JsonState *st = json_state_new();
    json_state_add_hook(st, g_quark_from_static_string("string"), &string_hook);
    json_state_set_flags(st, JSON_FLAG_INVERTABLE);
    json_t *serialized = json_serialize(st, ruminde_get_type(foo, NULL), &foo, NULL);
    json_dumpf(serialized, stdout, 0);
    printf("\n");
    struct MyStruct *_foo = json_deserialize(st, serialized, NULL);
    printf("struct MyStruct {\n");
    printf("  .i = %d,\n", _foo->i);
    printf("  .u = %p,\n", _foo->u);
    printf("  .s = \"%s\",\n", _foo->s);
    printf("  .e = %d,\n", _foo->e);
    printf("  .p = %p (%d),\n", _foo->p, *_foo->p);
    printf("  .a = [%d, %d, %d],\n", _foo->a[0], _foo->a[1], _foo->a[2]);
    printf("};\n");
    r_mem_unref(_foo->s), r_mem_unref(_foo->p), r_mem_unref(_foo);
}

```

(a) JSON Library Use

```
{ "s": "hello world!", "i": 1, "p": 2, "e": 1, "a": [1, 2, 3] }
```

(b) Non-invertable JSON output

```

{"value":
  {"s": "hello world!",
   "i": 1,
   "p": 2,
   "e": 1,
   "a": [1, 2, 3]},
 "type": "MyStruct"}
struct MyStruct { .i = 1, .s = "hello world!", .e = 1,
                  .p = 0x15aedc8 (2), .a = [1, 2, 3] };

```

(c) Invertable JSON output

Figure 6: JSON Library Example

```

{
  "__pad1":null,
  "_IO_read_base":72,
  "_shortbuf":[0],
  "_IO_backup_base":null,
  "_vtable_offset":0,
  "_flags":-72537468,
  "_IO_read_ptr":72,
  "_IO_write_base":72,
  "_fileno":1,
  "_IO_buf_base":72,
  "_chain":{
    "__pad1":null,
    "_IO_read_base":null,
    "_shortbuf":[0],
    "_IO_backup_base":null,
    "_vtable_offset":0,
    "_flags":-72540024,
    "_IO_read_ptr":null,
    "_IO_write_base":null,
    "_fileno":0,
    "_IO_buf_base":null,
    "_chain":null,
    "_IO_write_ptr":null,
    "_IO_read_end":null,
    "_IO_save_end":null,
    "__pad3":null,
    "_IO_write_end":null,
    "_offset":-1,
    "_old_offset":-1,
    "_IO_save_base":null,
    "_flags2":0,
    "_IO_buf_end":null,
    "_markers":null,
    "_cur_column":0,
    "__pad4":null,
    "__pad5":0,
    "_mode":0,
    "_unused2":[0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0],
  },
  "_IO_write_ptr": "",
  "_IO_read_end":72,
  "_IO_save_end":null,
  "__pad3":null,
  "_IO_write_end":72,
  "_offset":-1,
  "_old_offset":-1,
  "_IO_save_base":null,
  "_flags2":0,
  "_IO_buf_end": "",
  "_markers":null,
  "_cur_column":0,
  "__pad4":null,
  "__pad5":0,
  "_mode":-1,
  "_unused2":[0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0]
}

```

Figure 7: `stdout` converted to JSON

```

#include <ruminde.h>

#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main( int argc, char *argv[] ) {
    (void) argc;

    ruminde_init(argv[0], NULL);

    const char *src_str = "Hello World!";
    size_t src_str_len = strlen(src_str) + 1;
    void *str = r_mem_malloc_sized(char *, src_str_len, NULL);
    memcpy(str, src_str, src_str_len);

    RType *str_type = r_mem_type(str);
    RString *str_type_name = r_type_name(str_type, NULL);

    printf("(s) \"%s\"\\n", r_string_bytes(str_type_name), str);

    r_string_unref(str_type_name);
    r_type_unref(str_type);
    r_mem_unref(str);
}

```

(a) Typed Value Use

```
(char *) "Hello World!"
```

(b) Typed Value Output

Figure 8: Typed Values

that the type of memory allocated using this allocator is carried with the value itself means that unlike any other type of value in C, the real type of e.x. a `void *` can be determined. Figure 8a shows an example of the use of this library to create a typed string. The program creates the string, prints to standard out its value and the name of its type via a call to `r_mem_type` and then exits. The output of this program is shown in Fig. 8b.

## 7 Implementation

Ruminate is architected as two major components, the primary application, hereafter referred to as the debuggee, and a debugger control process. When initialized, Ruminate spawns a debugger control process tasked with controlling LLDB. This control process then attaches to the debuggee and proceeds to wait for instructions over RPC from the debuggee. This design was chosen because LLDB uses `ptrace` on Linux to control its debuggee, and `ptrace` does not support controlling the calling process.

When `ruminde_init` is invoked, the debugger control process is started and an RPC connection is

```

char a[sizeof(((int (*)[4]) NULL)[0])];
__typeof__(&a) ap = &a;
(int (*)[4]) ap

```

Figure 9: Array Introspection of an `int [4]`

negotiated between the debugger control process and the debugee. The debugger control process then attaches the debugger to the debugee and sets a breakpoint on the internal function `ruminate_hit_breakpoint`.

When `ruminate_get_type` is later invoked, an asynchronous RPC call is made to the debugger control process which instructs LLDB to retrieve type information about the variable which is being introspected. At the same time, `ruminate_hit_breakpoint` is called which stops the debugee and allows the debugger to locate the variable. LLDB accomplishes this by reading the debugging symbols in the binary and constructing an `SBType` [18] object to represent the type. Due to this, the type information available from LLDB and therefore available by Ruminator is limited to the type information found in the debugging symbols and any other information that can be inferred by inspecting the running program itself. The `SBType` constructed is then wrapped in an object which implements the RPC contract for a type. A proxy to this object is then returned to the debugee which further wraps this proxy in a `RType` which is finally returned to the programmer. Most calls to interrogate the returned `RType` are initially forwarded via RPC to the `SBType` held by the debugger control process, and then cached in the `RType` before being returned.

Measures have been taken to minimize the overhead involved in this form of introspection. The result of nearly all methods performed on a type is cached within the `RType`, so subsequent calls for that information will not need to perform RPC calls to the debugger control process. Strings are also wrapped in an `RString` type which is a read-only reference counted container for `char *` strings. All methods which return strings return an `RString` which is also cached internally.

Unlike every other type and despite the presence of relevant information in the debugging symbols, LLDB does not allow the programmer to retrieve information about arrays from an `SBType`. Only the value backed `SBValue` can retrieve this information. This provides a challenge since there may not be a value available to inspect when an array is introspected as an `RType` is not bound to the value which may have been used to generate it and the value of an array may have gone out of scope by the time it is introspected. The solution to this is to dynamically generate an array of a size large enough to hold one element of the array member type and use that as the value to inspect. This is accomplished by using a feature of LLDB which allows expression evaluation within the debugee. A C expression is generated which creates such an array and evaluates that expression in the context of the debugee, then retrieves an `SBValue` representing the array created and inspects that. For an array type `int [4]`, the expression evaluated in order to generate the array is shown in Fig. 9.

Typed values as returned by the typed memory allocation routines are implemented by padding the start of the memory to be allocated so it is large enough to store a pointer to the `RType` representing its type, its reference count and its size. The pointer returned to the programmer is actually offset into the object allocated so that the pointer returned can be used as bare memory.

## 8 Limitations

This style of introspection is more limited than the classic style of introspection whereby an object carries its own type information. Instead, the type of a *value* must be specified by the type of its *variable* or by name. As discussed in Section 4.1 very little type information can be determined at runtime. The result of this is that a call to `ruminate_get_type` on a variable whose type is `void *` will return an `RType` which represents a `void *` rather than the real type of the data.

Although not strictly a limitation, many programmers will likely want to introspect strings as such, rather than as the `char *` type. Unfortunately, since there is no difference in types between a C string and a pointer to one or more chars, Ruminator is unable to determine the difference between the two. The example code shown in Fig. 4a works around this issue by creating a typedef of `char *` to `string_t`. When interactively working with a debugger, it is assumed that a `char *` type points at a string which results in accessing arbitrary, sometimes uninitialized memory when that assumption is invalid.

There are two distinct kinds of arrays referred to by the C standard [15]. The first is the array *type* and the second is the array *object*. An array object is a contiguous block of memory representing one or more instances of some element type. Contrast this with the array type in that a pointer to an array object with element type *t* has type `t *` and is still said to be an array. An array *type* however with element type *t* has type `t []`. C provides for type coercion from array type to pointer type under most circumstances, and the array index operator `[]` rather than operating on array types instead operates on pointer types. This allows a programmer to use arrays and pointers nearly interchangeably.<sup>1</sup> This is troublesome for a programmer introspecting a pointer as a pointer type makes no distinction between array objects and non-array objects. Following with the design of C, Ruminator makes no differentiation between pointers to array objects and pointers to non array objects. It is the programmer's responsibility to deduce what kind of object is pointed to. In the JSON library built using Ruminator, pointer types are assumed to point at a single non-array object, which the programmer can change by installing custom serializers to handle array objects including strings.

LLDB does not support same-process debugging. This is due to that fact that in Linux, `ptrace` is used to control the debuggee, and `ptrace` does not support tracing the calling process. This limitation necessitated

---

<sup>1</sup>Except in some applications of multi-dimensional arrays

the creation of the debugger control process. The IPC overhead added by the calls to `ptrace` is significant. The program shown in Fig. 4a takes approximately 1.6 seconds to run.

LLDB does not support debugging only a single thread of a multi-threaded application. This means that whenever the debuggee must be stopped (which is a minimum of once per call to `ruminde_get_type`), all threads are stopped.

As discussed in Section 7, LLDB has only value backed representations for arrays. This means that in order to get type information about any array, the process must be stopped. Stopping the debuggee is a significant cause of overhead due to the fact that not only is a context switch of the introspecting thread triggered, all threads in the debuggee are stopped.

DWARF requires the names of function arguments be included in its internal type information. LLDB does not provide a means to access this information from its API. Therefore, introspection of the names of function arguments does not currently work. This limitation may be lifted in the future.

Ruminate can only currently be run using a patched LLDB. Several features which needed to be added to LLDB are not currently available in a stock LLDB installation. Specifically, an SBType did not support retrieving information about enums, for which support was added [12]. Also, LLDB did not support controlling its signal disposition thereby controlling whether LLDB stops and/or suppresses signals when the debuggee is set to receive one, for which support was also added [13].

Ruminate has a rather severe failure case. Since the debugger control process is controlled by the debuggee, if the debuggee causes LLDB to stop it (e.x. via delivery of a signal) and the debugger control process does not properly handle the stop, the two processes may enter a dead lock state wherein both processes are waiting for each other. Signals are now handled correctly after support was added for controlling LLDB's signal disposition. The only currently known cause of this state is a race condition during deinitialization.

The DWARF debugging symbols provide both line number information and type information. Correct operation of Ruminate is severely hampered in cases where both are missing. The only type of introspection still available in the absence of all debugging symbols is stack introspection, and source file and line number information will not be available from the stack frames thus returned. For all other features of introspection, Ruminate requires that debugging symbols be present in those modules which are to be introspected. Ruminate does not require that all modules linked in an executable possess debugging information.

## 9 Future Work

The original plans for the future of Ruminate was to support other debuggers (e.x. `gdb`) including those on other platforms (e.x. `windbg` on Windows). The overhead added by the RPC is however quite significant



and an alternative approach should be considered.

One possible approach is to modify LLDB to support same process debugging. This would likely not fit well with the design of LLDB as it would be difficult to implement some features which LLDB relies on, such as breakpoints.

Another approach is to modify LLDB to expose its internals as libraries and leverage those libraries in order to perform introspection without the need for the debugger control process. The functionality that these libraries would need to expose includes symbol parsing including DWARF debugging symbols, call stack traversal and expression evaluation.

Another direction this project could take is to support additional sources of type information. Some compilers support emitting their AST in binary form during compilation. If embedded inside the emitted binary, that AST could be used for complete type information. This would not however provide runtime information such as stack introspection and so some additional work to implement the features of a debugger would still be necessary.

LLDB integrates with clang and LLVM in order to provide support for "expression evaluation." This means that C code can be given to LLDB as a string, and it will compile, link and execute that code in the debuggee. This could potentially be leveraged in order to add "eval" functionality to Ruminant whereby a program could invoke the expression evaluation subsystem of LLVM itself.

# Bibliography

- [1] *abort(3) - cause abnormal process termination. Linux Programmer's Manual.* 2013. URL: <http://man7.org/linux/man-pages/man3/abort.3.html> (visited on 11/12/2013).
- [2] Maximilien de Bayser and Renato Cerqueira. “A System for Runtime Type Introspection in C++”. In: *Proceedings of the 16th Brazilian conference on Programming Languages. SBLP'12.* Natal, Brazil: Springer-Verlag, 2012, pp. 102–116. ISBN: 978-3-642-33181-7. URL: [http://dx.doi.org/10.1007/978-3-642-33182-4\\_9](http://dx.doi.org/10.1007/978-3-642-33182-4_9).
- [3] *clang: a C language family frontend for LLVM.* URL: <http://clang.llvm.org/>.
- [4] *Class: Object (Ruby 1.9.3).* URL: [http://ruby-doc.org/core-1.9.3/Object.html#method-i-instance\\_variables](http://ruby-doc.org/core-1.9.3/Object.html#method-i-instance_variables) (visited on 2/19/2013).
- [5] *Class::MOP::Class.* URL: <http://search.cpan.org/dist/Class-MOP/lib/Class/MOP/Class.pm> (visited on 2/19/2013).
- [6] DWARF Standards Committee. *The DWARF Debugging Standard.* URL: <http://dwarfstd.org/> (visited on 10/20/2012).
- [7] Ludovic Courtès. “Systèmes tolérant les fautes à base de support d’exécution réflexifs Capture en ligne de l’état d’applications”. MA thesis. Université de Franche-Comté, 2003. URL: <http://www.fdn.fr/~lcourtes/software/ego/laas-dea.pdf> (visited on 11/12/2013).
- [8] Ludovic Courtès. *The Ego Reference Manual.* 2004. URL: <http://www.fdn.fr/~lcourtes/software/ego/ego-manual.html> (visited on 11/12/2013).
- [9] *GDB: The GNU Project Debugger.* URL: <https://www.gnu.org/software/gdb/> (visited on 2/19/2013).
- [10] *GNOME.* URL: <http://www.gnome.org/> (visited on 11/12/2013).
- [11] *GObject Introspection.* URL: <http://wiki.gnome.org/GObjectIntrospection> (visited on 11/12/2013).

- [12] Russell Harmon. *Enumerating the members of an enum*. Submitted to the lldb-dev mailing list. Oct. 26, 2013. URL: <http://lists.cs.uiuc.edu/pipermail/lldb-dev/2013-October/002626.html> (visited on 11/12/2013).
- [13] Russell Harmon. *Ignoring Signals via the API*. Submitted to the lldb-dev mailing list. July 27, 2013. URL: <http://lists.cs.uiuc.edu/pipermail/lldb-dev/2013-July/002108.html> (visited on 11/26/2013).
- [14] Russell Harmon. *Ruminate. Type Introspection for C*. 2013. URL: <http://rus.har.mn/ruminate/> (visited on 11/12/2013).
- [15] JTC1/SC22/WG14. *Programming languages — C*. ISO n1570. International Organization for Standardization, 2011.
- [16] K. Knizhnik. *Reflection for C++*. URL: <http://www.garret.ru/cppreflection/docs/reflect.html> (visited on 2/19/2013).
- [17] Petri Lehtinen. *Jansson*. URL: <http://www.digip.org/jansson/> (visited on 2/7/2013).
- [18] *LLDB python API. Class SBType*. July 19, 2013. URL: [http://lldb.llvm.org/python\\_reference/lldb.SBType-class.html](http://lldb.llvm.org/python_reference/lldb.SBType-class.html) (visited on 2013-11-12).
- [19] *Package java.lang.reflect*. URL: <http://docs.oracle.com/javase/7/docs/api/java/lang/reflect/package-summary.html> (visited on 2/19/2013).
- [20] *ptrace(2) - process trace. Linux Programmer's Manual*. 2013. URL: <http://man7.org/linux/man-pages/man2/ptrace.2.html> (visited on 11/12/2013).
- [21] *Python 2.7.3 » Documentation » The Python Standard Library. Built-in Functions*. URL: <http://docs.python.org/2/library/functions.html#dir> (visited on 2/19/2013).
- [22] *Reflection in C++*. URL: [http://msdn.microsoft.com/en-us/library/y0114hz2\(v=vs.80\).aspx](http://msdn.microsoft.com/en-us/library/y0114hz2(v=vs.80).aspx) (visited on 2/19/2013).
- [23] S. Roiser and P. Mato. “The Seal C++ Reflection System”. In: *Proceedings of CHEP 2004*. CHEP04. (Sept. 27–Oct. 1, 2004). CERN. Interlaken, Switzerland, 2004. URL: <http://indico.cern.ch/getFile.py/access?contribId=222&resId=0&materialId=paper&confId=0> (visited on 2/19/2013).
- [24] LLDB Team. *LLDB python API*. URL: [http://lldb.llvm.org/python\\_reference/lldb-module.html](http://lldb.llvm.org/python_reference/lldb-module.html).
- [25] LLVM Team. *The LLDB Debugger*. URL: <http://lldb.llvm.org/> (visited on 10/11/2012).

- [26] *The JSON Data Interchange Format*. ECMA-404 (RFC 4627). First Edition. Rue du Rhône Genève, Switzerland: ECMA International, Oct. 2013. URL: <http://www.ecma-international.org/publications/files/ECMA-ST/ECMA-404.pdf> (visited on 11/12/2013).
- [27] *The LLVM Compiler Infrastructure*. URL: <http://llvm.org/> (visited on 11/12/2013).
- [28] *The "stabs" representation of debugging information*. URL: <http://www.sourceware.org/gdb/download/onlinedocs/stabs.html> (visited on 18/12/2013).
- [29] “Working Draft, Standard for Programming Language C++”. In: *ISO/IEC 14882:2011* (2011), 99, §5.2.8.

## 10 Appendix

Ruminare

Generated by Doxygen 1.8.4

Tue Nov 26 2013 16:23:23

## Contents

<b>1</b>	<b>Main Page</b>	<b>1</b>
<b>2</b>	<b>Todo List</b>	<b>1</b>
<b>3</b>	<b>Hierarchical Index</b>	<b>1</b>
3.1	Class Hierarchy . . . . .	1
<b>4</b>	<b>Class Index</b>	<b>2</b>
4.1	Class List . . . . .	2
<b>5</b>	<b>File Index</b>	<b>3</b>
5.1	File List . . . . .	3
<b>6</b>	<b>Class Documentation</b>	<b>3</b>
6.1	RAggregateMember Struct Reference . . . . .	4
6.1.1	Detailed Description . . . . .	4
6.1.2	Member Function Documentation . . . . .	4
6.2	RAggregateType Struct Reference . . . . .	5
6.2.1	Detailed Description . . . . .	6
6.2.2	Member Function Documentation . . . . .	6
6.3	RArrayType Struct Reference . . . . .	7
6.3.1	Detailed Description . . . . .	7
6.3.2	Member Function Documentation . . . . .	7
6.4	RBuiltinType Struct Reference . . . . .	8
6.4.1	Detailed Description . . . . .	9
6.4.2	Member Function Documentation . . . . .	9
6.5	REnumMember Struct Reference . . . . .	10
6.5.1	Detailed Description . . . . .	10
6.5.2	Member Function Documentation . . . . .	10
6.6	RFrame Struct Reference . . . . .	11
6.6.1	Detailed Description . . . . .	11
6.6.2	Member Function Documentation . . . . .	12
6.7	RFrameList Struct Reference . . . . .	13
6.7.1	Detailed Description . . . . .	14
6.7.2	Member Function Documentation . . . . .	14
6.8	RFunctionType Struct Reference . . . . .	15
6.8.1	Detailed Description . . . . .	15

6.8.2	Member Function Documentation	15
6.9	RPointerType Struct Reference	16
6.9.1	Detailed Description	16
6.9.2	Member Function Documentation	16
6.10	RString Struct Reference	17
6.10.1	Detailed Description	17
6.10.2	Member Function Documentation	17
6.11	RType Struct Reference	18
6.11.1	Detailed Description	19
6.11.2	Member Function Documentation	19
6.12	RTypedefType Struct Reference	20
6.12.1	Detailed Description	21
6.12.2	Member Function Documentation	21
6.13	RTypeMember Struct Reference	21
6.13.1	Detailed Description	22
6.13.2	Member Function Documentation	22
<b>7</b>	<b>File Documentation</b>	<b>23</b>
7.1	ruminate/aggregate_member.h File Reference	23
7.1.1	Detailed Description	24
7.1.2	Enumeration Type Documentation	24
7.2	ruminate/aggregate_type.h File Reference	24
7.2.1	Detailed Description	24
7.2.2	Enumeration Type Documentation	25
7.3	ruminate/builtin_type.h File Reference	25
7.3.1	Detailed Description	25
7.3.2	Enumeration Type Documentation	26
7.4	ruminate/errors.h File Reference	26
7.4.1	Detailed Description	27
7.4.2	Macro Definition Documentation	27
7.4.3	Enumeration Type Documentation	27
7.5	ruminate/memory.h File Reference	27
7.5.1	Detailed Description	28
7.5.2	Macro Definition Documentation	28
7.5.3	Function Documentation	29
7.6	ruminate/ruminate.h File Reference	32
7.6.1	Detailed Description	32

7.6.2	Macro Definition Documentation	32
7.6.3	Function Documentation	33
7.7	ruminare.h File Reference	34
7.7.1	Detailed Description	34
7.8	ruminare/type.h File Reference	35
7.8.1	Detailed Description	35
7.8.2	Enumeration Type Documentation	35
7.8.3	Function Documentation	36
7.9	ruminare/type_member.h File Reference	36
7.9.1	Detailed Description	36
7.9.2	Enumeration Type Documentation	36

## Index

37

## 1 Main Page

Ruminate is an `introspective` library for C.

### Usage

To start using it, see `ruminare_get_type()` in `ruminare.h`

## 2 Todo List

### Member `r_type_size` (`RType *`, `GError **error`)

Document this

### Member `RAggregateMember::r_aggregate_member_name` (`RAggregateMember *member`, `GError **error`)

Function argument names return "". I'm not sure it's even possible to get these, so this feature might go away.

### Member `RTypedefType::r_typedef_type_canonical` (`RTypedefType *`, `GError **error`)

Be able to single step through non-canonical types of an `RTypedefType`.

### Member `ruminare_backtrace` (`GError **error`)

This method should return a `GPtrArray` rather than a custom list implementation.

### Member `ruminare_get_type_by_variable_name` (`const char *`, `GError **`)

document

## 3 Hierarchical Index

### 3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:



RFrame	11
RFrameList	13
RString	17
RType	18
RAggregateType	5
RFunctionType	15
RArrayType	7
RBuiltinType	8
RPointerType	16
RTypedefType	20
RTypeMember	21
RAggregateMember	4
REnumMember	10

## 4 Class Index

### 4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">RAggregateMember</a>	
An opaque struct representing a aggregate member	4
<a href="#">RAggregateType</a>	
An opaque struct representing a aggregate type	5
<a href="#">RArrayType</a>	
An opaque struct representing an array type	7
<a href="#">RBuiltinType</a>	
An opaque struct representing a builtin type	8
<a href="#">REnumMember</a>	
An opaque struct representing an enum member	10
<a href="#">RFrame</a>	
An opaque struct representing a call stack frame	11
<a href="#">RFrameList</a>	
An opaque struct representing a call stack	13
<a href="#">RFunctionType</a>	
An opaque struct representing a function	15

<a href="#">RPointerType</a>	16
An opaque struct representing a pointer to another type	
<a href="#">RString</a>	17
An opaque struct representing a string	
<a href="#">RType</a>	18
An opaque struct representing a type	
<a href="#">RTypeDefType</a>	20
An opaque struct representing a typedef'ed type	
<a href="#">RTypeMember</a>	21
An opaque struct representing a type member	

## 5 File Index

### 5.1 File List

Here is a list of all documented files with brief descriptions:


<a href="#">ruminde.h</a>	34
The only file you should need to include	
<a href="#">ruminde/aggregate_member.h</a>	23
Aggregate members	
<a href="#">ruminde/aggregate_type.h</a>	24
Aggregate types	
<a href="#">ruminde/builtin_type.h</a>	25
Built-in types	
<a href="#">ruminde/errors.h</a>	26
Error handling facilities	
<a href="#">ruminde/memory.h</a>	27
Typed reference counted memory allocator	
<a href="#">ruminde/ruminde.h</a>	32
Top-level and utility functions	
<a href="#">ruminde/type.h</a>	35
The top level of the ruminde type hierarchy	
<a href="#">ruminde/type_member.h</a>	36
Type members	

## 6 Class Documentation

## 6.1 RAggregateMember Struct Reference

An opaque struct representing a aggregate member.

Inheritance diagram for RAggregateMember:



### Public Member Functions

- [RAggregateMemberId r\\_aggregate\\_member\\_id](#) ([RAggregateMember](#) \*member, [GError](#) \*\*error)  
*Get the real type identifier of this aggregate member.*
- [RString \\* r\\_aggregate\\_member\\_name](#) ([RAggregateMember](#) \*member, [GError](#) \*\*error)  
*Get the name of this aggregate member.*

### 6.1.1 Detailed Description

An opaque struct representing a aggregate member.

See Also

[RAggregateType](#)

### 6.1.2 Member Function Documentation

#### 6.1.2.1 RAggregateMemberId r\_aggregate\_member\_id ( RAggregateMember \* member, GError \*\* error )

Get the real type identifier of this aggregate member.

Returns

the real type of this aggregate member

## Parameters

in	<i>member</i>	the aggregate member to get the id of
out	<i>error</i>	see <a href="#">errors.h</a>

## 6.1.2.2 RString \* r\_aggregate\_member\_name ( RAggregateMember \* member, GError \*\* error )

Get the name of this aggregate member.

## Returns

a [RString](#) containing the name of this aggregate member

**Todo** Function argument names return " ". I'm not sure it's even possible to get these, so this feature might go away.

## Parameters

in	<i>member</i>	the aggregate member to get the name of
in	<i>error</i>	see <a href="#">errors.h</a>


The documentation for this struct was generated from the following file:

- [ruminare/aggregate\\_member.h](#)

## 6.2 RAggregateType Struct Reference

An opaque struct representing a aggregate type.

Inheritance diagram for RAggregateType:



## Public Member Functions

- [RAggregateTypeId r\\_aggregate\\_type\\_id](#) (RAggregateType \*type, GError \*\*error)

*Get the aggregate type identifier of this aggregate type.*

- `size_t r_aggregate_type_nmembers (RAggregateType *type, GError **error)`

*Get the number of members in this aggregate type.*

- `RAggregateMember * r_aggregate_type_member_at (RAggregateType *type, size_t index, GError **error)`

*Get a aggregate's member at a specified index.*

### 6.2.1 Detailed Description

An opaque struct representing a aggregate type.

This aggregate type can be safely cast to it's sub-type which can be determined by using `r_aggregate_type_id()`

### 6.2.2 Member Function Documentation

#### 6.2.2.1 `RAggregateTypeid r_aggregate_type_id ( RAggregateType * type, GError ** error )`

Get the aggregate type identifier of this aggregate type.

The `RAggregateTypeid` of this `RAggregateType` represents the child type of this `RAggregateType`, and can be safely cast into that child type.

#### Returns

the child type of this aggregate type.

#### Parameters

in	<i>type</i>	the aggregate type to retrieve the id of
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.2.2.2 `RAggregateMember * r_aggregate_type_member_at ( RAggregateType * type, size_t index, GError ** error )`

Get a aggregate's member at a specified index.

#### Returns

a `RAggregateMember` representing the member of this aggregate at index *index*.

#### Parameters

in	<i>type</i>	the aggregate type to retrieve a member of
in	<i>index</i>	the index of the member
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.2.2.3 `size_t r_aggregate_type_nmembers ( RAggregateType * type, GError ** error )`

Get the number of members in this aggregate type.

#### Returns

the number of members in this aggregate type.

## Parameters

in	type	the type to get the number of members of
out	error	see <a href="#">errors.h</a>


The documentation for this struct was generated from the following file:

- [ruminare/aggregate\\_type.h](#)

## 6.3 RArrayType Struct Reference

An opaque struct representing an array type.

Inheritance diagram for RArrayType:



## Public Member Functions

- `size_t r\_array\_type\_size (RArrayType *type, GError **error)`  
*Get the size of this array.*
- `RTypeMember * r\_array\_type\_member\_at (RArrayType *type, size_t index, GError **error)`  
*Get the type of a member of this array.*

### 6.3.1 Detailed Description

An opaque struct representing an array type.

### 6.3.2 Member Function Documentation

#### 6.3.2.1 RTypeMember \* [r\\_array\\_type\\_member\\_at](#) ( RArrayType \* type, size\_t index, GError \*\* error )

Get the type of a member of this array.

## Returns

A [RTypeMember](#) representing the type of the argument at index *index*

**Parameters**

in	<i>type</i>	the type to get the member type of
in	<i>index</i>	the index in the array to get the member type of
out	<i>error</i>	see <a href="#">errors.h</a>

**6.3.2.2 size\_t r\_array\_type\_size ( RArrayType \* type, GError \*\* error )**

Get the size of this array.

**Returns**

the size of the array

**Parameters**

in	<i>type</i>	the type to get the size of
out	<i>error</i>	see <a href="#">errors.h</a>


The documentation for this struct was generated from the following file:

- [ruminare/array\\_type.h](#)

**6.4 RBuiltinType Struct Reference**

An opaque struct representing a builtin type.

Inheritance diagram for RBuiltinType:

**Public Member Functions**

- [RBuiltinTypeId r\\_builtin\\_type\\_id](#) (RBuiltinType \*type, GError \*\*error)  
*Get the builtin type identifier of this builtin type.*
- [bool r\\_builtin\\_type\\_is\\_signed](#) (RBuiltinType \*type, GError \*\*error)  
*Determine if this type is signed.*
- [bool r\\_builtin\\_type\\_is\\_unsigned](#) (RBuiltinType \*type, GError \*\*error)  
*Determine if this type is unsigned.*

#### 6.4.1 Detailed Description

An opaque struct representing a builtin type.

#### 6.4.2 Member Function Documentation

##### 6.4.2.1 RBuiltinTypeId r\_builtin\_type\_id ( RBuiltinType \* *type*, GError \*\* *error* )

Get the builtin type identifier of this builtin type.

The RBuiltinTypeId of this [RBuiltinType](#) represents the real type of this builtin type.

##### Returns

the real type of this builtin type

##### Parameters

in	<i>type</i>	the builtin type to retrieve the id of
out	<i>error</i>	see <a href="#">errors.h</a>

##### 6.4.2.2 bool r\_builtin\_type\_is\_signed ( RBuiltinType \* *type*, GError \*\* *error* )

Determine if this type is signed.

Note that the `char` type can be neither signed nor unsigned.

##### Returns

whether or not this type is signed

##### Parameters

in	<i>type</i>	the type to determine the signedness of
out	<i>error</i>	see <a href="#">errors.h</a>

##### 6.4.2.3 bool r\_builtin\_type\_is\_unsigned ( RBuiltinType \* *type*, GError \*\* *error* )

Determine if this type is unsigned.

Note that the `char` type can be neither signed nor unsigned.

##### Returns

whether or not this type is unsigned

##### Parameters

in	<i>type</i>	the type to determine the signedness of
out	<i>error</i>	see <a href="#">errors.h</a>

The documentation for this struct was generated from the following file:


- [ruminator/builtin\\_type.h](#)



## 6.5 REnumMember Struct Reference

An opaque struct representing an enum member.

Inheritance diagram for REnumMember:



### Public Member Functions

- `intmax_t r_enum_member_value_signed (REnumMember *member, GError **error)`  
*Get the signed value of this enum member.*
- `uintmax_t r_enum_member_value_unsigned (REnumMember *member, GError **error)`  
*Get the unsigned value of this enum member.*

#### 6.5.1 Detailed Description

An opaque struct representing an enum member.

#### 6.5.2 Member Function Documentation

##### 6.5.2.1 `intmax_t r_enum_member_value_signed ( REnumMember * member, GError ** error )`

Get the signed value of this enum member.

#### Returns

the signed value of this enum member

## Parameters

in	<i>member</i>	the enum member to get the value of
out	<i>error</i>	see <a href="#">errors.h</a>

6.5.2.2 uintmax\_t r\_enum\_member\_value\_unsigned ( REnumMember \* *member*, GError \*\* *error* )

Get the unsigned value of this enum member.

## Returns

the unsigned value of this enum member

## Parameters

in	<i>member</i>	the enum member to get the value of
out	<i>error</i>	see <a href="#">errors.h</a>

The documentation for this struct was generated from the following file:

- `ruminate/enum_member.h`

## 6.6 RFrame Struct Reference

An opaque struct representing a call stack frame.

## Public Member Functions

- void [r\\_frame\\_ref](#) (RFrame \*frame)  
*Increment the reference count of this [RFrame](#).*
- void [r\\_frame\\_unref](#) (RFrame \*frame)  
*Decrement the reference count of this [RFrame](#).*
- RString \* [r\\_frame\\_function\\_name](#) (RFrame \*frame, GError \*\*error)  
*Get the name of the function this [RFrame](#) represents.*
- RString \* [r\\_frame\\_module\\_name](#) (RFrame \*frame, GError \*\*error)  
*Get the name of the module which contains this frame.*
- RString \* [r\\_frame\\_compile\\_unit\\_name](#) (RFrame \*frame, GError \*\*error)  
*Get the name of the compile unit which contains this frame.*
- RType \* [r\\_frame\\_function\\_type](#) (RFrame \*frame, GError \*\*error)  
*Get the type of this function.*
- uintmax\_t [r\\_frame\\_line](#) (RFrame \*frame, GError \*\*error)  
*Get the line number that this frame is at.*

## 6.6.1 Detailed Description

An opaque struct representing a call stack frame.

## 6.6.2 Member Function Documentation

### 6.6.2.1 `RString * r_frame_compile_unit_name ( RFrame * frame, GError ** error )`

Get the name of the compile unit which contains this frame.

This is usually the name of the file which defined this function.

#### Returns

a [RString](#) containing the name of this compile unit.

#### Parameters

in	<i>frame</i>	the frame to get the compile unit name of
out	<i>error</i>	see <a href="#">errors.h</a>

### 6.6.2.2 `RString * r_frame_function_name ( RFrame * frame, GError ** error )`

Get the name of the function this [RFrame](#) represents.

#### Returns

a [RString](#) containing the name of this function.

#### Parameters

in	<i>frame</i>	the frame to get the name of
out	<i>error</i>	see <a href="#">errors.h</a>

### 6.6.2.3 `RType * r_frame_function_type ( RFrame * frame, GError ** error )`

Get the type of this function.

#### Returns

an [RType](#) representing the type of this function.

#### Parameters

in	<i>frame</i>	the frame to get the type of
out	<i>error</i>	see <a href="#">errors.h</a>

### 6.6.2.4 `uintmax_t r_frame_line ( RFrame * frame, GError ** error )`

Get the line number that this frame is at.

#### Returns

the line number that this frame is at

## Parameters

in	<i>frame</i>	the frame to get the line number of
out	<i>error</i>	see <a href="#">errors.h</a>

6.6.2.5 RString \* r\_frame\_module\_name ( RFrame \* *frame*, GError \*\* *error* )

Get the name of the module which contains this frame.

This is usually the name of the executable or library.

## Returns

a [RString](#) containing the name of this module.

## Parameters

in	<i>frame</i>	the frame to get the module name of
out	<i>error</i>	see <a href="#">errors.h</a>

6.6.2.6 void r\_frame\_ref ( RFrame \* *frame* )

Increment the reference count of this [RFrame](#).

## Parameters

in	<i>frame</i>	the frame to increment the reference count of
----	--------------	---

6.6.2.7 void r\_frame\_unref ( RFrame \* *frame* )

Decrement the reference count of this [RFrame](#).

The [RFrame](#) will be freed if it's reference count drops to zero.

## Parameters

in	<i>frame</i>	the frame to decrement the reference count of
----	--------------	---

The documentation for this struct was generated from the following file:

- `ruminate/frame.h`

## 6.7 RFrameList Struct Reference

An opaque struct representing a call stack.

## Public Member Functions

- `size_t r_frame_list_size (RFrameList *list, GError **error)`  
*Get the number of elements in this frame list.*
- `RFrame * r_frame_list_at (RFrameList *list, size_t index, GError **error)`  
*Get an [RFrame](#) from this [RFrameList](#).*
- `void r_frame_list_ref (RFrameList *list)`  
*Increment the reference count on this [RFrameList](#).*
- `void r_frame_list_unref (RFrameList *list)`  
*Decrement the reference count of this [RFrameList](#).*

### 6.7.1 Detailed Description

An opaque struct representing a call stack.

A call stack is a list of one or more [RFrame](#) instances.

See Also

[RFrame](#)

### 6.7.2 Member Function Documentation

#### 6.7.2.1 `RFrame * r_frame_list_at ( RFrameList * list, size_t index, GError ** error )`

Get an [RFrame](#) from this [RFrameList](#).

Returns

the [RFrame](#) at index *index*

Parameters

in	<i>list</i>	the frame list to get an element from
in	<i>index</i>	the index of the <a href="#">RFrame</a> to get
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.7.2.2 `void r_frame_list_ref ( RFrameList * list )`

Increment the reference count on this [RFrameList](#).

Parameters

in	<i>list</i>	the frame list to increment the reference count of
----	-------------	--

#### 6.7.2.3 `size_t r_frame_list_size ( RFrameList * list, GError ** error )`

Get the number of elements in this frame list.

Returns

the number of elements in this frame list.

Parameters

in	<i>list</i>	the frame list to get the size of
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.7.2.4 `void r_frame_list_unref ( RFrameList * list )`

Decrement the reference count of this [RFrameList](#).

The [RFrameList](#) will be freed if it's reference count drops to zero.

## Parameters

<code>in</code>	<code>list</code>	the frame list to decrement the reference count of
-----------------	-------------------	--


The documentation for this struct was generated from the following file:

- `ruminator/frame.h`

## 6.8 RFunctionType Struct Reference

An opaque struct representing a function.

Inheritance diagram for RFunctionType:



## Public Member Functions

- `RType * r_function_type_return_type (RFunctionType *type, GError **error)`  
Get the return type of this function.

## 6.8.1 Detailed Description

An opaque struct representing a function.

## 6.8.2 Member Function Documentation

6.8.2.1 `RType * r_function_type_return_type ( RFunctionType * type, GError ** error )`

Get the return type of this function.

## Returns

An `RType` representing the return type of this function.

**Parameters**

in	<i>type</i>	the function to get the return type of
out	<i>error</i>	see <a href="#">errors.h</a>


The documentation for this struct was generated from the following file:

- `ruminare/function_type.h`

**6.9 RPointerType Struct Reference**

An opaque struct representing a pointer to another type.

Inheritance diagram for RPointerType:

**Public Member Functions**

- [RType](#) \* [r\\_pointer\\_type\\_pointee](#) ([RPointerType](#) \**type*, [GError](#) \*\**error*)  
*Get the type that this [RPointerType](#) points to.*

**6.9.1 Detailed Description**

An opaque struct representing a pointer to another type.

**6.9.2 Member Function Documentation****6.9.2.1 RType \* r\_pointer\_type\_pointee ( RPointerType \* *type*, GError \*\* *error* )**

Get the type that this [RPointerType](#) points to.

**Returns**

The type that this [RPointerType](#) points to.

## Parameters

in	type	the type to dereference
out	error	see <a href="#">errors.h</a>

The documentation for this struct was generated from the following file:

- [ruminare/pointer\\_type.h](#)

## 6.10 RString Struct Reference

An opaque struct representing a string.

## Public Member Functions

- [RString \\* r\\_string\\_ref](#) ([RString](#) \*string)  
*Increase the reference count on this [RString](#).*
- void [r\\_string\\_unref](#) ([RString](#) \*string)  
*Decrease the reference count on this [RString](#).*
- const char \* [r\\_string\\_bytes](#) ([RString](#) \*string)  
*Get the C-style string (array of characters) backing this [RString](#).*
- size\_t [r\\_string\\_length](#) ([RString](#) \*string)  
*Get the length of this [RString](#).*

## 6.10.1 Detailed Description

An opaque struct representing a string.

An [RString](#) is a reference counted array of characters.

## 6.10.2 Member Function Documentation

## 6.10.2.1 const char \* r\_string\_bytes ( RString \* string )

Get the C-style string (array of characters) backing this [RString](#).

The behavior is undefined if this array is modified.

## Returns

the array of characters backing this [RString](#)

## Parameters

in	string	the string to get the array of characters of
----	--------	--

## 6.10.2.2 size\_t r\_string\_length ( RString \* string )

Get the length of this [RString](#).

## Returns

the length of this [RString](#)



**Parameters**

<i>in</i>	<i>string</i>	the string to get the length of
-----------	---------------	---------------------------------

**6.10.2.3 RString \* r\_string\_ref ( RString \* string )**

Increase the reference count on this [RString](#).

**Returns**

*string*

**Parameters**

<i>in</i>	<i>string</i>	the string to increase the reference count of
-----------	---------------	---

**6.10.2.4 void r\_string\_unref ( RString \* string )**

Decrease the reference count on this [RString](#).

If the reference count of this [RString](#) drops to zero, the string will be freed.

**Parameters**

<i>in</i>	<i>string</i>	the string to decrease the reference count of
-----------	---------------	---


The documentation for this struct was generated from the following file:

- [ruminare/string.h](#)

**6.11 RType Struct Reference**

An opaque struct representing a type.

Inheritance diagram for RType:

**Public Member Functions**

- [RTypeId r\\_type\\_id \(RType \\*type, GError \\*\\*error\)](#)  
Get the type identifier of this type.
- [RString \\* r\\_type\\_name \(RType \\*type, GError \\*\\*error\)](#)

*Get the name of this type.*

- `RType * r_type_ref (RType *type)`  
*Increase the reference count of this type.*
- `void r_type_unref (RType *type)`  
*Decrease the reference count of this.*
- `RType * r_type_pointer (RType *type, GError **error)`  
*Get an RType representing a pointer to this type.*

#### 6.11.1 Detailed Description

An opaque struct representing a type.

This type can be safely cast to it's sub-type which can be determined using `r_type_id()`.

#### 6.11.2 Member Function Documentation

##### 6.11.2.1 `RTypeId r_type_id ( RType * type, GError ** error )`

Get the type identifier of this type.

The RTypeId of this RType represents the child type of this RType, and can be safely cast into that child type.

##### Returns

the child type of this type.

##### Parameters

in	<i>type</i>	the type to retrieve the type id of
out	<i>error</i>	see <a href="#">errors.h</a>

##### 6.11.2.2 `RString * r_type_name ( RType * type, GError ** error )`

Get the name of this type.

##### Returns

an RString containing the name of this type.

##### Parameters

in	<i>type</i>	the type to retrieve the name of
out	<i>error</i>	see <a href="#">errors.h</a>

##### 6.11.2.3 `RType * r_type_pointer ( RType * type, GError ** error )`

Get an RType representing a pointer to this type.

##### Returns

An RType representing a pointer to *type*.

**Parameters**

in	<i>type</i>	the type to get a pointer to
out	<i>error</i>	see <a href="#">errors.h</a>

**6.11.2.4 RType \* r\_type\_ref ( RType \* type )**

Increase the reference count of this type.

**Returns**

*type*

**Parameters**

in	<i>type</i>	the type to increase the reference count of
----	-------------	---

**6.11.2.5 void r\_type\_unref ( RType \* type )**

Decrease the reference count of this.

This [RType](#) will be freed if the reference count drops to zero.

**Parameters**

in	<i>type</i>	the type to decrease the reference count of
----	-------------	---


The documentation for this struct was generated from the following file:

- [ruminant/type.h](#)

**6.12 RTypedefType Struct Reference**

An opaque struct representing a typedef'ed type.

Inheritance diagram for RTypedefType:

**Public Member Functions**

- [RType \\* r\\_typedef\\_type\\_canonical](#) (RTypedefType \*, GError \*\*error)

*Get the canonical type of this type.*

#### 6.12.1 Detailed Description

An opaque struct representing a typedef'ed type.

#### 6.12.2 Member Function Documentation

##### 6.12.2.1 RType \* r\_typedef\_type\_canonical ( RTypedefType \*, GError \*\* error )

Get the canonical type of this type.

A canonical type strips away all typedefs contained within this type.

For example with the following code,

```
typedef char *String;  
typedef String *StringArray;
```

calling [r\\_typedef\\_type\\_canonical\(\)](#) on a [RTypedefType](#) representing a `StringArray` will return an [RType](#) representing `char **`.

**Todo** Be able to single step through non-canonical types of an [RTypedefType](#).

#### Returns

An [RType](#) representing the canonical type of this [RTypedefType](#).

#### Parameters

out	error	see <a href="#">errors.h</a>
-----	-------	------------------------------


The documentation for this struct was generated from the following file:

- `ruminate/typedef_type.h`

## 6.13 RTypeMember Struct Reference

An opaque struct representing a type member.

Inheritance diagram for RTypeMember:



#### Public Member Functions

- [RTypeMemberId r\\_type\\_member\\_id](#) ([RTypeMember](#) \*member, [GError](#) \*\*error)  
*Get the type member id of this [RTypeMember](#).*
- [RType](#) \* [r\\_type\\_member\\_type](#) ([RTypeMember](#) \*member, [GError](#) \*\*error)  
*Get the type of this type member.*
- [ptrdiff\\_t r\\_type\\_member\\_offset](#) ([RTypeMember](#) \*member, [GError](#) \*\*error)  
*Get the offset of this type member into it's container.*
- [RTypeMember](#) \* [r\\_type\\_member\\_ref](#) ([RTypeMember](#) \*member)  
*Increment the reference count of this [RTypeMember](#).*
- void [r\\_type\\_member\\_unref](#) ([RTypeMember](#) \*member)  
*Decrement the reference count of this [RTypeMember](#).*

#### 6.13.1 Detailed Description

An opaque struct representing a type member.

#### 6.13.2 Member Function Documentation

##### 6.13.2.1 [RTypeMemberId r\\_type\\_member\\_id](#) ( [RTypeMember](#) \* member, [GError](#) \*\* error )

Get the type member id of this [RTypeMember](#).

#### Parameters

---

in	<i>member</i>	the type member to get the id of
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.13.2.2 ptrdiff\_t r\_type\_member\_offset ( RTypeMember \* member, GError \*\* error )

Get the offset of this type member into it's container.

This is the number of bytes into this type member's container (either an [RArrayType](#), or an [RAggregateType](#)) that this member is located.

See Also

[RArrayType](#)  
[RAggregateType](#)

Parameters

in	<i>member</i>	the type member to get the offset of
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.13.2.3 RTypeMember \* r\_type\_member\_ref ( RTypeMember \* member )

Increment the reference count of this [RTypeMember](#).

Parameters

in	<i>member</i>	the type member to increment the reference count of
----	---------------	---

#### 6.13.2.4 RType \* r\_type\_member\_type ( RTypeMember \* member, GError \*\* error )

Get the type of this type member.

Parameters

in	<i>member</i>	the type member to get the type of
out	<i>error</i>	see <a href="#">errors.h</a>

#### 6.13.2.5 void r\_type\_member\_unref ( RTypeMember \* member )

Decrement the reference count of this [RTypeMember](#).

If the reference count reaches zero, this [RTypeMember](#) will be freed.

Parameters

in	<i>member</i>	the type member to decrement the reference count of
----	---------------	---

The documentation for this struct was generated from the following file:

- [ruminant/type\\_member.h](#)

## 7 File Documentation

### 7.1 ruminant/aggregate\_member.h File Reference

Aggregate members.

## Enumerations

- enum [RAggregateMemberId](#) {  
[R\\_AGGREGATE\\_MEMBER\\_BITFIELD](#),  
[R\\_AGGREGATE\\_MEMBER\\_ENUM](#),  
[R\\_AGGREGATE\\_MEMBER\\_OTHER](#) }

*An identifier denoting the real type of this [RAggregateMember](#).*

### 7.1.1 Detailed Description

Aggregate members. A [RAggregateMember](#) represents a member of an aggregate type.

#### See Also

[RAggregateMember](#)  
[RAggregateType](#)

### 7.1.2 Enumeration Type Documentation

#### 7.1.2.1 enum [RAggregateMemberId](#)

An identifier denoting the real type of this [RAggregateMember](#).

This identifier can be retrieved using [r\\_aggregate\\_member\\_id\(\)](#).

#### Enumerator

**[R\\_AGGREGATE\\_MEMBER\\_BITFIELD](#)** a bitfield

**[R\\_AGGREGATE\\_MEMBER\\_ENUM](#)** an instance of [REnumMember](#)

See Also

[REnumMember](#)

**[R\\_AGGREGATE\\_MEMBER\\_OTHER](#)** a "normal" type (non enum-member nor bitfield)

## 7.2 [ruminare/aggregate\\_type.h](#) File Reference

Aggregate types.

## Enumerations

- enum [RAggregateTypeId](#) {  
[R\\_AGGREGATE\\_TYPE\\_STRUCT](#),  
[R\\_AGGREGATE\\_TYPE\\_UNION](#),  
[R\\_AGGREGATE\\_TYPE\\_ENUM](#),  
[R\\_AGGREGATE\\_TYPE\\_FUNCTION](#),  
[R\\_AGGREGATE\\_TYPE\\_UNKNOWN](#) }

*An identifier denoting the child type of this [RAggregateType](#).*

### 7.2.1 Detailed Description

Aggregate types. A [RAggregateType](#) represents an aggregate type (`struct`, `union`, `enum` or `function`)

See Also

[RAggregateType](#)

## 7.2.2 Enumeration Type Documentation

### 7.2.2.1 enum RAggregateTypeId

An identifier denoting the child type of this [RAggregateType](#).

This identifier can be retrieved using [r\\_aggregate\\_type\\_id\(\)](#).

Enumerator

**R\_AGGREGATE\_TYPE\_STRUCT** a struct

**R\_AGGREGATE\_TYPE\_UNION** a union

**R\_AGGREGATE\_TYPE\_ENUM** an enum

**R\_AGGREGATE\_TYPE\_FUNCTION** a function type

See Also

[RFunctionType](#)

**R\_AGGREGATE\_TYPE\_UNKNOWN** an unknown type

## 7.3 ruminare/builtin\_type.h File Reference

Built-in types.

Enumerations

- enum [RBuiltinTypeId](#) {  
    [R\\_BUILTIN\\_TYPE\\_INT](#),  
    [R\\_BUILTIN\\_TYPE\\_LONG](#),  
    [R\\_BUILTIN\\_TYPE\\_DOUBLE](#),  
    [R\\_BUILTIN\\_TYPE\\_SHORT](#),  
    [R\\_BUILTIN\\_TYPE\\_CHAR](#),  
    [R\\_BUILTIN\\_TYPE\\_VOID](#),  
    [R\\_BUILTIN\\_TYPE\\_BOOL](#),  
    [R\\_BUILTIN\\_TYPE\\_UNKNOWN](#) }

*An identifier denoting the real type of this [RBuiltinType](#).*

### 7.3.1 Detailed Description

Built-in types. A [RBuiltinType](#) represents a built-in type (int, double, etc.)

See Also

[RBuiltinType](#)



### 7.3.2 Enumeration Type Documentation

#### 7.3.2.1 enum RBuiltinTypeId

An identifier denoting the real type of this [RBuiltinType](#).

This identifier can be retrieved using [r\\_builtin\\_type\\_id\(\)](#).

##### Enumerator

***R\_BUILTIN\_TYPE\_INT*** an int  
***R\_BUILTIN\_TYPE\_LONG*** a long  
***R\_BUILTIN\_TYPE\_DOUBLE*** a double  
***R\_BUILTIN\_TYPE\_SHORT*** a short  
***R\_BUILTIN\_TYPE\_CHAR*** a char  
***R\_BUILTIN\_TYPE\_VOID*** the void type  
***R\_BUILTIN\_TYPE\_BOOL*** a bool  
***R\_BUILTIN\_TYPE\_UNKNOWN*** an unknown type

### 7.4 ruminator/errors.h File Reference

Error handling facilities.

##### Macros

- #define [RUMINATE\\_ERROR](#)  
*The error quark representing errors produced by this library.*
- #define [RUMINATE\\_ERRNO\\_ERROR](#)  
*The error quark representing errors produced by the standard C library.*

##### Enumerations

- enum [RuminateError](#) {  
**RUMINATE\_ERROR\_SB\_INVALID,**  
**RUMINATE\_ERROR\_LLDB\_ERROR,**  
**RUMINATE\_ERROR\_RANGE,**  
**RUMINATE\_ERROR\_NO\_PRIMITIVE\_TYPE,**  
**RUMINATE\_ERROR\_INVALID\_TYPE,**  
**RUMINATE\_ERROR\_INCOMPLETE\_TYPE,**  
**RUMINATE\_ERROR\_ICE,**  
**RUMINATE\_ERROR\_STDLIB,**  
**RUMINATE\_ERROR\_SHORT\_READ,**  
**RUMINATE\_ERROR\_NO\_PRGNAME,**  
**RUMINATE\_ERROR\_UNIMPLEMENTED,**  
**RUMINATE\_ERROR\_UNSPEC }**

*The various errors produced by ruminator.*

### 7.4.1 Detailed Description

Error handling facilities. Every function which takes as an argument a `GError **` reports errors through this pointer.

In brief, pass `NULL` as the `GError **` argument to functions or pass a pointer to a `NULL GError *` to receive a `GError` when an error occurs.

See Also

[GError](#)

### 7.4.2 Macro Definition Documentation

#### 7.4.2.1 #define RUMINATE\_ERRNO\_ERROR

The error quark representing errors produced by the standard C library.

This quark will be placed in the `domain` field of a `GError` produced when an error occurs.

See Also

[GQuark](#)

#### 7.4.2.2 #define RUMINATE\_ERROR

The error quark representing errors produced by this library.

This quark will be placed in the `domain` field of a `GError` produced when an error occurs.

See Also

[GQuark](#)

### 7.4.3 Enumeration Type Documentation

#### 7.4.3.1 enum RuminareError

The various errors produced by ruminare.

These will be placed in the `code` field of a `GError` produced when an error occurs.

## 7.5 ruminare/memory.h File Reference

Typed reference counted memory allocator.

### Macros

- #define [r\\_mem\\_malloc](#)(type, error)  
*Allocate typed memory.*
- #define [r\\_mem\\_malloc\\_sized](#)(type, size, error)  
*Allocate typed memory with size.*
- #define [r\\_mem\\_calloc](#)(type, nmemb, error)  
*Allocate zero'ed typed memory.*
- #define [r\\_mem\\_calloc\\_sized](#)(type, size, nmemb, error)  
*Allocate zero'ed typed memory, with size.*

## Functions

- `void * r_mem_malloc_fn (RType *type, GError **error)`  
*Allocate typed memory.*
- `void * r_mem_malloc_sized_fn (RType *type, size_t size, GError **error)`  
*Allocate typed memory with size.*
- `void * r_mem_calloc_fn (RType *type, size_t nmemb, GError **error)`  
*Allocate zero'ed typed memory.*
- `void * r_mem_calloc_sized_fn (RType *type, size_t size, size_t nmemb, GError **error)`  
*Allocate zero'ed typed memory, with size.*
- `size_t r_mem_size (void *mem)`  
*Retrieve the allocated size of typed memory.*
- `void * r_mem_ref (void *mem)`  
*Increment the reference count of typed memory.*
- `void r_mem_unref (void *mem)`  
*Decrease the reference count of typed memory.*
- `RType * r_mem_type (void *mem)`  
*Retrieve the type of typed memory.*

### 7.5.1 Detailed Description

Typed reference counted memory allocator. These functions provide facilities for allocating dynamic memory which you can retrieve the type of via a call to `r_mem_type()`. This allows you to retrieve the real type of e.x. a `void *`.

This memory is also reference counted via calls to `r_mem_ref()` and `r_mem_unref()`.

### 7.5.2 Macro Definition Documentation

#### 7.5.2.1 `#define r_mem_calloc( type, nmemb, error )`

Allocate zero'ed typed memory.

This macro allocates enough memory for `nmemb` instances of `type` sized elements and sets the allocated memory to zero.

#### Parameters

in	<code>type</code>	the type of the memory to allocate
in	<code>nmemb</code>	the number of <code>type</code> sized members to allocate.
out	<code>error</code>	see <a href="#">errors.h</a>

#### Returns

a pointer to dynamically allocated memory

#### 7.5.2.2 `#define r_mem_calloc_sized( type, size, nmemb, error )`

Allocate zero'ed typed memory, with size.

This macro allocates enough memory for `nmemb` instances of `size` sized elements and sets the allocated memory to zero.

## Parameters

in	<i>type</i>	the type of the memory to allocate
in	<i>size</i>	the size of the memory to allocate. This must be at least as large as the type represented by <i>type</i>
in	<i>nmemb</i>	the number of <i>type</i> sized members to allocate.
out	<i>error</i>	see <a href="#">errors.h</a>

## Returns

a pointer to dynamically allocated memory

7.5.2.3 #define r\_mem\_malloc( *type*, *error* )

Allocate typed memory.

This macro allocates memory of size `sizeof(type)` and with type *type*.

This memory must be freed via a call to [r\\_mem\\_unref\(\)](#).

## Parameters

in	<i>type</i>	the type of the memory to allocate
out	<i>error</i>	see <a href="#">errors.h</a>

## Returns

a pointer to dynamically allocated memory

7.5.2.4 #define r\_mem\_malloc\_sized( *type*, *size*, *error* )

Allocate typed memory with size.

This macro allocates memory of size *size* and with type *type*.

This memory must be freed via a call to [r\\_mem\\_unref\(\)](#).

## Parameters

in	<i>type</i>	the type of the memory to allocate
in	<i>size</i>	the size of the memory to allocate This must be at least as large as the type represented by <i>type</i>
out	<i>error</i>	see <a href="#">errors.h</a>

## Returns

a pointer to dynamically allocated memory

## 7.5.3 Function Documentation

7.5.3.1 void\* r\_mem\_calloc\_fn ( *RType* \* *type*, *size\_t* *nmemb*, *GError* \*\* *error* )

Allocate zero'ed typed memory.

This is the function version of [r\\_mem\\_calloc\(\)](#)

## See Also

[r\\_mem\\_calloc](#)

## Returns

a pointer to dynamically allocated memory

## Parameters

in	<i>type</i>	an <a href="#">RType</a> representing the type of the allocated memory
in	<i>nmemb</i>	the number of <i>type</i> sized elements to allocate memory for
out	<i>error</i>	see <a href="#">errors.h</a>

**7.5.3.2** `void* r_mem_calloc_sized_fn ( RType * type, size_t size, size_t nmemb, GError ** error )`

Allocate zero'ed typed memory, with size.

This is the function version of [r\\_mem\\_calloc\\_sized\(\)](#)

## See Also

[r\\_mem\\_calloc\\_sized](#)

## Returns

a pointer to dynamically allocated memory

## Parameters

in	<i>type</i>	an <a href="#">RType</a> representing the type of the allocated memory
in	<i>size</i>	size the size of the memory to allocate. This must be at least as large as the type represented by <i>type</i>
in	<i>nmemb</i>	the number of <i>type</i> sized elements to allocate memory for
out	<i>error</i>	see <a href="#">errors.h</a>

**7.5.3.3** `void* r_mem_malloc_fn ( RType * type, GError ** error )`

Allocate typed memory.

This is the function version of [r\\_mem\\_malloc\(\)](#)

## See Also

[r\\_mem\\_malloc](#)

## Returns

a pointer to dynamically allocated memory

## Parameters

in	<i>type</i>	an <a href="#">RType</a> representing the type of the allocated memory
out	<i>error</i>	see <a href="#">errors.h</a>

7.5.3.4 void\* [r\\_mem\\_malloc\\_sized\\_fn](#) ( [RType](#) \* *type*, size\_t *size*, GError \*\* *error* )

Allocate typed memory with size.

This is the function version of [r\\_mem\\_malloc\\_sized\(\)](#).

## See Also

[r\\_mem\\_malloc\\_sized](#)

## Returns

a pointer to dynamically allocated memory

## Parameters

in	<i>type</i>	an <a href="#">RType</a> representing the type of the allocated memory
in	<i>size</i>	size the size of the memory to allocate. This must be at least as large as the type represented by <i>type</i>
out	<i>error</i>	see <a href="#">errors.h</a>

7.5.3.5 void\* [r\\_mem\\_ref](#) ( void \* *mem* )

Increment the reference count of typed memory.

## Returns

*mem*

## Parameters

in	<i>mem</i>	the memory to increase the reference count of
----	------------	---

7.5.3.6 size\_t [r\\_mem\\_size](#) ( void \* *mem* )

Retrieve the allocated size of typed memory.

## Returns

the allocated size of *mem*

## Parameters

in	<i>mem</i>	the typed memory to retrieve the allocated size of
----	------------	--

7.5.3.7 [RType](#)\* [r\\_mem\\_type](#) ( void \* *mem* )

Retrieve the type of typed memory.

## Returns

an [RType](#) representing the type of *mem*.

**Parameters**

<i>in</i>	<i>mem</i>	the memory to retrieve the type of
-----------	------------	------------------------------------

**7.5.3.8 void r\_mem\_unref ( void \* mem )**

Decrease the reference count of typed memory.

This function frees *mem* if the reference count reaches zero.

**Parameters**

<i>in</i>	<i>mem</i>	the memory to decrease the reference count of
-----------	------------	---

**7.6 ruminator/ruminator.h File Reference**

Top-level and utility functions.

**Macros**

- `#define ruminator\_get\_type(expr, error)`  
*Get the type of an expression.*

**Functions**

- `bool ruminator\_destroy (GError **error)`  
*De-initialize the ruminator framework.*
- `bool ruminator\_init (const char *program_name, GError **error)`  
*Initialize the ruminator framework.*
- `RFrameList * ruminator\_backtrace (GError **error)`  
*Generate a backtrace.*
- `GPtrArray * ruminator\_get\_types\_by\_name (const char *type_name, GError **error)`  
*Retrieve RTypes by name.*
- `RType * ruminator\_get\_type\_by\_variable\_name (const char *, GError **)`
- `RString * ruminator\_get\_function\_name (void *addr, GError **error)`  
*Get the name of a function by address.*

**7.6.1 Detailed Description**

Top-level and utility functions.

**7.6.2 Macro Definition Documentation****7.6.2.1 #define ruminator\_get\_type( expr, error )**

Get the type of an expression.

Gets an instance of an [RType](#) representing the type of the provided expression.

Note that you must first have initialized the ruminator library via a call to [ruminator\\_init\(\)](#).

## Parameters

in	<i>expr</i>	The expression to determine the type of.
out	<i>error</i>	see <a href="#">errors.h</a>

## Returns

A pointer to an [RType](#) or `NULL` if an error occurred. This [RType](#) must be freed using `r_type_unref()`.

## 7.6.3 Function Documentation

7.6.3.1 [RFrameList\\*](#) `ruminare_backtrace ( GError ** error )`

Generate a backtrace.

This function generates a backtrace of the caller's call stack.

## Returns

A pointer to an [RFrameList](#) representing the frames found in the caller's call stack. This [RFrameList](#) must be freed using `r_frame_list_unref()`.

**Todo** This method should return a `GPtrArray` rather than a custom list implementation.

## Parameters

out	<i>error</i>	see <a href="#">errors.h</a>
-----	--------------	------------------------------

7.6.3.2 `bool` `ruminare_destroy ( GError ** error )`

De-initialize the ruminare framework.

This function frees all internal resources of the ruminare framework. Undefined behavior results if any ruminare framework functions are called after this function returns `true`.

## Returns

Whether or not an error occurred.

## Parameters

out	<i>error</i>	see <a href="#">errors.h</a>
-----	--------------	------------------------------

7.6.3.3 [RString\\*](#) `ruminare_get_function_name ( void * addr, GError ** error )`

Get the name of a function by address.

## Returns

A [RString](#) containing the name of the function.



**Parameters**

in	<i>addr</i>	the address of the function to get the name of
out	<i>error</i>	see <a href="#">errors.h</a>

**7.6.3.4** `RType* ruminde_get_type_by_variable_name ( const char *, GError ** )`

**Todo** document

**7.6.3.5** `GPtArray* ruminde_get_types_by_name ( const char * type_name, GError ** error )`

Retrieve RTypes by name.

This function retrieves all the types which are named *type\_name*.

**Returns**

A GPtArray of the types which are named *type\_name*

**Parameters**

in	<i>type_name</i>	the name of the types to find
out	<i>error</i>	see <a href="#">errors.h</a>

**7.6.3.6** `bool ruminde_init ( const char * program_name, GError ** error )`

Initialize the ruminde framework.

This must be called before any other ruminde functions.

The argument *program\_name* must either be the name of this program or NULL. If null, `g_get_prname()` will be called to get the name of this program. If the program name has not been previously set via a call to `g_set_prname()`, an error will occur.

**Returns**

Whether or not an error occurred.

**See Also**

`g_set_prname`

**Parameters**

in	<i>program_name</i>	the name of this program, e.g. <code>argv[0]</code> or NULL
out	<i>error</i>	see <a href="#">errors.h</a>

**7.7 ruminde.h File Reference**

The only file you should need to include.

**7.7.1 Detailed Description**

The only file you should need to include.

## 7.8 ruminare/type.h File Reference

The top level of the ruminare type hierarchy.

### Enumerations

- enum [RTypeId](#) {  
    [R\\_TYPE\\_BUILTIN](#),  
    [R\\_TYPE\\_AGGREGATE](#),  
    [R\\_TYPE\\_TYPEDEF](#),  
    [R\\_TYPE\\_POINTER](#),  
    [R\\_TYPE\\_ARRAY](#),  
    [R\\_TYPE\\_UNKNOWN](#) }

*An identifier denoting the child type of this [RType](#).*

### Functions

- size\_t [r\\_type\\_size](#) ([RType](#) \*, GError \*\*error)

#### 7.8.1 Detailed Description

The top level of the ruminare type hierarchy.

#### See Also

[RType](#)

#### 7.8.2 Enumeration Type Documentation

##### 7.8.2.1 enum [RTypeId](#)

An identifier denoting the child type of this [RType](#).

This identifier can be retrieved using [r\\_type\\_id\(\)](#).

#### Enumerator

**[R\\_TYPE\\_BUILTIN](#)** a builtin type

See Also

[RBuiltinType](#)

**[R\\_TYPE\\_AGGREGATE](#)** an aggregate type

See Also

[RAAggregateType](#)

**[R\\_TYPE\\_TYPEDEF](#)** a typedef

See Also

[RTypedefType](#)

**[R\\_TYPE\\_POINTER](#)** a pointer

See Also

[RPointerType](#)

***R\_TYPE\_ARRAY*** an array

See Also

[RArrayType](#)

***R\_TYPE\_UNKNOWN*** an unknown type

### 7.8.3 Function Documentation

#### 7.8.3.1 `size_t r_type_size ( RType *, GError ** error )`

**Todo** Document this

## 7.9 ruminator/type\_member.h File Reference

Type members.

Enumerations

- enum [RTypeMemberId](#) {  
[R\\_TYPE\\_MEMBER\\_AGGREGATE](#),  
[R\\_TYPE\\_MEMBER\\_ARRAY](#) }  
*An identifier denoting the child type of this [RTypeMember](#).*

### 7.9.1 Detailed Description

Type members. A [RTypeMember](#) represents a member of an array ([RArrayType](#)) or aggregate ([RAggregateType](#)) type.

See Also

[RTypeMember](#)

### 7.9.2 Enumeration Type Documentation

#### 7.9.2.1 enum [RTypeMemberId](#)

An identifier denoting the child type of this [RTypeMember](#).

This identifier can be retrieved using [r\\_type\\_member\\_id\(\)](#).

Enumerator

***R\_TYPE\_MEMBER\_AGGREGATE*** a [RAggregateMember](#)

See Also

[RAggregateMember](#)

***R\_TYPE\_MEMBER\_ARRAY*** an array member

## Index

aggregate\_member.h  
    R\_AGGREGATE\_MEMBER\_BITFIELD, [24](#)  
    R\_AGGREGATE\_MEMBER\_ENUM, [24](#)  
    R\_AGGREGATE\_MEMBER\_OTHER, [24](#)  
aggregate\_type.h  
    R\_AGGREGATE\_TYPE\_ENUM, [25](#)  
    R\_AGGREGATE\_TYPE\_FUNCTION, [25](#)  
    R\_AGGREGATE\_TYPE\_STRUCT, [25](#)  
    R\_AGGREGATE\_TYPE\_UNION, [25](#)  
    R\_AGGREGATE\_TYPE\_UNKNOWN, [25](#)  
aggregate\_member.h  
    RAggregateMemberId, [24](#)  
aggregate\_type.h  
    RAggregateTypeId, [25](#)  
  
builtin\_type.h  
    R\_BUILTIN\_TYPE\_BOOL, [26](#)  
    R\_BUILTIN\_TYPE\_CHAR, [26](#)  
    R\_BUILTIN\_TYPE\_DOUBLE, [26](#)  
    R\_BUILTIN\_TYPE\_INT, [26](#)  
    R\_BUILTIN\_TYPE\_LONG, [26](#)  
    R\_BUILTIN\_TYPE\_SHORT, [26](#)  
    R\_BUILTIN\_TYPE\_UNKNOWN, [26](#)  
    R\_BUILTIN\_TYPE\_VOID, [26](#)  
builtin\_type.h  
    RBuiltinTypeId, [26](#)  
  
errors.h  
    RUMINATE\_ERROR, [27](#)  
    RuminateError, [27](#)  
  
memory.h  
    r\_mem\_calloc, [28](#)  
    r\_mem\_calloc\_fn, [29](#)  
    r\_mem\_calloc\_sized, [28](#)  
    r\_mem\_calloc\_sized\_fn, [30](#)  
    r\_mem\_malloc, [29](#)  
    r\_mem\_malloc\_fn, [30](#)  
    r\_mem\_malloc\_sized, [29](#)  
    r\_mem\_malloc\_sized\_fn, [31](#)  
    r\_mem\_ref, [31](#)  
    r\_mem\_size, [31](#)  
    r\_mem\_type, [31](#)  
    r\_mem\_unref, [32](#)  
  
R\_AGGREGATE\_MEMBER\_BITFIELD  
    aggregate\_member.h, [24](#)  
R\_AGGREGATE\_MEMBER\_ENUM  
    aggregate\_member.h, [24](#)  
R\_AGGREGATE\_MEMBER\_OTHER  
    aggregate\_member.h, [24](#)  
R\_AGGREGATE\_TYPE\_ENUM  
    aggregate\_type.h, [25](#)  
R\_AGGREGATE\_TYPE\_FUNCTION  
    aggregate\_type.h, [25](#)  
R\_AGGREGATE\_TYPE\_STRUCT  
    aggregate\_type.h, [25](#)  
R\_AGGREGATE\_TYPE\_UNION  
    aggregate\_type.h, [25](#)  
R\_AGGREGATE\_TYPE\_UNKNOWN  
    aggregate\_type.h, [25](#)  
R\_BUILTIN\_TYPE\_BOOL  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_CHAR  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_DOUBLE  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_INT  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_LONG  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_SHORT  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_UNKNOWN  
    builtin\_type.h, [26](#)  
R\_BUILTIN\_TYPE\_VOID  
    builtin\_type.h, [26](#)  
R\_TYPE\_AGGREGATE  
    type.h, [35](#)  
R\_TYPE\_ARRAY  
    type.h, [36](#)  
R\_TYPE\_BUILTIN  
    type.h, [35](#)  
R\_TYPE\_MEMBER\_AGGREGATE  
    type\_member.h, [36](#)  
R\_TYPE\_MEMBER\_ARRAY  
    type\_member.h, [36](#)  
R\_TYPE\_POINTER  
    type.h, [35](#)  
R\_TYPE\_TYPEDEF  
    type.h, [35](#)  
R\_TYPE\_UNKNOWN  
    type.h, [36](#)  
r\_aggregate\_member\_id  
    RAggregateMember, [4](#)  
r\_aggregate\_member\_name  
    RAggregateMember, [5](#)  
r\_aggregate\_type\_id  
    RAggregateType, [6](#)  
r\_aggregate\_type\_member\_at  
    RAggregateType, [6](#)  
r\_aggregate\_type\_nmembers  
    RAggregateType, [6](#)

- r\_array\_type\_member\_at
  - RArrayType, 7
- r\_array\_type\_size
  - RArrayType, 8
- r\_builtin\_type\_id
  - RBuiltinType, 9
- r\_builtin\_type\_is\_signed
  - RBuiltinType, 9
- r\_builtin\_type\_is\_unsigned
  - RBuiltinType, 9
- r\_enum\_member\_value\_signed
  - REnumMember, 10
- r\_enum\_member\_value\_unsigned
  - REnumMember, 11
- r\_frame\_compile\_unit\_name
  - RFrame, 12
- r\_frame\_function\_name
  - RFrame, 12
- r\_frame\_function\_type
  - RFrame, 12
- r\_frame\_line
  - RFrame, 12
- r\_frame\_list\_at
  - RFrameList, 14
- r\_frame\_list\_ref
  - RFrameList, 14
- r\_frame\_list\_size
  - RFrameList, 14
- r\_frame\_list\_unref
  - RFrameList, 14
- r\_frame\_module\_name
  - RFrame, 13
- r\_frame\_ref
  - RFrame, 13
- r\_frame\_unref
  - RFrame, 13
- r\_function\_type\_return\_type
  - RFunctionType, 15
- r\_mem\_calloc
  - memory.h, 28
- r\_mem\_calloc\_fn
  - memory.h, 29
- r\_mem\_calloc\_sized
  - memory.h, 28
- r\_mem\_calloc\_sized\_fn
  - memory.h, 30
- r\_mem\_malloc
  - memory.h, 29
- r\_mem\_malloc\_fn
  - memory.h, 30
- r\_mem\_malloc\_sized
  - memory.h, 29
- r\_mem\_malloc\_sized\_fn
  - memory.h, 31
- r\_mem\_ref
  - memory.h, 31
- r\_mem\_size
  - memory.h, 31
- r\_mem\_type
  - memory.h, 31
- r\_mem\_unref
  - memory.h, 32
- r\_pointer\_type\_pointee
  - RPointerType, 16
- r\_string\_bytes
  - RString, 17
- r\_string\_length
  - RString, 17
- r\_string\_ref
  - RString, 18
- r\_string\_unref
  - RString, 18
- r\_type\_id
  - RType, 19
- r\_type\_member\_id
  - RTypeMember, 22
- r\_type\_member\_offset
  - RTypeMember, 23
- r\_type\_member\_ref
  - RTypeMember, 23
- r\_type\_member\_type
  - RTypeMember, 23
- r\_type\_member\_unref
  - RTypeMember, 23
- r\_type\_name
  - RType, 19
- r\_type\_pointer
  - RType, 19
- r\_type\_ref
  - RType, 20
- r\_type\_size
  - type.h, 36
- r\_type\_unref
  - RType, 20
- r\_typedef\_type\_canonical
  - RTypedefType, 21
- RAggregateMember, 4
  - r\_aggregate\_member\_id, 4
  - r\_aggregate\_member\_name, 5
- RAggregateMemberId
  - aggregate\_member.h, 24
- RAggregateType, 5
  - r\_aggregate\_type\_id, 6
  - r\_aggregate\_type\_member\_at, 6
  - r\_aggregate\_type\_nmembers, 6
- RAggregateTypeId
  - aggregate\_type.h, 25
- RArrayType, 7

- [r\\_array\\_type\\_member\\_at](#), [7](#)
  - [r\\_array\\_type\\_size](#), [8](#)
- [RBuiltinType](#), [8](#)
  - [r\\_builtin\\_type\\_id](#), [9](#)
  - [r\\_builtin\\_type\\_is\\_signed](#), [9](#)
  - [r\\_builtin\\_type\\_is\\_unsigned](#), [9](#)
- [RBuiltinTypeId](#)
  - [builtin\\_type.h](#), [26](#)
- [REnumMember](#), [10](#)
  - [r\\_enum\\_member\\_value\\_signed](#), [10](#)
  - [r\\_enum\\_member\\_value\\_unsigned](#), [11](#)
- [RFrame](#), [11](#)
  - [r\\_frame\\_compile\\_unit\\_name](#), [12](#)
  - [r\\_frame\\_function\\_name](#), [12](#)
  - [r\\_frame\\_function\\_type](#), [12](#)
  - [r\\_frame\\_line](#), [12](#)
  - [r\\_frame\\_module\\_name](#), [13](#)
  - [r\\_frame\\_ref](#), [13](#)
  - [r\\_frame\\_unref](#), [13](#)
- [RFrameList](#), [13](#)
  - [r\\_frame\\_list\\_at](#), [14](#)
  - [r\\_frame\\_list\\_ref](#), [14](#)
  - [r\\_frame\\_list\\_size](#), [14](#)
  - [r\\_frame\\_list\\_unref](#), [14](#)
- [RFunctionType](#), [15](#)
  - [r\\_function\\_type\\_return\\_type](#), [15](#)
- [RPointerType](#), [16](#)
  - [r\\_pointer\\_type\\_pointee](#), [16](#)
- [RString](#), [17](#)
  - [r\\_string\\_bytes](#), [17](#)
  - [r\\_string\\_length](#), [17](#)
  - [r\\_string\\_ref](#), [18](#)
  - [r\\_string\\_unref](#), [18](#)
- [RType](#), [18](#)
  - [r\\_type\\_id](#), [19](#)
  - [r\\_type\\_name](#), [19](#)
  - [r\\_type\\_pointer](#), [19](#)
  - [r\\_type\\_ref](#), [20](#)
  - [r\\_type\\_unref](#), [20](#)
- [RTypeId](#)
  - [type.h](#), [35](#)
- [RTypeMember](#), [21](#)
  - [r\\_type\\_member\\_id](#), [22](#)
  - [r\\_type\\_member\\_offset](#), [23](#)
  - [r\\_type\\_member\\_ref](#), [23](#)
  - [r\\_type\\_member\\_type](#), [23](#)
  - [r\\_type\\_member\\_unref](#), [23](#)
- [RTypeMemberId](#)
  - [type\\_member.h](#), [36](#)
- [RTypedefType](#), [20](#)
  - [r\\_typedef\\_type\\_canonical](#), [21](#)
- [RUMINATE\\_ERRNO\\_ERROR](#)
  - [errors.h](#), [27](#)
- [RUMINATE\\_ERROR](#)
  - [errors.h](#), [27](#)
- [rurate.h](#), [34](#)
- [rurate/aggregate\\_member.h](#), [23](#)
- [rurate/aggregate\\_type.h](#), [24](#)
- [rurate/builtin\\_type.h](#), [25](#)
- [rurate/errors.h](#), [26](#)
- [rurate/memory.h](#), [27](#)
- [rurate/rurate.h](#), [32](#)
  - [rurate\\_backtrace](#), [33](#)
  - [rurate\\_destroy](#), [33](#)
  - [rurate\\_get\\_function\\_name](#), [33](#)
  - [rurate\\_get\\_type](#), [32](#)
  - [rurate\\_get\\_type\\_by\\_variable\\_name](#), [34](#)
  - [rurate\\_get\\_types\\_by\\_name](#), [34](#)
  - [rurate\\_init](#), [34](#)
- [rurate/type.h](#), [35](#)
- [rurate/type\\_member.h](#), [36](#)
- [rurate\\_backtrace](#)
  - [rurate/rurate.h](#), [33](#)
- [rurate\\_destroy](#)
  - [rurate/rurate.h](#), [33](#)
- [rurate\\_get\\_function\\_name](#)
  - [rurate/rurate.h](#), [33](#)
- [rurate\\_get\\_type](#)
  - [rurate/rurate.h](#), [32](#)
- [rurate\\_get\\_type\\_by\\_variable\\_name](#)
  - [rurate/rurate.h](#), [34](#)
- [rurate\\_get\\_types\\_by\\_name](#)
  - [rurate/rurate.h](#), [34](#)
- [rurate\\_init](#)
  - [rurate/rurate.h](#), [34](#)
- [RurateError](#)
  - [errors.h](#), [27](#)
- [type.h](#)
  - [R\\_TYPEAggregate](#), [35](#)
  - [R\\_TYPEArray](#), [36](#)
  - [R\\_TYPEBuiltin](#), [35](#)
  - [R\\_TYPEPointer](#), [35](#)
  - [R\\_TYPE\\_TYPEDEF](#), [35](#)
  - [R\\_TYPE\\_UNKNOWN](#), [36](#)
- [type.h](#)
  - [r\\_type\\_size](#), [36](#)
  - [RTypeId](#), [35](#)
- [type\\_member.h](#)
  - [R\\_TYPE\\_MEMBERAggregate](#), [36](#)
  - [R\\_TYPE\\_MEMBERArray](#), [36](#)
- [type\\_member.h](#)
  - [RTypeMemberId](#), [36](#)