Rotaract Club of Xiamen University Malaysia | Rotary Club of Kuala Lumpur Dynamics | Rotary Club of Tun Razak Exchange

SDC Hackathon

Technical Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: 25 October 2026

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

Instagram: @sdc_xmumhack ***Email:*** sdc.xmumhack@gmail.com

SDC HACKATHON 2026

Technical & Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: [Insert date]

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

1. Team & Project Overview

Team Name	Winnie the Pooh
Project / Solution Name	WinHire
Name (Leader)	Lim San Yee
Email & Phone (Leader)	eazen32@gmail.com
University Affiliation(s)	University of Nottingham Malaysia, Heriot-Watt University Malaysia, Monash University Malaysia
Live Prototype URL	https://youtu.be/auORT7Oue6o?si=nppo1JfZ-PoFJpjo
Code Repository URL (public / access granted to judges)	https://github.com/eazen32-glitch/Winnie-the-Pooh

2. Architecture & Technology Stack

2.1 System Architecture Overview

Describe how the components declared in this document connect end-to-end (e.g., user interface → backend → AI model/API → database → cloud hosting). Attach a system block diagram as an appendix if available.

[Maximum 200 words]

2.2 Languages, Frameworks & Libraries

List the main programming languages, frameworks, and third-party libraries that your team did not create. Open-source use is permitted provided it is declared and properly licensed/attributed.

Name & Version	Purpose in Project	License
Python 3.12.14 in inspected workspace; team-local version to confirm	Backend, standard-library HTTP/XML/JSON, matching and scripts.	PSF license for Python/standard library.
HTML, CSS and JavaScript; browser language versions	Team's frontend implementation; no external frontend framework required.	Languages/standards are not third-party library licences; project code licensing is a separate team decision.
Flask 3.1.2	Web server/application framework and API routes.	BSD-3-Clause.
Werkzeug 3.1.9; Jinja2 3.1.6; MarkupSafe 3.0.4; itsdangerous 2.2.0; Click 8.5.0	Flask utilities, templates, escaping, session signing and command-line support.	BSD-3-Clause, subject to each package's notices.
Blinker 1.9.0	Flask signal dependency.	MIT.
tzdata 2025.2, pinned runtime package	Portable timezone support, including Asia/Kuala_Lumpur.	Apache-2.0 package; timezone data retains its source notices.

Name & Version	Purpose in Project	License
SQLite 3.53.1 in inspected Python runtime	Local accounts, workflow data, goals, review and cache databases.	SQLite engine is public domain.
pytest 8.4.2; iniconfig 2.3.1; pluggy 1.7.0	Automated checks and test-runner dependencies.	MIT.
packaging 26.3; Pygments 2.21.0	Test/support dependencies.	packaging: Apache-2.0 OR BSD-2-Clause; Pygments: BSD-2-Clause.
Playwright 1.62.0; Chromium 154.0.8037.57	Isolated desktop/mobile browser checks and screenshots.	Playwright: Apache-2.0; Chromium: BSD-style and component third-party licences/notices.
python-docx 1.2.0; python-pptx 1.0.2	Editable Word and presentation generation.	MIT.
lxml 6.1.1; typing_extensions 4.16.0	Document-library dependencies.	lxml: BSD-3-Clause and bundled dependency notices; typing_extensions: PSF-2.0.
Pillow 12.3.0	Palette graphic creation, image dimensions and document image handling.	MIT-CMU and relevant bundled component notices.
PyMuPDF 1.26.6	Reading evidence PDFs, checking exports and rendering document previews; not imported by the application.	AGPL-3.0-or-later / Artifex commercial dual licensing. No commercial licence is claimed; review applicable terms.
LibreOfficeDev 26.8.0.0.alpha0; Poppler pdftotext 25.03.0	Office-to-PDF conversion and PDF text inspection.	LibreOffice: MPL-2.0 and component notices; Poppler: GPL-2.0-or-later and component notices.
DejaVu Sans fonts; installed font version not recorded	Document/slide typography.	Bitstream Vera font licence; DejaVu changes public domain.
Git 2.52.0	Version control and repository updates.	GPL-2.0.
Node.js 24.19.0; pip 25.0.1 in the application environment	JavaScript syntax checks and Python dependency installation. Node is a check tool, not a required application server.	Node.js: MIT and bundled notices; pip: MIT and vendored dependency notices.

Name & Version	Purpose in Project	License
Visual Studio Code	Local code review, repository access and terminal workflow shown by the team.	Microsoft's Visual Studio Code product terms; extensions have separate terms. Team to confirm any additional extensions/tools actually used.

3. APIs & Cloud Services

3.1 External APIs

List every external API your solution calls (GenAI, maps, payments, messaging, data feeds, etc.). Do not include API keys or secrets in this document.

API & Provider	Purpose in Project	Access Tier (free / paid / sponsor-provided)
Simplify/Coder Quad job-listing JSON feed — hosted on GitHub	Supplies public international graduate-job observations for matching and trend evidence. Uses a dated cache when unavailable.	Public access; no API key required.
Hugging Face Transformers Atom feed — hosted on GitHub	Supplies dated AI-software release updates. This is a public feed, not a model-inference API.	Public access; no API key required.
OpenDOSM public CSV endpoint — Department of Statistics Malaysia	Provides aggregate Malaysian labour-force context. The retrieval adapter is implemented, but numeric retrieval was blocked in the development environment.	Public access; no API key required.
OpenAI Chat Completions API	Optional assistant-question interpretation. Implemented but disabled in the default demonstration.	Paid/credit-based if enabled; no paid runtime usage claimed.
GLEIF Global LEI Index	Optional public company-record lookup. Default demonstration uses synthetic checks; a development request was blocked.	Free public access; no API key required by the adapter.
Google Public DNS API	Optional DNS TXT lookup for domain-control checks. Default demonstration uses a simulated challenge.	Free public access; no API key required by the adapter.

3.2 Cloud Platforms & Deployment

List every cloud service used for hosting, storage, databases, authentication, or compute, and indicate how the prototype is deployed.

Service & Provider	Purpose in Project	Plan / Region
Github	Hosts the code repository and version history. Also provides access to public source files and feeds. Repository access must be available to judges.	Account plan not verified; service location is provider-managed.
OpenAI Codex cloud workspace	Used during development for code execution, automated testing and document preparation. It is not a publicly deployed application website.	Account plan and execution region were not exposed in the development session.

Service & Provider	Purpose in Project	Plan / Region
Public application hosting, managed storage, hosted database and external authentication	None used in the current local prototype. Flask runs locally; data uses local SQLite, filesystem storage and browser storage. Authentication is handled by the application.	None / Not applicable — local deployment.

4. AI Tools, Models & Datasets

4.1 AI Models Used in the Solution

List every AI model embedded in or called by your application, including pre-trained, fine-tuned, and self-trained models.

Model & Version	Source / Provider	Usage (pre-trained / fine-tuned / self-trained)	License / Terms
TF-IDF relevance and source/scenario-weighted matching; application baseline f76d914	Local project implementation, developed with AI assistance	Local lexical features and authored scoring weights; no pretrained, fine-tuned or self-trained model weights are embedded. Not a trained generative or labour-forecast model.	Project code licence is a team decision; no external model-weight licence applies.
Optional OpenAI intent-routing model — not enabled by default			

4.2 Datasets

List all datasets used for training, fine-tuning, evaluation, or in the running application. State clearly if a dataset contains personal or sensitive data.

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
Dated international graduate-job observations	https://github.com/SimplifyJobs/New-Grad-Positions	Public; runtime evidence/cache, not training.	Source access/attribution terms; no blanket open-data licence established in this draft. Minimal factual metadata retained; team to verify applicable reuse terms.	N
Transformers release entries	https://github.com/huggingface/transformers/releases.atom	Public; runtime technical signal.	Public release/feed content; source attribution retained. Repository code licence is not automatically a licence for all third-party text.	Y

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
Malaysian CareerTrends pilot, observed 4 August 2026	https://github.com/brandonjo0/CareerTrends-Job-Market-Analysis	Public; minimal extract, 16 location-filtered observations.	MIT; pinned commit and attribution in data/malaysia_jobs_pilot.json.	N
ILO–NASK 2025 occupation exposure extract	https://doi.org/10.54394/HETP0387 ; https://github.com/pgmyrek/2025_GenAI_scores_ISCO08	Public published occupational results; runtime reference.	CC BY 4.0; authors/ILO credited, proxy mapping and rescaling disclosed.	N
Historical Frey–Osborne 2013 appendix values	Pinned primary-paper mirror and canonical Oxford reference in docs/EVIDENCE.md.	Publicly accessible published factual extract; not current GenAI forecasts.	No explicit open reuse licence established. Cite factual values; no full paper redistributed; team to review terms.	N
Our World in Data energy reference	https://github.com/owid/energy-data	Public aggregate learning reference; frozen legacy release linked, not full dataset bundled or used to train a model.	OWID-created material CC BY 4.0; underlying series retain source-specific terms/codebook requirements.	N
OpenDOSM context metadata and optional monthly observations	https://storage.dosm.gov.my/labour/lfs_month.csv ; official metadata references in data/malaysia_context.json.	Public; metadata retained. Numeric retrieval unavailable here; validated operator import supported.	Official data CC BY 4.0; selected metadata repository MIT with attribution.	N
Authored skills, role, resource and SDG crosswalks	career/catalog.py, data/projects.json; linked O*NET/provider/UN references.	Authored/AI-assisted catalogue with cited public resources; eight roles/eighteen skills.	Team's own mappings separate from source-specific reference/content terms; no provider endorsement or full course content copied.	N
Fictional profiles, companies, vacancies, registry/domain fixtures and evaluation cases	Local seed fixtures and data/evaluation_cases.json.	Synthetic; demonstrations, tests and authored evaluation. No model training.	Team/AI-assisted generated fixtures; code/library licences separate.	N

4.3 AI-Assisted Development Tools

Tools used to help write code, design, content, or documentation (e.g., chat assistants, code completion tools, image generators). Declaring these tools does not reduce your score; undeclared use may.

Did your team use any generative-AI tool to help create code, design, text, or other project material?

✅ Yes ☐ No

If yes, list them below:

Tool & Version	**Used For**	**Extent of Use (minor / moderate / major)**
ChatGPT / OpenAI Codex; exact UI model/version not recorded	Interpreting briefs, code generation/refinement, debugging, source inspection, test and browser-check preparation, design advice, proposal, slides and this declaration draft.	Moderate
OpenAI image-generation tool available in the assistant; exact model identifier not exposed	Colour-palette visualisations during theme selection. Actual prototype screenshots, rather than generated UI mockups, illustrate the final deck.	Minor design support.
Claude (Anthropic), Claude Sonnet 5.5	Reformatting the drafted feature sections (5.1-5.15) into slide titles and bullet points; grouping the features into categories for the presentation structure	Minor (Text only)

Briefly describe how your team reviewed, tested, and took responsibility for AI-generated output:

[Maximum 100 words]

Our team takes responsibility for the project's problem definition, design decisions, implementation and documentation. We understand and can explain how the main components work, including matching, data sources and learning plans. AI-assisted output is checked against the hackathon requirements and current prototype. Validation includes automated tests and desktop/mobile browser checks using synthetic profiles. We retain source attribution, state limitations and correct unsupported claims. We remain responsible for reviewing retained code and content, addressing errors and justifying our decisions during judging.

5. Sponsor-Provided Resources

Declare any official SDC sponsor-provided GenAI API, cloud credits, tools, mentoring, or data that your team used.

Did your project use any official SDC sponsor-provided resource?

☐ Yes ☐ No

If yes, list them below:

Sponsor	**Resource (API / credits / platform / data)**	**How It Was Used in the Project**

Was the sponsor resource essential to the core functionality of the prototype, or could it be replaced? Explain briefly:

[Maximum 100 words]

6. Security, Privacy & Responsible Use

6.1 Data Handling & Privacy

What user or personal data does your application collect, store, or send to third-party services (including AI APIs)? How is it protected, and how long is it kept? State "No user data is collected" if applicable.

[Maximum 150 words]

The demo requests fictional accounts, emails, resumes, companies and recruitment records. SQLite stores account identifiers, password hashes, profiles, applications, messages, schedules, saved goals, project references and feedback; browser storage keeps separate guest progress. Ownership, role checks, CSRF protection and hashed review tokens restrict access. Records persist until operator removal; comprehensive automatic retention/deletion is not implemented. Invitation tokens expire, but expiry does not erase history. No saved resume is sent to the optional model: after opt-in, only the typed question and public routing context are sent. Typed free text can contain personal information despite instructions. Public release notes may contain contributor attribution. Production encryption at rest and public HTTPS deployment are not established here. Leader contact information in this declaration is supplied separately to organisers, not required by the prototype.

6.2 Known Limitations & Risks

Identify the main technical limitations of your AI components (e.g., hallucination, bias, rate limits, dependency on a single provider) and any mitigation you have implemented.

[Maximum 150 words]

Public job and AI feeds may be incomplete, outdated or unavailable. Source dates, coverage limitations and cache status remain visible, with cached evidence supporting continuity. The Malaysian pilot contains sixteen historical, mixed-seniority observations and cannot establish national or graduate-specific demand. Matching weights, adoption scenarios and study-time estimates are authored assumptions without independent validation. Fit scores are not hiring probabilities, and occupational AI exposure does not predict individual job loss. The guided assistant uses a bounded catalogue and cited sources to reduce unsupported recommendations. Employer checks are synthetic by default; public registry and domain checks cannot confirm recruiter identity or employment. Learning completion and project feedback do not certify competence. External service availability and rate limits may interrupt updates. Input validation, permission checks and automated tests support prototype reliability but do not establish production security, demographic fairness or employment outcomes.


7. Compliance & Readiness Checklist

Tick all boxes that apply before submitting.

- ☐ All APIs, cloud services, AI tools, models, and datasets used in the project are declared in this document.
- ☐ All third-party code, datasets, and models are used in accordance with their licenses, and attribution is provided where required.
- ☐ No API keys, passwords, or other credentials are exposed in the code repository, prototype, or this document.
- ☐ Any use of generative-AI tools for development has been disclosed and reviewed by the team.
- ☐ Any use of official SDC sponsor resources has been declared in Section 5.
- ☐ The prototype described here is accessible to judges through the links provided in Section 1.
- ☐ All fields in this template have been completed within the word limits stated.

8. Declaration

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.



XinRu Sanyee WinVien JingHeng Ophelia

25/10/2026