

REF. DWG.

REVISIONS

B	10-28-08	TEF
CHG TEXT		
12-1-08 LJC CHANGE BUTTON LAYOUT		
D	12-26-06	ERM
REV TYPE SW		
2-25-09 PAD AS BUILT CHANGES		
9-15-09 EB AS FIRED		
12-10-25 GV ADD WINDER ACCUMULATOR CONTROLS		
1-20-26 GV ADD WINDER CONTROLS		

MOORE CONTROLS TECHNOLOGIES

MCT

THE POWER OF

POWER

MOORE INDUSTRIES

PSC

THE POWER OF

POWER

THIS DRAWING IS THE PROPERTY OF THE C. A. LITZLER CO., INC. AND IS LOANED SUBJECT TO RETURNING SAME TO THE COMPANY AFTER THE SAME HAS BEEN USED IN ANY WAY.
REPRODUCTION OR REUSE OF THIS DRAWING IS PROHIBITED.
THE C. A. LITZLER CO., INC. ASSUMES NO RESPONSIBILITY FOR THE CORRECTNESS OF ANY INFORMATION CONTAINED HEREIN.
NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM THE C. A. LITZLER CO., INC. IN WRITING.

THIRD ANGLE
PROJECTION

UNLESS OTHERWISE SPECIFIED:
ALL DIMENSIONS ARE IN
INCHES.
FRACTIONS ARE TO BE
EXPLICITLY NOTED.
BREAK ALL DIMENSION LINES AND DIMENSION
LINES TO BE EXTENDED TO THE CENTER OF
THE DIMENSIONED PART.
DIMENSIONS ARE TO BE TO THE CENTER OF
THE DIMENSIONED PART.
DIMENSIONS ARE TO BE TO THE CENTER OF
THE DIMENSIONED PART.
DIMENSIONS ARE TO BE TO THE CENTER OF
THE DIMENSIONED PART.

APPROVED AS DRAWN

APPROVED AS NOTED

C. A. LITZLER CO., INC.

CLEVELAND, OHIO 44135-2888 (U.S.A.) 216-267-8020 (FAX) 216-267-9896

WINDER AREA

FLEX I/O RACK 0 MOD 6

FOR HORIZONTAL IMPREGNATING SYSTEM

DRAWN BY

LJC

6-16-08

CHECKED BY

APPROVED BY

JOB NUMBER:

16-15

SCALE:

NONE

DATE:

12-11

00
01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68

1315-230

(1315-23)

24 VDC

RACK 0 MOD 6
ALLEN BRADLEY
24 VDC INPUT
1794-IB16

1315-072

1794-IB16
ROW C

C-34

C-35

C-36

C-37

C-38

C-39

C-40

C-41

C-42

C-43

C-44

C-45

C-46

C-47

C-48

C-49

C-50

B-16

B-17

B-18

B-19

B-20

B-21

B-22

B-23

B-24

B-25

B-26

B-27

B-28

B-29

B-30

B-31

B-32

A-0

A-1

A-2

A-3

A-4

A-5

A-6

A-7

A-8

A-9

A-10

A-11

A-12

A-13

A-14

A-15

WINDER OPERATOR STATION

WINDER 1767SS090

WINDER A 1767SS120

WINDER A RESET CORE 1767PB150

WINDER A START 1767PB180

WINDER A STOP 1767PB210

WINDER B 1767SS240

WINDER B RESET CORE 1767PB270

WINDER B START 1767PB330

WINDER B STOP 1767PB360

WINDER TURRET FORWARD 1767PB390

WINDER JOG 1767PB420

WINDER E-STOP 1401PB311

WINDER A RUN 1767SS480

WINDER B RUN 1767SS500

01-LS02

1767-060

1767-090

1767-120

1767-150

1767-180

1767-210

1767-240

1767-270

1767-330

1767-360

1767-390

1767-420

1767-450

1767-480

1767-510

1767-540

ACCUMULATOR FULL (1.05)

WINDER B ACTIVE

WINDER A CORE SIZE

WINDER A RESET CORE

WINDER A START

WINDER A STOP

WINDER B CORE SIZE

WINDER B RESET CORE

WINDER B START

WINDER B STOP

WINDER TURRET FORWARD

WINDER JOG

WINDER EMERGENCY STOP

TURRET IN POSITION BIT 1

TURRET IN POSITION BIT 2

TURRET IN POSITION BIT 3

1315-230

1315-072

NOTE: JUMPERS ARE SHOWN ON ROW B AND ROW C TERMINALS FOR CLARITY ONLY. ACTUAL CONNECTIONS ARE INTERNAL TO THE TERMINAL BASE

DZ1615 1767F

DWG. NO.

SHEET

REV.





