
06 Josh Donaldson (donaljos)


ok



ok



ok



"...the definition list, with a single-line entry for each command you encountered in Worksheets 1, 2, 3, 4, Modules 1, 2, 3, 4, and this assignment."

there are 50 different commands in Modules 1 to 4 -


M1 13 ssh login bash sh csh tcsh ksh logout exit su sudo passwd man

M2 12 man stty history date who cal cat clear wc grep mesg write

M3 7 pwd cd ls mkdir rmdir rm ln

M4 18 chmod Is cp rm mv find locate more less head tail touch sort cut paste diff comm vi

does not follow instructions - looks like an attempt to create a script rather than a definition list



not following instructions - the definitions are the output of running the whatis command - see example below

```
dev.fast.sheridanc.on.ca - PuTTY
bajcar[~]$ whatis ls
bajcar[~]$ whatis pwd
                      (1p) - return working directory name
pwd
pwd
                      (1) - print name of current/working directory
pwd [builtins]
                      (1)
                           - bash built-in commands, see bash(1)
pwd.h [pwd]
                      (0p) - password structure
                          - Return the absolute path of the current working dire
pwd
                      (1)
pwd [builtins]
                           - bash built-in commands, see bash(1)
                      (1)
pwd.h [pwd]
                      (0p) - password structure
                           - Return the absolute path of the current working dire
pwd
ls
ls
bajcar[~]$ whatis pwd ls > temp
bajcar[~]$
```

Create a history snapshot that contains ALL commands used to produce this file, called **logTwo** then email yourself this file as well (hint: use head or tail commands to get the correct block)

ok -as it matches how the commandList was created; unfortunately both are missing all the whatis commands required to generate the actual definition list