[220 / 319] Files

Learning Objectives Today

Basic file interactions

- opening/closing
- reading/writing


OS module

• listdir, mkdir, exists, isdir, isfile, join


File exceptions

Encodings


```
built-in open function
main.ipynb:
        = open(path)
         file object
                       file path
         read data from f
      #
         OR
         write data to f
      f.close()
```




```
built-in open function
main.ipynb:
         = open("file.txt")
         file object
                       file path
         read data from f
      #
         OR
         write data to f
      f.close()
```



```
built-in open function
main.ipynb:
        = open (
          "data/movies.csv")
        file object
                        file path
        read data from f
      #
        OR
        write data to f
      f.close()
```



```
built-in open function
main.ipynb:
      f = open(
         "data/snapshots/A")
        file object
                         file path
         read data from f
      #
         OR
        write data to f
      f.close()
```



imagine a file object as a sandwich...

```
f = open(...)
main.ipynb:
                                                     use file
                                                    f.close()
       f = open("file.txt")
         read data from f
                                      using file
         OR
         write data to f
                                             Reasons for closing
                                                avoid data loss
                                                limited number of open
                                                files
       f.close()
                                       cleanup
```

Learning Objectives Today

Basic file interactions

- opening/closing
- reading/writing

OS module


• listdir, mkdir, exists, isdir, isfile, join

File exceptions

Encodings


Reading a file

```
f = open("file.txt")
# read data from f
# OR
# write data to f
f.close()
```



Reading a file

```
f = open("file.txt")
data = f.read()
                      Option 1
print(data)
       data is: "I promise \n to always \n close my files"
f.close()
```



read() method

- fetch entire file contents
- return as a string

Reading a file

```
= open("file.txt")
 read data from f
                        Option 2
# OR
 write data to f
f.close()
```

file objects can be iterated over, using a for loop!

Reading a file – alternate ways

```
f = open("file.txt")
lines = list(f)
f.close()
```


convert it to a list

```
f = open("file.txt")
for l in f:
    print(l)
f.close()
```

iterate over f with a for loop


"w" mode indicates we want to write to this file

```
f = open("file.txt", "w")
 read data from f
# OR
# write data to f
f.close()
```



"w" mode indicates we want to write to this file


```
f = open("file.txt", "w")
f.write("hello")
f.write(" world\n")
f.write("!!!!\n")
f.close()
```



let's run it!

"w" mode indicates we want to write to this file

```
want to write to this file
f = open("file.txt",
f.write("hello")
f.write(" world\n")
f.write("!!!!\n")
f.close()
```




opening with "w" is dangerous. It immediately wipes out your file.

(or creates a new one if there isn't already a file.txt)

"w" mode indicates we want to write to this file

```
f = open("file.txt",
f.write("hello")
f.write(" world(n"))
f.write("!!!!\n")
f.close()
```



be careful with newlines

(write doesn't add them like print does)

Learning Objectives Today

Basic file interactions

- opening/closing
- reading/writing

OS module

listdir, mkdir, exists, isdir, isfile, join


File exceptions

Encodings

- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join


- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.listdir(".")
["file.txt", "main.ipynb", "data"]
```




- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.listdir("data")
["movies.csv", "snapshots"]
```




- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.mkdir("test")
```




- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.path.exists("file.txt")
True
>>> os.path.exists("haha.txt")
False
```




- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.path.isfile("haha.txt")
False
>>> os.path.isfile("file.txt")
True
>>> os.path.isfile("data")
False
```



- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

```
>>> import os
>>> os.path.isdir("data")
True
```



Many functions in os and os.path for working w/ files

- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

>>> import os

```
demo
                                                    ■ □ □ □ □ □ □ □
                                                                                >>
                                               TXT
                                              file.txt
                                                        main.py
                                                                    data
                                                                             test
>>> os.path.join("data", "movies.csv")
```

```
data/movies.csv
on Mac/Linux
```

Many functions in os and os.path for working w/ files

- os.listdir
- os.mkdir
- os.path.exists
- os.path.isfile
- os.path.isdir
- os.path.join

>>> import os

data\movies.csv

```
demo
                                           ■ □ □ □ □ □ □ □
                                                                                >>
                                               TXT
                                              file.txt
                                                        main.py
                                                                   data
                                                                             test
>>> os.path.join("data", "movies.csv")
```

```
on Windows
```

Windows


Linux

Your project:

```
path = "\".join("data", "movies.csv")
f = open(path)
...
```








you run test.py





we run test.py





Learning Objectives Today

Basic file interactions

- opening/closing
- reading/writing

OS module


listdir, mkdir, exists, isdir, isfile, join

File exceptions

Encodings

Working with files leads to many exceptions

- missing files
- lacking permissions
- not enough space
- mixing up directories and files
- corrupt formats
- etc, etc




```
import os

os.mkdir('dump')

f = open(os.path.join('dump', 'out.txt'), 'w')
f.write('hi')
f.close()
```

Working with files leads to many exceptions

- missing files
- lacking permissions
- not enough space
- mixing up directories and files
- corrupt formats
- etc, etc




```
import os

os.mkdir('dump')

f = open(os.path.join('dump', 'out.txt'), 'w')
f.write('hi')
f.close()
```

Working with files leads to many exceptions

- missing files
- lacking permissions
- not enough space
- mixing up directories and files
- corrupt formats
- etc, etc




demo

```
import os
os.mkdir('dump')
f = open(os.path.join('dump', 'out.txt'), 'w')
f.write('hi')
               Traceback (most recent call last):
f.close()
                File "test2.py", line 3, in <module>
                 os.mkdir('dump')
               FileExistsError: [Errno 17] File exists: 'dump'
```

Working with files leads to many exceptions

- missing files
- lacking permissions
- not enough space
- mixing up directories and files
- corrupt formats
- etc, etc



```
try:
    os.mkdir('dump')
except FileExistsError:
    pass # ignore it if dump already existed

f = open(os.path.join('dump', 'out.txt'), 'w')
f.write('hi')
f.close()
```

Learning Objectives Today

Basic file interactions

- opening/closing
- reading/writing

OS module

listdir, mkdir, exists, isdir, isfile, join

File exceptions

Encodings

Exercise: person 1 encodes a word with encoding 1, person 2 decodes with encoding 2

A	00001	N	01110
В	00010	0	01111
C	00011	P	10000
D	00100	Q	10001
E	00000	R	10010
F	00110	S	10011
G	00111	T	10100
H	01000	U	10101
I	01001	V	10110
J	01010	W	10111
K	01011	X	11000
L	11111	Y	11001
M	01101	Z	11010

A	00001	N	01110
В	00010	0	01011
C	00011	P	10000
D	00100	Q	10001
E	00000	R	10010
F	00110	S	10011
G	00111	T	10100
H	01000	U	01100
I	01001	V	10110
J	01010	W	10111
K	01111	X	11000
L	10101	Y	11001
M	01101	Z	11010

Word: ukulele

Exercise: person 1 encodes a word with encoding 1, person 2 decodes with encoding 2

Word:	ukulele
	lol?e?e

7	00001	ХT	01110
A	00001	1/4	01110
В	00010	0	01111
C	00011	P	10000
D	00100	Q	10001
E	00000	R	10010
F	00110	S	10011
G	00111	T	10100
H	01000	U	10101
I	01001	V	10110
J	01010	W	10111
K	01011	X	11000
L	11111	Y	11001
M	01101	Z	11010

A	00001	N	01110
В	00010	0	01011
C	00011	P	10000
D	00100	Q	10001
E	00000	R	10010
F	00110	S	10011
G	00111	T	10100
H	01000	U	01100
I	01001	V	10110
J	01010	W	10111
K	01111	X	11000
L	10101	Y	11001
M	01101	Z	11010

Encoding Defaults Done Wrong

Windows Mac f = open('example.txt', 'r', f = open('example.txt', 'w', encoding='cp1252') encoding='utf-8') print(f.read()) f.write('baño') f.close() f.close() example.txt example.txt

Windows computer prints "baño" instead of "baño"

Encoding Defaults Done Wrong

Windows Mac f = open('example.txt', 'r', f = open('example.txt', 'w', encoding='cp1252') encoding='utf-8') print(f.read()) f.write('baño') f.close() f.close() example.txt example.txt

Takeaway: if you see weird characters printed by your program, it's a good time to learn more about encodings

Coding Demos

Demo 1: add numbers in a file

Goal: read all lines from a file as integers and add them

Input:

file containing 50 million numbers between 0 and 100

Output:

The sum of the numbers

Example:

Sum of numbers: 2499463617

Two ways:

- Put all lines in a list first
- Directly use iterable file

Bonus: create generator function that does the str => int conversion

Challenge - Demo 1: Score Tracker

Goal: tally up points, and print who is winning

Input:

Person who just scored

Output:

Everybody's score

Example:

```
"Enter winner's name": alice
alice: 1
"Enter winner's name": bob
alice: 1
bob: 1
"Enter winner's name": alice
alice: 2
bob: 1
```

Challenge - Demo 2: File Finder

Goal: search directories (recursively) for a given file name, then print that file

Input:

The filename to search for

Output:

The contents of that file

Challenge - Demo 3: sorting files by line length

Goal: output file contents, with shortest line first

Input:

a text file

Output:

print lines sorted