

Notes 8

awk

Definition

Awk is a scripting language used for processing and displaying text. Awk can work with a text file or from standard output.

Usage/Formula

- `awk + options + {awk command} + file + file to save (optional)`

Examples

- `awk '{print $1}' ~/Documents/Csv/cars.csv`
- `awk -F: '{print $1}' /etc/passwd`
- `awk -F: '{print $NF}' /etc/passwd`

sed

Definition

SED is a stream editor that perform operations on files and standard output.

Usage/Formula

- `sed options + sed script + file`

Examples

- `sed 's/pizza/rice/' shopping-list.lst`
- `sed 's/pizza/rice/4' shopping-list.lst`
- `sed 's/pizza/rice/g' shopping-list.lst`

less

Definition

In short, the 'less' command functions as a potent pager application, designed for the fast and economical display of textual data. A practical way to explore and search text without the work of file editors like Vi or Nano is to use "less."

Usage/Formula

- `less + file to read`

Examples

- `less ~/Documents/Books/dracula.txt`
- `less -E ~/Documents/Csv/cereal.csv`
- `less -n ~/Documents/Csv/cereal.csv`

>

Examples

To save the output of a command to a file

- `ls -lA ~ > all-files-in-home.txt` To save the error to a file and the success to another
- `ls -lA downloads/Pictures > success.txt 2> error.txt` To not display errors. send errors to the black hole
- `ls -lA downloads/2>/dev/null`

>>

Examples

if we want to keep the old data? we use >> for example

- `ls -la >> allmyfiles.lst`

|

Examples

Use grep to look for a string in a particular man page

- `man ls | grep "human-readable"`

display only the options of the of any command from it's man page

- `man ls | grep "^[[:space:]]*[:punct:]"`