

Freaky Flyer Delivery Website Reference

Prepared for Freaky Flyer Delivery on 14 June 2026.

This document combines the developer maintenance guide and the client admin guide into one reference. The GitHub repository is the source of truth for the website code and documentation:

GitHub repository: <https://github.com/eben71/freaky-flyer-site>
(<https://github.com/eben71/freaky-flyer-site>)

How to Use This Document

- Give the developer section to any website developer who needs to maintain, build, or redeploy the site.
- Use the client section when updating pricing and delivery schedule PDFs through the admin upload area.
- When in doubt, compare this document with the current files in the GitHub repository, because the repository is the authoritative source.

Developer Maintenance Guide

A modernised static rebuild of the Freaky Flyer Delivery website using Astro, with a secure PHP backend for form submission and admin-upload features.

This document is the authoritative technical reference for building, maintaining, and redeploying the project.

Tech Stack

- Astro 5+
- HTML/CSS custom design system
- PHP 8.1+ backend for form submission + admin uploads
- pnpm dependency management
- Image optimisation workflow (Sharp pipeline)

Project Structure

```
/
|-- public/
| |-- assets/
| | |-- brand/ # Logos, favicons
| | |-- img/ # Optimised site images
| | |-- downloads/ # Pricing & schedule PDFs (client-managed)
| |-- contact.php # Secure backend form processor
| |-- robots.txt
| |-- sitemap-index.xml
| |-- .htaccess
|
|-- src/
| |-- components/
| |-- layouts/
| |-- pages/
| |-- content/ # Markdown from WordPress migration
|
|-- tools/
```

```
| |-- wp-export.mjs
| |-- images.mjs
| |-- url-map.csv
|
|-- prompts/
|-- README.md
|-- README_client.md
```

Local Development

```
pnpm install
pnpm dev
```

Environment Variables

These are used locally via .env and in production via .htaccess:

```
PUBLIC_CONTACT_EMAIL=
SITE_NAME="Freaky Flyer Delivery"
TO_EMAIL=
FROM_EMAIL=
ADMIN_USERNAME=
ADMIN_PASSWORD=
PUBLIC_TURNSTILE_SITE_KEY=
TURNSTILE_SECRET_KEY=
PUBLIC_TURNSTILE_DEBUG=false
TURNSTILE_BYPASS=false
SMTP_HOST=
SMTP_PORT=
SMTP_USER=
SMTP_PASS=
SMTP_SECURE=true
```

PUBLIC_TURNSTILE_SITE_KEY is read at runtime by /turnstile-config.php, so set it in .htaccess or your server environment. TURNSTILE_BYPASS should stay false in production.

Contact Form Security

- Honeypot
- Server-side validation
- Sanitisation
- PHP-based email handling
- Optional Turnstile (enabled post-launch once Cloudflare is active)

Formatting

Run Prettier before committing to keep CI green:

```
pnpm format
```

Build & Deploy

```
pnpm build
```

Upload the contents of /dist to the root public_html directory.

Ensure:

- .htaccess is present. If the secrets has already been set remove .htaccess from the 'dist' folder before uploading and replacing the file.

- contact.php is uploaded
- permissions allow PHP execution

Image Workflow

Raw tools/images/raw

Optimised public/assets/img

pnpm images

Cloudflare Configuration

Use Cloudflare to manage DNS, SSL, security, and analytics:

1. DNS / Nameservers: Point the domain to Cloudflare and confirm records match the live origin.
2. SSL/TLS: Set mode to Full (Strict) and keep the origin certificate valid.
3. Web Analytics: Enable Web Analytics for the zone to track traffic without adding cookies.
4. Turnstile: Add PUBLIC_TURNSTILE_SITE_KEY (frontend) and TURNSTILE_SECRET_KEY (server) values to .htaccess.
5. Analytics token: Use Cloudflare's automatic Web Analytics injection in the dashboard.
6. Security rules: Enable bot protections and rate limits as needed.
7. Caching: Avoid caching /admin and contact.php while allowing static asset caching.

See docs/cloudflare-onboarding.md for the step-by-step checklist.

This README contains everything needed to fully rebuild the project.

Client Admin Guide

Welcome!

This guide explains how to update your Pricing PDF and Delivery Schedule PDF using your secure Admin Upload Moduleno cPanel or technical steps required.

1. Accessing the Admin Upload Area

Your secure admin panel is located at:

<https://freakyflyerdelivery.com.au/admin>

This area is password-protected.

2. Logging In

You will be provided with:

- Admin Username
- Admin Password

Enter these into the login form to access the upload tools.

For security, avoid sharing your password widely.

Request a password reset if staff changes occur.

3. Uploading Updated PDFs

Inside the admin panel you will see two upload tools:

A) Pricing PDF Upload

B) Delivery Schedule PDF Upload

To update a document:

1. Click Choose File
2. Select your new PDF
3. Click Upload

The system will:

- Replace the existing PDF automatically
- Keep the public website link unchanged
- Make the new version live immediately

No need to rename files manually.

4. Supported File Format

PDF only

Other file types (Word, Excel, images, ZIP) are not supported.

If you need support for additional formats, this can be added later.

5. After Uploading

Your updated PDF will instantly appear on the public website.

If the new version does not appear immediately:

Try a hard refresh:

- Windows: Ctrl + F5
- Mac: Cmd + Shift + R

Browsers often cache PDF files.

6. Security Tips

To keep your admin panel secure:

- Use a strong, unique password
- Change your password every 612 months
- Do not reuse your email password
- Log out when using shared computers

Enhanced security rules can be added on request.

7. Testing Your Update

After uploading:

1. Visit the website
 2. Open the Pricing or Schedule page
 3. Click the PDF link
 4. Verify:
- Updated content is visible
 - Version/date is correct
 - PDF opens in a new browser tab

If the upload was incorrect, simply upload the corrected PDF.

8. Monitoring Analytics in Cloudflare

Cloudflare Web Analytics gives you traffic trends without tracking cookies.

To view analytics:

1. Log in at <https://dash.cloudflare.com>
 2. Select freakyflyerdelivery.com.au
 3. Open Analytics & Logs Web Analytics
 4. Review:
- Page views and visits
 - Top pages
 - Top referrers
 - Device and country breakdowns

For deeper security insights, use Security Events to see blocked bots and rule activity.

That's it!

You now have a simple, secure, non-technical way to update your website documents.

9. If an upload shows a 500 error

A 500 response usually means the server hit a PHP/runtime error before it could show a friendly message.

For your developer, this project includes a quick diagnostic command:

```
npm run diagnose:admin-upload
```

It checks common causes of upload failures, including:

- Missing PHP fileinfo extension (required by upload.php)
- PHP syntax issues in the upload script
- Legacy PHP incompatibilities in admin config (for example `dirname(__DIR__, 2)` on old PHP)

- Upload folder permissions (public/downloads and public/downloads/archived)
- PHP upload limits (upload_max_filesize, post_max_size)

If any check fails, share that output with support/dev and we can resolve it quickly.