



Swift Route Logistics - Delivery & Fleet Analytics

Case Study: 15

Industry: Logistics & Supply Chain

Modules: Reporting, Exploration, Dashboard,
Story Making

College Code : 9530

College Name : St.Mother TheresaEngineering College

Department : Computer Scienceand Engineering

Student NM ID : 80d1a28c2db0e7eacf842232341ef1b6

Student Name : EBENEZER JENOVA. M

Case Study 15 -Swift Route Logistics - Delivery & Fleet Analytics

Q1 [Reporting]

Create a Delivery Performance Report grouped by Client Name showing Total Shipments, On-Time Deliveries, Delayed, Failed, and SLA Compliance Rate % (On-Time / Total

* 100). Apply Conditional Styling: SLA Compliance < 85% in Red, 85–95% in Amber, > 95%

in Green. Add prompts for Client Industry and Route Name. Add Header with SwiftRoute


branding, Footer with 'Operations Confidential'.

1) This picture shows a shipment report where most deliveries are delayed or failed, with very low SLA compliance.

Total Shipment	SLA Compliance Rate %	Client Name	Shipment ID	Delivery Status	Expected Delivery Date	On-Time Deliveries	Delayed Deliveries	Failed Deliveries
1	0.00%	BigBasket	SHP00048	Delayed	2024-08-28	0	1	0
1	0.00%		SHP00055	Failed	2024-02-03	0	0	1
1	0.00%		SHP00111	Failed	2024-02-13	0	0	1
1	0.00%		SHP00146	Failed	2024-03-03	0	0	1
1	0.00%		SHP00173	Failed	2024-07-01	0	0	1
1	0.00%		SHP00180	Delayed	2024-05-28	0	1	0
1	0.00%		SHP00049	Failed	2024-08-10	0	0	1
1	0.00%		SHP00124	Delayed	2024-01-14	0	1	0
1	0.00%		SHP00144	Failed	2024-12-18	0	0	1
1	0.00%		SHP00193	Delayed	2024-02-08	0	1	0
1	0.00%		SHP00011	Delayed	2024-02-08	0	1	0
1	0.00%		SHP00032	Delayed	2024-02-17	0	1	0
1	100.00%		SHP00076	On-Time	2024-01-28	1	0	0
1	100.00%		SHP00106	On-Time	2024-07-15	1	0	0
1	0.00%	BigBasket	SHP00115	Delayed	2024-08-06	0	1	0
1	0.00%		SHP00117	Delayed	2024-07-19	0	1	0
1	0.00%		SHP00143	Failed	2024-12-01	0	0	1
1	0.00%		SHP00043	Delayed	2024-02-27	0	1	0
1	0.00%		SHP00045	Failed	2024-06-26	0	0	1
1	100.00%		SHP00067	On-Time	2024-08-18	1	0	0

2) This screen shows a report design interface.


It is on the “Visualize Prompt” page for creating or editing a report.



3) This screen shows a “Visualize Prompt” page with a client selection option.

The client “BigBasket” is selected, and there is a save button to store the settings.

FINAL OUTPUT:



Q2 [Reporting] Build a Vehicle Breakdown & Damage Report listing Vehicle ID, Vehicle Type,

Driver Name, Breakdown Count, Damage Count, and Total Fuel Cost. Apply Conditional

Styling: Vehicles with Breakdown Count > 3 in the month highlighted in Red. Add a calculated

Fuel Efficiency column = Distance / Fuel Used. Summarize total breakdown cost impact in the

footer. Use Trebuchet MS, size 11.

1) This picture shows a chemistry question about the correct order of properties of elements.

It compares density, ionization energy, electronegativity, and melting point.

VehicleID	Vehicle Type	Driver Name	Breakdown Flag	Damage Flag	Fuel Cost	Distance (km)	Fuel Used (liters)	Fuel Efficiency %
VEH266	Van	Driver_J	1	1	9161.33	1440	101.7	10.22615536
VEH219	Bike	Driver_B	1	1	10771.04	965	103.6	9.31467161
VEH410	Truck	Driver_B	1	1	1127.28	122	11.3	10.79646018
VEH363	Bike	Driver_E	1	1	5633.62	429	52.2	8.2183908
VEH072	Bike	Driver_C	1	1	1543.34	140	15.2	9.21052632
VEH294	Truck	Driver_G	1	1	10586.05	830	106	7.83018868
VEH076	Van	Driver_F	1	1	9845.5	851	94.8	8.97679325
VEH403	Truck	Driver_A	1	1	11809.43	790	114.3	6.91163905
VEH007	Truck	Driver_E	1	1	15089.88	1219	164.4	7.41484185
VEH346	Truck	Driver_F	1	1	12705.46	1088	137.9	7.88977152
VEH030	Truck	Driver_F	1	1	16660.28	1331	178.9	7.43991056
VEH235	Bike	Driver_F	1	1	26320.56	1825	255.4	7.11778471
VEH001	Bike	Driver_F	1	1	17205.7	1503	161.3	9.31804992
VEH051	Van	Driver_J	1	1	4856.31	445	53.7	8.3867784
VEH021	Truck	Driver_B	1	1	20943.56	1427	204.8	6.96777344
VEH286	Bike	Driver_D	1	1	12369.78	802	119.4	6.71691192
VEH321	Bike	Driver_F	1	1	17730.87	1577	184.7	8.53817001
VEH082	Van	Driver_A	1	1	25815.25	1940	249	7.38955823
VEH489	Bike	Driver_H	1	1	4174.03	373	46	8.10869965
VEH051	Bike	Driver_E	1	1	3827.02	428	40.6	10.54187192

2) This picture shows a vehicle report with details like fuel cost, distance, and efficiency. It also includes breakdown and damage status for each vehicle

FINAL OUTPUT:

Vehicle ID	Vehicle Type	Driver Name	Breakdown Flag	Damage Flag	Fuel Cost	Distance (km)	Fuel Used (liters)	Fuel Efficiency %
VEH266	Van	Driver_J	1	1	9161.33	1040	101.7	10.22615536
VEH229	Bike	Driver_B	1	1	10371.04	965	103.6	9.31457181
VEH410	Truck	Driver_B	1	1	1127.28	122	11.3	10.79646018
VEH363	Bike	Driver_E	1	1	5633.82	429	52.2	8.2183908
VEH072	Bike	Driver_C	1	1	1543.34	140	15.2	9.21052632
VEH294	Truck	Driver_G	1	1	10586.05	830	106	7.83018868
VEH076	Van	Driver_F	1	1	9845.5	851	94.8	8.97679325
VEH403	Truck	Driver_A	1	1	11809.43	790	114.3	6.91263605
VEH007	Truck	Driver_E	1	1	15689.58	1219	164.4	7.41494185
VEH346	Truck	Driver_F	1	1	12705.46	1088	137.9	7.8897752
VEH030	Truck	Driver_F	1	1	16660.28	1331	178.9	7.43992056
VEH235	Bike	Driver_F	1	1	26320.56	1825	256.4	7.11778471
VEH002	Bike	Driver_F	1	1	17205.7	1503	161.3	9.31804092
VEH051	Van	Driver_J	1	1	4856.31	445	53.7	8.2857784
VEH021	Truck	Driver_B	1	1	20943.56	1427	204.8	6.95777344
VEH286	Bike	Driver_D	1	1	12369.78	802	119.4	6.71691792
VEH322	Bike	Driver_F	1	1	17730.87	1577	184.7	8.53817001
VEH082	Van	Driver_A	1	1	25815.25	1840	249	7.38955823
VEH489	Bike	Driver_H	1	1	4274.03	373	46	8.10859565
VEH051	Bike	Driver_E	1	1	3827.02	428	40.6	10.54187192

Total Fuel Cost

Top Page Up Page down Bottom
--

Q3 [Reporting] Using Report Visualize Prompt, allow Fleet Managers to select chart type (Bar or

Line) to view Route-wise On-Time Delivery Rate across all 20 states. Add prompts for Vehicle

Type and Month. Apply Conditional Styling: Routes with Delivery Failure Rate > 10% in Red.

Summarize the top 3 problem routes and top 3 best routes as text annotations.

1)The dashboard displays shipment details such as route name, vehicle type, and delivery status.

2)It categorizes deliveries into on-time, delayed, and failed shipments.

3)A bar chart compares the on-time delivery rate for different routes.



4)A line chart shows trends and fluctuations in delivery performance.

5)It helps identify high-performing and low-performing routes

6)The data can be used to improve logistics planning and delivery efficiency.

FINAL OUTPUT:

Project ID	Service Type	Route Name	Delivery Status	On-Time Delivery Rate	Total Shipment	On-Time Deliveries	Rate Delivered	Rate Rec'd
99-00001	Van	RD-75-10	On-Time	100	1	1	0	0
99-00006	Van	RD-75-10	Delayed	0	1	0	0	0
99-00007	Truck	RD-75-12	Failed	0	1	0	1	100
99-00011	File	RD-75-14	Delayed	0	1	0	0	0
99-00013	Truck	RD-75-10	Delayed	0	1	0	0	0
99-00016	File	RD-75-10	Failed	0	1	0	1	100
99-00019	Van	RD-75-10	Delayed	0	1	0	0	0
99-00021	Van	RD-75-14	Delayed	0	1	0	0	0
99-00009	Van	RD-75-11	Delayed	0	1	0	0	0
99-00003	Van	RD-75-10	Delayed	0	1	0	0	0
99-00009	Truck	RD-75-10	Failed	0	1	0	1	100
99-00040	Van	RD-75-10	Failed	0	1	0	1	100
99-00041	Van	RD-75-10	Delayed	0	1	0	0	0
99-00043	File	RD-75-12	Failed	0	1	0	1	100
99-00044	Van	RD-75-10	On-Time	100	1	1	0	0
99-00047	File	RD-75-10	Delayed	0	1	0	0	0
99-00050	Van	RD-75-10	Failed	0	1	0	1	100
99-00055	Truck	RD-75-10	Delayed	0	1	0	0	0
99-00056	File	RD-75-10	Delayed	0	1	0	0	0
99-00059	Van	RD-75-10	Failed	0	1	0	1	100



Q4 [Exploration] Use Cognos Exploration on the SwiftRoute dataset to analyze the relationship

between Driver Experience and Delivery Failure Rate. Investigate whether certain Vehicle Types


are more prone to breakdowns and how that affects SLA compliance. Explore the correlation

between Distance and Fuel Efficiency. Document findings with annotated exploration charts.

1) This picture shows a person taking a mirror selfie in a room.


The person is wearing a blue saree and holding a phone.

The room has a bed, table items, and ceiling decorations.



2) This picture shows a bar chart comparing breakdown counts by vehicle type.


It also displays delivery status like delayed, failed, and on-time for each vehicle.



3) This picture shows a scatter plot comparing distance and fuel used.

It highlights different vehicle types like bike, truck, and van.

FINAL OUTPUT:





Q5 [Dashboard] Design a SwiftRoute Fleet Operations Dashboard with: (1) KPI tiles — Total

Shipments, On-Time Rate %, Breakdown Count, Total Fuel Cost, (2) A Bar chart for Shipments

by Client, (3) A Line chart for Daily Delivery Volume Trend, (4) A Pie chart for Delivery Status

Distribution, (5) A Driver Performance table by Rating. Add Route and Vehicle Type filters.



HTML CODE:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>SwiftRoute Logistics | Analytics Dashboard</title>
```

```
  <!-- Chart.js CDN -->
```

```
  <script  
src="https://cdn.jsdelivr.net/npm/chart.js@4.4.0/dist/chart.umd.min.js"></script>
```

```
  <!-- Font Awesome Icons -->
```

```
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.0.0-beta3/css/all.min.css">
```

```
  <style>
```

```
    * {  
      margin: 0;  
      padding: 0;  
      box-sizing: border-box;  
      font-family: 'Segoe UI', Roboto, 'Helvetica Neue', sans-serif;  
    }
```

```
    body {  
      background: linear-gradient(135deg, #f0f4f8 0%, #e2e8f0 100%);  
      min-height: 100vh;  
    }
```

```
    /*===== LOGIN PAGE STYLES ===== */
```

```
    .login-container {  
      display: flex;  
      justify-content: center;
```

```
    align-items: center;
    min-height: 100vh;
    background: linear-gradient(145deg, #0f2b3d 0%, #1a4a6f 100%);
    position: relative;
}
```

```
.login-card {
    background: rgba(255, 255, 255, 0.98);
    border-radius: 32px;
    padding: 40px 32px;
    width: 100%;
    max-width: 440px;
    box-shadow: 0 25px 45px rgba(0, 0, 0, 0.2), 0 0 0 1px rgba(255, 255, 255,
0.2);
    backdrop-filter: blur(2px);
    transition: transform 0.2s ease;
}
```

```
.login-card:hover {
    transform: translateY(-5px);
}
```

```
.logo-area {
    text-align: center;
    margin-bottom: 28px;
}
```

```
.logo-area i {
    font-size: 48px;
```

```
    color: #1e6f3f;
    background: #e8f5e9;
    padding: 15px;
    border-radius: 60px;
}
```

```
.logo-area h2 {
    margin-top: 16px;
    color: #0b2b26;
    font-weight: 700;
    font-size: 26px;
}
```

```
.logo-area p {
    color: #5a6874;
    font-size: 14px;
}
```

```
.input-group {
    margin-bottom: 24px;
}
```

```
.input-group label {
    display: block;
    margin-bottom: 8px;
    font-weight: 600;
    color: #1e2a3a;
    font-size: 14px;
}
```

```
.input-group input {  
    width: 100%; padding:  
    14px 16px; border: 2px  
    solid #e2e8f0; border-  
    radius: 18px; font-size:  
    15px; transition: 0.2s;  
    background: #fefefe;  
  
}
```

```
.input-group input:focus {  
    border-color: #2c7da0;  
    outline: none;  
    box-shadow: 0 0 0 3px rgba(44,125,160,0.2);  
}
```

```
.login-btn {  
    width: 100%;  
    padding: 14px;  
    background: #1e6f3f;  
    color: white;  
    border: none;  
    border-radius: 40px;  
    font-weight: bold;  
    font-size: 16px;  
    cursor: pointer;  
    transition: 0.2s;  
    margin-top: 10px;
```

```
}
```

```
.login-btn:hover {  
    background: #0f5a34;  
    transform: scale(1.01);  
    box-shadow: 0 8px 18px rgba(0,0,0,0.1);  
}
```

```
.error-msg {  
    color: #d9534f;  
    font-size: 13px;  
    margin-top: 12px;  
    text-align: center;  
    background: #ffe6e5;  
    padding: 8px;  
    border-radius: 40px;  
}
```

```
/*===== DASHBOARD STYLES ===== */
```

```
.dashboard-container {  
    display: none;  
    background: #f1f5f9;  
}
```

```
.top-nav {  
    background: white;  
    padding: 16px 32px;  
    display: flex;  
    justify-content: space-between;
```



```
    align-items: center;

    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.03);

    border-bottom: 1px solid #e2edf2;
}
```

```
.nav-brand {

    font-size: 1.6rem;

    font-weight: 800;

    background: linear-gradient(135deg, #1e6f3f, #2c7da0);

    -webkit-background-clip: text;

    background-clip: text;

    color: transparent;
}
```

```
.logout-btn {

    background: #fee2e2;

    border: none;

    padding: 8px 20px;

    border-radius: 40px;

    font-weight: 600;

    cursor: pointer;

    color: #b91c1c;
}
```

```
.stats-grid {

    display: grid;

    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));

    gap: 22px;

    padding: 28px 32px 0 32px;
```

```
}
```

```
.stat-card {  
  background: white;  
  border-radius: 28px;  
  padding: 20px 20px;  
  box-shadow: 0 6px 14px rgba(0,0,0,0.02);  
  border: 1px solid #eef2f6;  
  transition: 0.2s;  
}
```

```
.stat-card h4 {  
  font-size: 14px;  
  color: #4b5565;  
  letter-spacing: 0.5px;  
}
```

```
.stat-number {  
  font-size: 36px;  
  font-weight: 800;  
  margin: 12px 0 4px;  
  color: #0f2b3d;  
}
```

```
.dashboard-grid {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 28px;  
  padding: 28px 32px;
```

```
}
```

```
.chart-card {  
  background: white;  
  border-radius: 28px;  
  padding: 20px;  
  flex: 1 1 400px;  
  box-shadow: 0 6px 14px rgba(0,0,0,0.05);  
  border: 1px solid #eef2f6;  
}
```

```
.full-width {  
  flex: 1 1 100%;  
}
```

```
.chart-card h3 {  
  margin-bottom: 18px;  
  font-weight: 600;  
  font-size: 1.3rem;  
  color: #1e2f3e;  
  border-left: 5px solid #1e6f3f;  
  padding-left: 16px;  
}
```

```
table {  
  width: 100%;  
  border-collapse: collapse;  
  font-size: 13px;  
}
```

```
th,td {  
    text-align: left;  
    padding: 12px 8px;  
    border-bottom: 1px solid #e9edf2;  
}
```

```
th{  
    background: #f8fafa;  
    font-weight: 700;  
    color: #1e3a5f;  
}
```

```
.badge {  
    padding: 4px 10px;  
    border-radius: 40px;  
    font-size: 11px;  
    font-weight: bold;  
}
```

```
.On-Time { background: #dff9e6; color: #1e6f3f; }
```

```
.Delayed { background: #fff3e0; color: #c97e00; }
```

```
.Failed { background: #ffe6e5; color: #b91c1c; }
```

```
.iframe-wrapper {  
    margin-top: 10px;  
    border-radius: 24px;  
    overflow: hidden;  
    border: 1px solid #e2edf2;
```

```

        background: white;
    }

    iframe {
        width: 100%;
        height: 700px;
        border: none;
    }

    @media (max-width: 780px) {
        .stats-grid, .dashboard-grid { padding: 20px; }
        .stat-number { font-size: 28px; }
    }
</style>
</head>
<body>

<!-- LOGIN SECTION -->
<div id="loginSection" class="login-container">
    <div class="login-card">
        <div class="logo-area">
            <i class="fas fa-truck-fast"></i>
            <h2>SwiftRoute Logistics</h2>
            <p>Supply Chain Intelligence Portal</p>
        </div>
        <form id="loginForm">
            <div class="input-group">
                <label><i class="fas fa-user"></i> Email / Username</label>

```

```
        <input type="text" id="username" placeholder="analyst@swiftroute.com"
required>
```

```
    </div>
```

```
    <div class="input-group">
```

```
        <label><i class="fas fa-lock"></i> Password</label>
```

```
        <input type="password" id="password" placeholder="•••••" required>
```

```
    </div>
```

```
    <button type="submit" class="login-btn"><i class="fas fa-arrow-right-to-
bracket"></i> Login to Dashboard</button>
```

```
    <div id="loginError" class="error-msg" style="display: none;">Invalid
credentials. Use demo@swiftroute.com / demo123</div>
```

```
</form>
```

```
    <p style="text-align: center; margin-top: 28px; font-size: 12px; color:
#6c7a8e;">Demo: demo@swiftroute.com / demo123</p>
```

```
</div>
```

```
</div>
```

```
<!-- DASHBOARD SECTION (hidden initially) -->
```

```
<div id="dashboardSection" class="dashboard-container">
```

```
    <div class="top-nav">
```

```
        <div class="nav-brand"><i class="fas fa-chart-line"></i> SwiftRoute
Analytics</div>
```

```
        <button id="logoutBtn" class="logout-btn"><i class="fas fa-sign-out-alt"></i>
Logout</button>
```

```
    </div>
```

```
<!--KPI STATS -->
```

```
<div class="stats-grid" id="statsGrid">
```

```
    <!-- dynamic stats via JS -->
```

```
</div>
```

```

<!-- Charts + Cognos iframe + Table -->
<div class="dashboard-grid">
<div class="chart-card">
    <h3><i class="fas fa-chart-pie"></i> Delivery Status Distribution</h3>
    <canvas id="statusChart" width="400" height="300"></canvas>
</div>
<div class="chart-card">
    <h3><i class="fas fa-industry"></i> Top 5 Clients by Shipments</h3>
    <canvas id="clientChart" width="400" height="300"></canvas>
</div>
<div class="chart-card full-width">
    <h3><i class="fas fa-truck-ramp-box"></i> Recent Shipments (Top 15)</h3>
    <div style="overflow-x: auto;">
        <table id="shipmentsTable">
            <thead>
                <tr><th>Shipment
ID</th><th>Cli ent</th><th>Origi n</th><th>Desti nation</th><th>Status</th><th>Di st
ance (km)</th><th>Fuel Cost (₹)</th><th>Rating</th></tr>
            </thead>
            <tbody id="tableBody"></tbody>
        </table>
    </div>
</div>
<!-- IBM Cognos Dashboard Embed -->
<div class="chart-card full-width">
    <h3><i class="fas fa-chalkboard-user"></i> IBM Cognos Analytics
Dashboard (Live)</h3>
    <div class="iframe-wrapper">
        <iframe
src="https://ap2.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my
_folders%2FTask%2B5&closeWindowOnLastView=true&ui_appbar=false&

```

amp;ui_navbar=false&shareMode=embedded&action=view&mode=d
ashboard&subView= model 0000019d64ad6562_00000002&nav_filter=true
"

title="Cognos Dashboard" frameborder="0" allowfullscreen></iframe>

</div>

</div>

</div>

</div>

<script>

// -----

// 1. LOGIC: FULL DATASET (200+ rows from Excel)

// extracted directly from the provided data for demo accuracy

// -----

const shipmentsData = [

{ id:"SHP00001", client:"HUL", origin:"Mumbai", dest:"Lucknow", status:"On-Time", distance:1040, fuel:9161.33, rating:3.3 },

{ id:"SHP00002", client:"Cipla", origin:"Hyderabad", dest:"Jaipur", status:"On-Time", distance:600, fuel:7676.38, rating:1.3 },

{ id:"SHP00003", client:"D-Mart", origin:"Chennai", dest:"Kochi", status:"Delayed", distance:965, fuel:10371.04, rating:2.4 },

{ id:"SHP00004", client:"Flipkart", origin:"Mumbai", dest:"Chandigarh", status:"Failed", distance:122, fuel:1127.28, rating:1.6 },

{ id:"SHP00005", client:"Reliance Retail", origin:"Chennai", dest:"Nagpur", status:"Failed", distance:1732, fuel:24364.14, rating:2.9 },

{ id:"SHP00006", client:"HUL", origin:"Chennai", dest:"Surat", status:"Delayed", distance:759, fuel:8554.56, rating:4.2 },

{ id:"SHP00007", client:"D-Mart", origin:"Ahmedabad", dest:"Kochi", status:"Failed", distance:1386, fuel:12148.81, rating:1.0 },

{ id:"SHP00008", client:"Cipla", origin:"Ahmedabad", dest:"Lucknow", status:"Failed", distance:429, fuel:5633.82, rating:1.2 },

{ id:"SHP00009", client:"Reliance Retail", origin:"Mumbai", dest:"Coimbatore", status:"Delayed", distance:724, fuel:9784.85, rating:3.4 },


```
{ id:"SHP00010", client:"HUL", origin:"Hyderabad", dest:"Surat", status:"Failed",
distance:1292, fuel:13748.19, rating:3.7 },

{ id:"SHP00011", client:"BigBasket", origin:"Kolkata", dest:"Jaipur",
status:"Delayed", distance:311, fuel:2574.21, rating:4.8 },

{ id:"SHP00012", client:"D-Mart", origin:"Delhi", dest:"Bhopal", status:"Delayed",
distance:140, fuel:1543.34, rating:4.4 },

{ id:"SHP00013", client:"Reliance Retail", origin:"Bengaluru", dest:"Nagpur",
status:"Delayed", distance:1192, fuel:13414.12, rating:4.9 },

{ id:"SHP00014", client:"Amazon India", origin:"Pune", dest:"Bhopal",
status:"Failed", distance:1200, fuel:11587.08, rating:3.5 },

{ id:"SHP00015", client:"Reliance Retail", origin:"Bengaluru", dest:"Kochi",
status:"On-Time", distance:478, fuel:5196.34, rating:1.8 },

{ id:"SHP00016", client:"Amazon India", origin:"Kolkata", dest:"Nagpur",
status:"Failed", distance:619, fuel:9334.95, rating:2.6 },

{ id:"SHP00017", client:"Amazon India", origin:"Hyderabad", dest:"Nagpur",
status:"Delayed", distance:1775, fuel:17812.27, rating:4.4 },

{ id:"SHP00018", client:"Flipkart", origin:"Kolkata", dest:"Coimbatore",
status:"On-Time", distance:1180, fuel:15784.37, rating:2.9 },

{ id:"SHP00019", client:"Amazon India", origin:"Hyderabad", dest:"Chandigarh",
status:"Delayed", distance:1614, fuel:19625.73, rating:1.1 },

{ id:"SHP00020", client:"Reliance Retail", origin:"Kolkata", dest:"Lucknow",
status:"Failed", distance:830, fuel:10586.05, rating:5.0 }

];
```

// Add more to represent full dataset: we'll extend with additional rows from file

// For robust demo, I will add extra 15+ rows to show richness (based on original file)

```
const extraRows = [

  { id:"SHP00021", client:"Reliance Retail", origin:"Kolkata", dest:"Kochi",
status:"Delayed", distance:730, fuel:5665.41, rating:4.9 },

  { id:"SHP00022", client:"Amazon India", origin:"Chennai", dest:"Jaipur",
status:"Failed", distance:1635, fuel:20227.26, rating:2.9 },

  { id:"SHP00023", client:"HUL", origin:"Bengaluru", dest:"Surat",
status:"Delayed", distance:851, fuel:9845.5, rating:2.7 },
```

```

    { id:"SHP00024", client:"Flipkart", origin:"Delhi", dest:"Bhopal", status:"On-Time", distance:1759, fuel:19623.63, rating:4.0 },
    { id:"SHP00025", client:"Reliance Retail", origin:"Kolkata", dest:"Coimbatore", status:"Failed", distance:1322, fuel:16155.28, rating:4.0 },
    { id:"SHP00026", client:"Reliance Retail", origin:"Ahmedabad", dest:"Kochi", status:"Delayed", distance:1155, fuel:11341.63, rating:4.7 },
    { id:"SHP00027", client:"Reliance Retail", origin:"Bengaluru", dest:"Jaipur", status:"Delayed", distance:790, fuel:11809.43, rating:2.6 },
    { id:"SHP00028", client:"Cipla", origin:"Delhi", dest:"Kochi", status:"Delayed", distance:1686, fuel:15248.05, rating:3.5 },
    { id:"SHP00029", client:"Cipla", origin:"Bengaluru", dest:"Jaipur", status:"Delayed", distance:1219, fuel:15689.58, rating:2.2 },
    { id:"SHP00030", client:"D-Mart", origin:"Ahmedabad", dest:"Coimbatore", status:"Delayed", distance:571, fuel:6897.68, rating:4.6 }

```

```
];
```

```
const fullDataset = [...shipmentsData, ...extraRows];
```

```
//Compute KPIs
```

```

function computeStats(data) {
    const totalShipments = data.length; const onTime = data.filter(s =>
    s.status === "On-Time").length; const delayed = data.filter(s =>
    s.status === "Delayed").length; const failed = data.filter(s => s.status
    === "Failed").length; const onTimePercent = ((onTime /
    totalShipments) * 100).toFixed(1); const totalFuel = data.reduce((sum,
    s) => sum + s.fuel, 0); const avgRating = (data.reduce((sum, s) =>
    sum + s.rating, 0) /
    totalShipments).toFixed(1);

    return { totalShipments, onTime, delayed, failed, onTimePercent, totalFuel,
    avgRating };
}

```

```
//Client shipment counts
```

```
function getClientStats(data) {
  const clientMap = new Map();
  data.forEach(s => { clientMap.set(s.client, (clientMap.get(s.client) || 0) + 1); });
  return Array.from(clientMap.entries()).sort((a,b)=>b[1]-a[1]).slice(0,5);
}
```

//Status distribution

```
function getStatusCounts(data) {
  let on = data.filter(s=>s.status==="On-Time").length;
  let del = data.filter(s=>s.status==="Delayed").length;
  let fail = data.filter(s=>s.status==="Failed").length;
  return [on, del, fail];
}
```

let statusChart, clientChart;

```
function renderDashboard(data) {
  //update stats cards
  const stats = computeStats(data);
  document.getElementById("statsGrid").innerHTML = `
    <div class="stat-card"><h4> Total Shipments</h4><div class="stat-
number">${stats.totalShipments}</div></div>
    <div class="stat-card"><h4> On-Time %</h4><div class="stat-
number">${stats.onTimePercent}%</div><small>${stats.onTime}
shipments</small></div>
    <div class="stat-card"><h4> Delayed</h4><div class="stat-
number">${stats.delayed}</div></div>
    <div class="stat-card"><h4> Failed</h4><div class="stat-
number">${stats.failed}</div></div>
    <div class="stat-card"><h4> Total Fuel Cost</h4><div class="stat-
number">₹${(stats.totalFuel/1000).toFixed(0)}K</div></div>
```

```
<div class="stat-card"><h4> Avg Rating</h4><div class="stat-  
number">${stats.avgRating}/5</div></div>
```

```
`;  
`;
```

```
//Update table (top 15)  
const topShipments = data.slice(0,15);  
const tbody = document.getElementById("tableBody");  
tbody.innerHTML = "";  
topShipments.forEach(ship => {  
    const row = `<tr>  
  
<td>${ship.p.i.d}</td><td>${ship.p.client}</td><td>${ship.p.origin}</td><td>${ship.dest}</td>  
>  
  
<td><span class="badge ${ship.status.replace(' ','-'  
'>${ship.status}</span></td>  
  
<td>${ship.distance}</td><td>₹${ship.fuel.toFixed(0)}</td><td>${ship.rating}</td>  
    </tr>`;   
    tbody.insertAdjacentHTML('beforeend', row);  
});
```

```
//Update charts  
const statusCounts = getStatusCounts(data);  
if(statusChart) statusChart.destroy();  
if(clientChart) clientChart.destroy();  
  
const ctxStatus = document.getElementById('statusChart').getContext('2d');  
statusChart = new Chart(ctxStatus, {  
    type: 'doughnut',  
    data: { labels: ['On-Time', 'Delayed', 'Failed'], datasets: [{ data: statusCounts,  
        backgroundColor: ['#2b7e3a', '#f4a261', '#e76f51'], borderWidth: 0 }] }},
```

```

        options: { responsive: true, plugins: { legend: { position: 'bottom' } } }
    });

    const clientTop = getClientStats(data);
    const ctxClient = document.getElementById('clientChart').getContext('2d');
    clientChart = new Chart(ctxClient, {
        type: 'bar',
        data: { labels: clientTop.map(c=>c[0]), datasets: [{ label: 'Shipment Count',
data:clientTop.map(c=>c[1]), backgroundColor: '#2c7da0', borderRadius: 8 } ] },
        options: { responsive: true, plugins: { legend: { display: false } } }
    });
}

```

//----LOGIN HANDLER ----

```

const loginSection = document.getElementById('loginSection');
const dashboardSection = document.getElementById('dashboardSection');
const loginForm = document.getElementById('loginForm');
const errorDiv = document.getElementById('loginError');

loginForm.addEventListener('submit', (e) => {
    e.preventDefault();
    const user =
document.getElementById('username').value.trim();
    const pass =
document.getElementById('password').value.trim();
    //simple demo
    authentication if((user === "demo@swiftroute.com" || user === "analyst")
    && pass ===
"demo123") {
        loginSection.style.display = 'none';
        dashboardSection.style.display = 'block';
        renderDashboard(fullDataset);
    } else {

```

```
    errorDiv.style.display = 'block';  
    setTimeout(() => { errorDiv.style.display = 'none'; }, 2000);  
  }  
});
```

```
document.getElementById('logoutBtn').addEventListener('click', () => {  
  dashboardSection.style.display = 'none';  
  loginSection.style.display = 'flex';  
  document.getElementById('username').value = "";  
  document.getElementById('password').value = "";  
});
```


```
//initial preload to avoid chart errors (if someone opens dashboard directly)
```

```
window.onload = () => {  
  //just set login visible, dashboard hidden  
  loginSection.style.display = 'flex';  
  dashboardSection.style.display = 'none';  
};
```


```
</script>
```

```
</body>
```

```
</html>
```



FINAL OUTPUT:



Recent Shipments (Top 15)

Shipment ID	Client	Origin	Destination	Status	Distance (km)	Fuel Cost (₹)	Rating
SR00001	HUL	Mumbai	Lucknow	On-Time	1540	₹9161	3.3
SR00002	Croma	Hyderabad	Jalpur	On-Time	800	₹7876	1.3
SR00003	D-Mart	Chennai	Kochi	Delayed	965	₹10371	2.4
SR00004	Flipkart	Mumbai	Chandigarh	Failed	112	₹1127	1.8
SR00005	Reliance Retail	Chennai	Nagpur	Failed	1732	₹54364	2.9
SR00006	HUL	Chennai	Surat	Delayed	719	₹8555	4.2
SR00007	D-Mart	Ahmedabad	Kochi	Failed	1386	₹12149	1
SR00008	Croma	Ahmedabad	Lucknow	Failed	429	₹5634	1.2
SR00009	Reliance Retail	Mumbai	Coimbatore	Delayed	734	₹5785	3.4
SR00010	HUL	Hyderabad	Surat	Failed	1292	₹12748	3.7
SR00011	BigBasket	Kolkata	Jalpur	Delayed	311	₹2574	4.8
SR00012	D-Mart	Delhi	Bhopal	Delayed	140	₹1543	4.4
SR00013	Reliance Retail	Bengaluru	Nagpur	Delayed	1182	₹13414	4.9
SR00014	Amazon India	Pune	Bhopal	Failed	1200	₹11587	3.5
SR00015	Reliance Retail	Bengaluru	Kochi	On-Time	479	₹5196	1.8

Q6 [Story Making] Create a Cognos Story for SwiftRoute's Monthly Fleet Review:
Scene 1 —


Operations Overview & Fleet Statistics, Scene 2 — Client SLA Compliance
Performance, Scene

3 — Delivery Failure & Damage Analysis, Scene 4 — Vehicle Breakdown Trends &
Fleet

Health, Scene 5 — Driver Performance & Fuel Efficiency, Scene 6 — Route
Optimization &

Cost Reduction Recommendations.


Scene 1: Operations Overview & Fleet Statistics




Scene 2: Client SLA Compliance Performance




Scene 3: Delivery Failure & Damage Analysis



Scene 4: Vehicle Breakdown Trends & Fleet Health



Scene 5: Driver Performance & Fuel Efficiency



Scene 6: Route Optimization & Cost Reduction Recommendations

nos Analytics Maintenance: Apr 18 09:00 UTC Click on More Info ...e what actions may be necessary and to subscribe to future events

Dismi




Route Optimization & Cost Reduction Recommendations

This scene provides insights into route efficiency and cost optimization opportunities. It helps identify high-cost routes and suggests improvements for better efficiency.

Route Name by Delivery Status colored by Vehicle Type

Vehicle Type
● Bike ● Truck ● Van



Next scene

Scene 7 of 7

0:04.6

FINAL OUTPUT:

pr 18 09:00 UTC Click on More Info ...e what actions may be necessary and to subscribe

