






AUTOMATIC BACKUP

Develop by- Icon TechSoft Pvt. Ltd

Local Server, Google Drive, Dropbox, SFTP, Amazon S3 and FTP



Features



Index

1 . Database Backup Configuration.....	5
2 . Folder (Local).....	7
3 . Google drive.....	9
4 . Dropbox.....	20
5 . FTP.....	23
6 . SFTP.....	24
7 . Amazon S3.....	25


External Dependency

First install some python dependency modules to work this module properly, for that use below commands:

- ☞ To install dropbox use: sudo pip install **dropbox**
- ☞ To install pysftp use: sudo pip install **ftplib**
- ☞ To install boto3 use: sudo pip install **boto3**
- ☞ To install pydrive use: sudo pip install **pydrive**
- ☞ To install boto3 use: sudo pip install **paramiko**
- ☞ To install boto3 use: sudo pip install **oauth2client**

Database Backup Configuration

1. To set configuration for Auto Database Backups, Go to Settings > Technical > Auto DB Backups > Configure Auto DB Backups here you will get one record click on that, you will find here configuration form to set Auto DB backups for upload backups to Folder, Google Drive, Dropbox, FTP, SFTP, AWS s3 as shown in below



-- Configure Auto DB Backups Form

SettingsGeneral SettingsUsers & CompaniesTranslationsGamification ToolsTechnical

Configure Auto DB BackupsAuto db backups1 / 1

Filename

Auto db backups

Successful Backup Notification Emailicontech68.7@gmail.comFailed Backup Notification Emailicontech68.7@gmail.com

Auto. Remove Backups?☐

Automatic Backup Rules

Active	Backup Type	Backup Destination	Next Excecution Date	
☐	Dump	Folder	Aug 7, 10:44 AM	Backup
☐	Dump	Google Drive	Aug 7, 10:40 AM	Backup
☐	Dump	Dropbox	Aug 7, 10:47 AM	Backup
☐	Zip	FTP	Jul 29, 5:32 PM	Backup
☐	Dump	SFTP	Aug 7, 10:54 AM	Backup
☐	Zip	AWS S3	Aug 7, 11:40 AM	Backup

You can use all or any one you wish to set for database backups destination, where you want to put DB backups from given five backup destination, backup to Folder or Google Drive or Dropbox or FTP or SFTP or Amazon S3 as per your choice by making active field True .

Folder (Local)

2. To set database backup to Folder (Local), click on edit then click on automatic backups rule where backup destination is Folder. You will have form to configure DB backup to Folder as below:

The screenshot shows the 'Configure Auto DB Backups' interface. On the left, there's a sidebar with 'Auto db backups' and a table of backup rules. The main area displays the 'Open: Auto Database Backup Rules' dialog box. The dialog box contains the following fields:

- Backup Type:** Dump
- Backup Destination:** Folder
- Backup:** Database Only
- Backup Directory:** /home/icon18/workspace/odoo-19.0/custom_module
- Active:** ☐
- Interval Number:** 1
- Interval Unit:** Days
- Next Execution Date:** Aug 7, 10:44 AM

At the bottom of the dialog box, there are 'Save' and 'Discard' buttons.

Fields to set:

Backup Type: Select which backup type you want to take for database it's as a zip (with file store) or .dump (only database).

Backup Destination: Folder

Backup: Select backup for what you want to take as a backup it's Database Only or Database and Files (database with modules folder).

Files Path: If you are taking backup with database and files than mention path of modules which you want to take backup for, along with database.

Backup Directory: Select path and set folder name in field beside this field in which db backup will be put.

Active: If you want to set your database backup destination to Folder than make active field checked. If you don't want to take DB backup to Folder than make it Active by making active field unchecked.

Interval Number: Set number of days/months/weeks/hours/minutes for which you want to take your database backup.


Interval Unit: Set unit for which you want to take your database backup every days/months/weeks/hours/minutes.

Next Execution date: If you want to set manually the date when to take DB backup to take next than you can set it here.


Button > Backup: You can take backup directly using this Backup button if you want to. After configure all fields click on save and again save main form.

Google Drive

3. To set database backup to Google Drive, click on edit than click on automatic backup's rule where backup destination is Google Drive. You will have form to configure DB backup to Google Drive as below:



-- Click on Get Credentials link If the `client_secrets.json` file is not available in the module directory, the following warning will be displayed:




--This warning indicates that the Google OAuth credentials file has not yet been configured.


Generate Google OAuth Credentials

1. If you are not logged in to any account then you have below pages


→ When you are not logged-in in any account before from your browser or you are using private browsing




- Choose account (in which you want to upload files) from when you are logged-in in any account before from your browser




- After login to google account, you have below page to create credentials
-- click on **ENABLE APIS AND SERVICES** as shown in below image



- Here search for Google Drive API to enable that as shown in below image



- Select Google Drive API, you have below page



Google Cloud Odoo Drive Backup

Product details

Google Drive API

[Google Enterprise API](#)

Create and manage resources in Google Drive.

[Manage](#) [Try this API](#) API Enabled

[Overview](#) [Documentation](#) [Support](#) [Related Products](#)

Overview

With the Google Drive API, you can access resources from Google Drive to create files, manage file sharing, search for files and folders, and more.

[Learn more](#)


About Google Enterprise API

Google's mission is to organize the world's information and make it universally accessible and useful. Through products and platforms like Search, Maps, Gmail, Android, Google Play, Chrome and YouTube, Google plays a meaningful role in the daily lives of billions of people.

Additional details

Type: [SaaS & APIs](#)
 Last product update: 6/4/26
 Category: [Storage](#), [Google Workspace](#)
 Service name: drive.googleapis.com

- Here, if this api is not enabled then first enable it
- Now click on Get started button



Google Cloud odoo 19 auto db backup

Search (/) for resources, docs, products, and more

Google Auth Platform / Overview

Overview

Branding

Audience

Clients

Data Access

Verification Center

Settings


OAuth Overview

Google Auth Platform not configured yet

Get started to configure your application's identity and manage credentials for calling Google APIs and Sign in with Google. [Learn more](#)

[Get started](#)


-- after Get started button now Project Configuration open here added App Information, set Use Supported Email and click next



The screenshot shows the Google Cloud Project configuration page for 'odoo 19 auto db backup'. The left sidebar contains navigation links: Overview, Branding, Audience, Clients, Data Access, Verification Center, and Settings. The main content area is titled 'Project configuration' and shows a progress bar with four steps: 1. App Information, 2. Audience, 3. Contact Information, and 4. Finish. The 'App Information' step is active, showing a form with 'App name' set to 'Odoo 19 Auto DB backup' and 'User support email' set to 'icontech68.6@gmail.com'. A 'Next' button is visible at the bottom of the form.

-- after click next Audience option select External than click next

-- after click next Audience option select External than click next



The screenshot shows the Google Cloud Project configuration page for 'odoo 19 auto db backup'. The left sidebar contains navigation links: Overview, Branding, Audience, Clients, Data Access, Verification Center, and Settings. The main content area is titled 'Project configuration' and shows a progress bar with four steps: 1. App Information, 2. Audience, 3. Contact Information, and 4. Finish. The 'Audience' step is active, showing two options: 'Internal' and 'External'. The 'External' option is selected. Below the options, there is a 'Next' button.

-- After Click next Contact Information added current login Email id added and click next

The screenshot shows the Google Cloud Project configuration page. The left sidebar contains a menu with 'Overview', 'Branding', 'Audience', 'Clients', 'Data Access', 'Verification Center', and 'Settings'. The main content area is titled 'Project configuration' and shows a progress bar with four steps: 'App Information', 'Audience', 'Contact Information', and 'Finish'. The 'Contact Information' step is currently active, indicated by a blue checkmark and a blue border. Below the progress bar, there is a text input field labeled 'Email addresses *' containing the email address 'icontech68.6@gmail.com'. Below the input field, there is a note: 'These email addresses are for Google to notify you about any changes to your project.' Below the note, there is a 'Next' button. At the bottom of the page, there is a 'Create' button and a 'Cancel' button.

-- After next Finish option show here click on i agree checkbox and click on continue and than click on Create button

The screenshot shows the Google Cloud Project configuration page. The left sidebar contains a menu with 'Overview', 'Branding', 'Audience', 'Clients', 'Data Access', 'Verification Center', and 'Settings'. The main content area is titled 'Project configuration' and shows a progress bar with four steps: 'App Information', 'Audience', 'Contact Information', and 'Finish'. The 'Finish' step is currently active, indicated by a blue checkmark and a blue border. Below the progress bar, there is a checkbox labeled 'I agree to the [Google API Services: User Data Policy](#)'. Below the checkbox, there is a 'Continue' button. At the bottom of the page, there is a 'Create' button and a 'Cancel' button.


-- after complete configuration now click on Audience option now here Click on add Users Button than here one popup is open here added current login email id click on save button after save button Oauth User cap option this user is added now click on Publish App

The screenshot shows the Google Cloud Platform 'Audience' configuration page. The left sidebar has 'Audience' selected. The main content area shows 'User type' set to 'External' and 'OAuth user cap' at 100. A modal window titled 'Add users' is open, displaying a warning about user caps and a text input field with the email 'icontech68.6@gmail.com'. The 'Save' button is at the bottom of the modal.


– Now open URL --> <https://console.cloud.google.com/apis/credentials> to create credentials file for which is later on used for Google Drive Upload

The screenshot shows the Google Cloud Platform 'Credentials' page. The left sidebar has 'Credentials' selected. The main content area shows the 'Credentials' tab. The 'API Keys' section is empty. The 'OAuth 2.0 Client IDs' section contains one entry: 'icon odoo backup' with a creation date of 'Jul 29, 2026' and a type of 'Desktop'. The 'Service Accounts' section is empty.

- Click on CREATE CREDENTIALS as shown in above image



- Here, click on Oauth client ID




After all configuration set click on CREATE button to create client_secrets.json file
You can download it from credentials file.


Please don't skip below step

After downloading file rename that file as client_secrets.json and add this file in module path auto_odoo_db_and_file_backup/models

As shown in below image




Now after adding this file to module, one time authorize that file from Odoo as shown in below image



After this you are able to get backup in Google Drive

- If you already have client_secrets.json in module and you want to update it then when you are going to Get Credential, you have confirmation popup as shown in below image:



Click on Ok button to continue process otherwise click on Cancel button

All other fields are same as described in point 2.

After configure all fields click on save and again save main form.

Dropbox

4. To set database backup to Dropbox, click on edit then click on automatic backup's rule where backup destination is Dropbox. You will have form to configure DB backup to Dropbox as below:

Settings General Settings Users & Companies

Configure Auto DB Backups Auto db backups

Filename
Auto db backups

Successful Backup Notification Email icontech68.7@gmail.com

Auto. Remove Backups? ☐

Automatic Backup Rules

Active	Backup Type
☐	Dump
☐	Dump
☐	Zip
☐	Zip
☐	Dump
☐	Zip

Open: Auto Database Backup Rules

Backup

Backup Type Zip

Backup Destination Dropbox

Backup Database Only

App key SawwkuSiawquhom

App secret

Get an authorization code [Get Authorization Code](#)

Authorization Code

Get Refresh token after generating an authorization code [Generate Refresh Token](#)

Dropbox Refresh Token

Active ☐

Interval Number 1

Interval Unit Days

Next Execution Date Aug 7, 10:47 AM

[Save](#) [Discard](#)

Fields to set:

First to set App key and App secret you need to create one app in your Dropbox so to do that,

Dropbox

Developers Documentation Guides Community & Support App Console

My apps [Create app](#)

Apps created with your account

Autobackupapi
Status: Development
Permission type: Scoped App

Autobackupodoo
Status: Development
Permission type: Full Dropbox

dbapp_after_drp_update
Status: Development
Permission type: Scoped App

Step 1: Go to Dropbox developer portal > <https://www.dropbox.com/developers/apps>. You have page as shown in below image:
Click on create app button on right top. You will have new page to create an app in drop box as below:
Step 2: Click on Choose an API.
Step 3: Than you get options for Choose the type of access you need > select Full Dropbox.
Step 3: Give Name for the app. Click on create app.
Now your App is created. And you will redirect to your created app page from there you can get App key and App secret as show in below image:

App key	i1f174617fzo6i0
App secret	Show

Set those values in field App Key and App Secret.
Authorization Code: To set this click on button Get Authorization code, you will have one wizard as shown in below image:

Odoo

Get Authorization Code --> [Get Authorization Code](#)

Authorization Code

Confirm

Cancel

Here, click on link Get Authorization code, you will redirect to a new page if you are not logged in to drop box than sign in from there otherwise continue to get code. After all process done you will have Authorization code and set that code in this wizard form field Authorization code as shown in above image and click on confirm button.

Dropbox Refresh Token: To set value in this field click on button Generate Refresh Token after Authorization code will be generated. This field will be automatically filled when click on button Generate Refresh Token.

(Note: Authorization Code and Dropbox Refresh Token fields are required for drop box)

All other fields are same as described in point 2.

After configure all fields click on save and again save main form.

FTP

5. To set database backup to FTP, click on edit than click on automatic backup's rule where backup destination is FTP. You will have form to configure DB backup to FTP as below:

The screenshot shows a web application interface with a sidebar on the left and a main content area. The sidebar has a 'Settings' menu with sub-items: 'General Settings', 'Users & Companies', 'Translations', 'Gamification Tools', and 'Technical'. The 'Configure Auto DB Backups' section is active, showing 'Auto db backups' with a 'Filename' field and a 'Successful Backup Notification Email' field. Below this is a table of 'Automatic Backup Rules' with columns 'Active' and 'Backup Type'. The table lists several rules, with the last one being 'Zip' and 'Active'. The main content area shows the 'Open: Auto Database Backup Rules' form. The form has a 'Backup' button at the top left. The fields are: 'Backup Type' (Zip), 'Backup Destination' (FTP), 'Backup' (Database Only), 'FTP Address' (with a question mark), 'FTP Port' (0), 'FTP Username' (with a question mark), 'FTP Password' (with a question mark), 'FTP Path' (with a question mark), 'Test FTP Connection' button, 'Active' checkbox, 'Interval Number' (1), 'Interval Unit' (Days), and 'Next Execution Date' (Aug 7, 3:35 PM). At the bottom are 'Save' and 'Discard' buttons.

Fields to Set:

FTP Address: Set the IP address from your remote server.

FTP Port: Set port on the FTP server.

FTP Username: Set the username where the FTP connection should be made with.

FTP Password: Set the password from the user where the FTP connection should be made with.

FTP Path: Set the path where you want to store DB backup in FTP.

After that once check for connection. To do that click on Test FTP Connection.

All other fields are same as described in point 2.

After configure all fields click on save and again save main form.

SFTP

6. To set database backup to SFTP, click on edit than click on automatic backup's rule where backup destination is SFTP. You will have form to configure DB backup to SFTP as below:

The screenshot displays the 'Open: Auto Database Backup Rules' configuration window. The left sidebar shows the 'Automatic Backup Rules' section with a table of rules. The main window contains the following fields and options:

- Backup Type:** Dump
- Backup Destination:** SFTP
- Backup:** Database Only
- SFTP Host:** 54.208.62.204
- SFTP User:** ubuntu
- .pem File Available??:** ☒
- SFTP Key File Path/Password:** /home/icon18/workspace/odoo-19.0/Odoo1.pem (with an upload button icon)
- SFTP Path:** /opt/v18_db_backup_backup
- Test SFTP Connection:** A button to verify the connection.
- Active:** ☐
- Interval Number:** 1
- Interval Unit:** Days
- Next Execution Date:** Aug 7, 10:54 AM
- Buttons:** Save, Discard

Fields to Set:

SFTP Host: Set the IP address from your remote server.

SFTP User: Set the username where the SFTP connection should be made with.

SFTP Key file path(use .pem file): To set key file path click on button upload your file and open that file from where it is after that the path for key file will be automatically set in that field.

SFTP Path: Give the path in remote server where you want to store DB backup.

After that once check for connection. To do that click on Test SFTP Connection.

All other fields are same as described in point 2.

After configure all fields click on save and again save main form.

Amazon S3

7. To set database backup to AWS S3, click on edit than click on automatic backup's rule where backup destination is AWS S3. You will have form to configure DB backup to AWS S3 as below:

The screenshot shows a web application interface with a sidebar menu on the left containing 'Settings', 'General Settings', 'Users & Companies', 'Translations', 'Gamification Tools', and 'Technical'. The main content area is titled 'Configure Auto DB Backups' and 'Auto db backups'. A modal window titled 'Open: Auto Database Backup Rules' is open, displaying the following fields:

- Backup** (button)
- Backup Type**: Zip
- Backup Destination**: AWS S3
- Backup**: Database Only
- App Key**
- Secret Key**
- Bucket Name**
- Active**: ☐
- Interval Number**: 1
- Interval Unit**: Days
- Next Execution Date**: Aug 7, 11:40 AM
- Save** (button) and **Discard** (button)

Fields to Set:

App Key: Set AWS s3 app key.

Secret Key: Set here AWS s3 secret key.

Bucket Name: Add bucket name in which you want to store database backup.

All other fields are same as described in point 2.

After configure all fields click on save and again save main form.

Email Notification Config

8. Set Successful Backup Notification Email if you want to get notification about Successful database backup in your mail. Set email in Successful Backup Notification field.

Set Failed Backup Notification if you want to get notification about failed database backup in your mail. Set email in Failed Backup Notification field.

If you want to auto remove DB backups from backup destinations (folder, Google drive, drop box, ftp, sftp, AWS s3), then checked the checkbox Auto. Remove Backups and fill the field Remove after x days, after how many days you want to delete your backup from Backup destinations (folder, Google drive, drop box, ftp, sftp, AWS s3).

All above fields you can set from below:

SettingsGeneral SettingsUsers & CompaniesTranslationsGamification ToolsTechnical

Configure Auto DB BackupsAuto db backups1 / 1

FilenameAuto db backups

Successful Backup Notification Emailicontech68.7@gmail.comFailed Backup Notification Emailicontech68.7@gmail.com

Auto. Remove Backups?☒Remove after x days?1

Automatic Backup Rules

Active	Backup Type	Backup Destination	Next Execution Date	
☐	Dump	Folder	Aug 7, 10:44 AM	Backup
☐	Dump	Google Drive	Aug 7, 10:40 AM	Backup
☐	Zip	Dropbox	Aug 7, 10:47 AM	Backup
☒	Zip	FTP	Aug 7, 3:35 PM	Backup
☐	Dump	SFTP	Aug 7, 10:54 AM	Backup
☐	Zip	AWS S3	Aug 7, 11:40 AM	Backup

Auto DB Backup Status

9. To check status for database backup is uploaded or not, go to Settings > Technical > Auto DB Backups > Auto DB Backups Status as shown in below image:

Settings

General Settings

Users & Companies

Translations

Gamification Tools

Technical

7

7

YourCompany

Auto DB Backups Status

Date

status

☐

Jul 29, 5:41 PM

Local: Success

☐

Jul 29, 5:42 PM

Local: Success

☐

Jul 29, 5:46 PM

Dropbox: Success

☐

Jul 29, 5:48 PM

Success

☐

Jul 29, 5:49 PM

Success

☐

Jul 29, 6:02 PM

Google Drive: Success

☐

Jul 29, 6:03 PM

Google Drive: Success

☐

Jul 29, 6:04 PM

Google Drive: Success

☐

Jul 29, 6:10 PM

AWS S3: Success

☐

Jul 29, 6:11 PM

AWS S3: Success

Model Constraints

ManyToMany Relations

Attachments

Logging

Profiling

Automation

Scheduled Actions

Scheduled Actions Triggers

Auto DB Backups

Configure Auto DB Backups

Auto DB Backups Status

Reporting

Paper Format

Reports

Sequences & Identifiers

External Identifiers

Sequences

1-41 / 41

Model Constraints
ManyToMany Relations
Attachments
Logging
Profiling
Automation
Scheduled Actions
Scheduled Actions Triggers
Auto DB Backups
Configure Auto DB Backups
Auto DB Backups Status
Reporting
Paper Format
Reports
Sequences & Identifiers
External Identifiers
Sequences

1-41 / 41