

```
#01
MariaDB [(none)]> select user, host, password from mysql.user;
+-----+-----+-----+
| User | Host   | Password |
+-----+-----+-----+
| root | localhost |          |
| usrspr | localhost |          |
| root | 127.0.0.1 |          |
| root | ::1     |          |
| pma  | localhost |          |
| usrcmr | localhost |          |
+-----+-----+-----+
6 rows in set (0.062 sec)

#02
MariaDB [(none)]> drop user if exists usrcmr;
Query OK, 0 rows affected, 1 warning (0.004 sec)

#03
MariaDB [(none)]> show warnings;
+-----+-----+
| Level | Code | Message           |
+-----+-----+
| Note  | 1974 | Can't drop user 'usrcmr'@'%'; it doesn't exist |
+-----+-----+
1 row in set (0.001 sec)

#04
MariaDB [(none)]> drop user if exists `usrcmr`@`%`;
Query OK, 0 rows affected, 1 warning (0.001 sec)

#05
MariaDB [(none)]> show warnings;
+-----+-----+
| Level | Code | Message           |
+-----+-----+
| Note  | 1974 | Can't drop user 'usrcmr'@'%'; it doesn't exist |
+-----+-----+
1 row in set (0.001 sec)

#06
MariaDB [(none)]> drop user if exists `usrcmr`@`localhost`;
Query OK, 0 rows affected (0.005 sec)

#07
MariaDB [(none)]> drop user if exists `usrcmr`@`127.0.0.1`;
Query OK, 0 rows affected, 1 warning (0.001 sec)

#08
MariaDB [(none)]> show warnings;
+-----+-----+
| Level | Code | Message           |
+-----+-----+
| Note  | 1974 | Can't drop user 'usrcmr'@'127.0.0.1'; it doesn't exist |
+-----+-----+
1 row in set (0.000 sec)

#09
MariaDB [(none)]> delete from mysql.user where user='usrcmr';
Query OK, 0 rows affected (0.002 sec)

#10
MariaDB [(none)]> select user, host, password from mysql.user;
+-----+-----+-----+
| User | Host   | Password |
+-----+-----+-----+
| root | localhost |          |
| usrspr | localhost |          |
| root | 127.0.0.1 |          |

```

root	::1	
pma	localhost	

5 rows in set (0.002 sec)