

## Introduction to Linux, Basic Commands, File Management, and User Management

### Section 1: Linux Basics

#### 1. What is Linux, and how does it differ from other operating systems like Windows and macOS?

Linux is an open-source operating system that was first developed in the early 1990s by Linus Torvalds. Unlike Windows and macOS, which are proprietary operating systems developed by Microsoft and Apple respectively, Linux is a free and customizable operating system that is built on the principles of open-source software.

#### **\*-Some key differences between Linux and other operating systems:**

1. **\*Source Code Access\*:** Linux's source code is publicly available, allowing users to modify, customize, and distribute the operating system as they see fit. Windows and macOS, on the other hand, have closed-source code that is controlled by their respective companies.
2. **\*Cost\*:** Linux distributions are generally free to download and use, while Windows and macOS require the purchase of a license.
3. **\*Security\*:** Linux is generally considered more secure than Windows due to its open-source nature, which allows for better scrutiny and faster patching of vulnerabilities.
4. **\*Customization\*:** Linux offers a high degree of customization, allowing users to choose from a wide variety of desktop environments, applications, and

## Homework

configurations to suit their needs. Windows and macOS offer less flexibility in this regard.

5. **\*Performance\***: Linux is often faster and more resource-efficient than Windows, especially

### 2. Name three popular Linux distributions and briefly describe one of them.

1. **\*Ubuntu\***: A user-friendly and beginner-friendly distribution based on Debian, Ubuntu is one of the most widely used Linux distributions. It is known for its ease of use, large community, and regular release schedule.

2. **\*Fedora\***: Fedora is a community-driven distribution sponsored by Red Hat. It is known for its focus on free and open-source software, as well as its cutting-edge features and stable releases.

3. **\*CentOS\***: CentOS is a community-supported distribution that is binary-compatible with Red Hat Enterprise Linux (RHEL). It is a popular choice for enterprise-level server deployments due to its stability and long-term support.

One of these distributions, **\*Ubuntu\***, is a Debian-based distribution that is known for its user-friendliness and strong community support. Ubuntu is designed to be easy to use for both beginners and experienced users, with a focus on providing a polished and intuitive desktop experience. It includes a wide

The name: Ebrahim AL\_Hattami  
Group ( 1 )

cyber security

## Homework

range of pre-installed applications and tools, and has a large repository of additional software that can be easily installed. Ubuntu also has a strong focus on security and privacy, with regular updates and security patches. Overall, Ubuntu is a great choice for those new to Linux who want a user-friendly and well-supported distribution.

### 3. What is the root directory in Linux, and what is its significance?

In Linux, the root directory is represented by the forward slash (/) and is the top-level directory in the file system hierarchy. It is the starting point for all other directories and files in the system.

#### The root directory is significant for several reasons:

1. **\*Hierarchy\***: All other directories and files in the Linux file system are organized under the root directory, forming a hierarchical structure.
2. **\*Access and Permissions\***: The root directory has the highest level of access and permissions in the system, allowing the root user (or the sudo user) to perform administrative tasks and access any file or directory.
3. **\*System Organization\***: The root directory is the primary location where the Linux operating system and its essential components are stored, including the kernel, system libraries, and configuration files.
4. **\*Standardization\***: The structure and organization of the root directory and its subdirectories are standardized across different

Linux distributions, making it easier for users and administrators to navigate and manage the file system.

**4. Explain the difference between an absolute path and a relative path in Linux.**

In Linux, the file system is organized in a hierarchical structure, with the root directory (/) as the top-level directory. The path to a file or directory can be specified in two ways:

**1. \*Absolute Path\*:**

- An absolute path is a complete and unambiguous reference to the location of a file or directory in the file system.
- It starts from the root directory (/) and specifies the full path to the target file or directory.
- For example, the absolute path to the Documents directory in the user's home directory might be /home/username/Documents.

**2. \*Relative Path\*:**

- A relative path is a reference to the location of a file or directory relative to the current working directory.
- It does not start from the root directory, but instead, it starts from the current location in the file system.

## Homework

- For example, if the current working directory is /home/username and you want to access the Documents directory, the relative path would be Documents.

The main difference between absolute and relative paths is the starting point:

- Absolute paths always start from the root directory (/), while relative paths start from the current working directory.
- Absolute paths are independent of the current working directory, while relative paths depend on the current location in the file system.
- Absolute paths are more explicit and unambiguous, but they can be longer and more cumbersome to type. Relative paths are more concise, but they can be ambiguous if the current working directory is not known.

The choice between using an absolute path or a relative path depends on the specific context and the user's preference.

### **5. What command would you use to update the package list on a Debian-based system?**

On a Debian-based system, such as Ubuntu, the command to update the package list is apt update.

The name: Ebrahim AL\_Hattami  
Group ( 1 )

cyber security

**The apt update command performs the following actions:**

- 1. It contacts the repositories configured in the system's sources list (usually located in `/etc/apt/sources.list` and `/etc/apt/sources.list.d/*.list`) to retrieve information about the latest versions of packages available.**
- 2. It downloads the package index files, which contain metadata about the packages, including their names, versions, dependencies, and other relevant information.**
- 3. It updates the local package database with the new information from the downloaded index files.**

**After running apt update, you can use other apt commands, such as apt install, apt upgrade, or apt search, to install, upgrade, or search for packages, respectively.**

**It's recommended to run apt update regularly to ensure that your system's package information is up-to-date, especially**

## Homework

before installing or upgrading packages, to ensure that you are getting the latest versions and security patches.

### Section 2: Basic Commands and Navigation

6. Write the command to display the current working directory.

`pwd`

7. How do you change to the `/etc` directory from your current location?

`cd /etc`

8. List the contents of the `/home` directory, including hidden files, in a detailed list format

`ls -al /home`

9. Explain the purpose of the `ls -l` command and what information it provides.

- Permissions

- Number of links

- Owner

- Size

- Modification date

- Name

## Homework

10. What command can be used to return to your home directory from any location in the file system?

cd ~

or simply:

cd

### Section 3: File Management:

11. Write the command to create an empty file named `testfile.txt`.

touch testfile.txt

12. How do you create a directory named `testdir`?

mkdir testdir:

13. Write the command to copy `testfile.txt` to `backup\_testfile.txt`.

cp testfile.txt backup\_testfile.txt

14. What command would you use to move (rename) `testfile.txt` to `newfile.txt`?

mv testfile.txt newfile.txt



## Homework

**15. Write the command to remove the directory `testdir` and its contents.**

**rm -rf testdir**

## **Section 4: User and Group Management**

**16. How can you list all existing users on the system?**

**\$ cat /etc/passwd**

**This will display a list of all user accounts on the system, along with their associated information.**

**17. Write the command to create a new user with the username `newuser`.**

**\$ useradd newuser**

**This will create a new user account with the username 'newuser'.**

**18. How do you create a new group named `newgroup`?**

**\$ groupadd newgroup**

**This will create a new group with the name 'newgroup'.**

**19. Write the command to add the user `newuser` to the group `newgroup`:**

## Homework

\$ usermod -a -G newgroup newuser

This will add the user 'newuser' to the 'newgroup' group.

. 20. What command would you use to change the password for the user 'newuser'?

\$ passwd newuser

This will prompt you to enter a new password for the user 'newuser'.

### Section 5: Practical Application:

21. Describe the steps you would take to install a Linux distribution on a virtual machine.

1. Download the installation image (ISO) of the distribution you want to install.

2. Create a new virtual machine using a virtual machine management software like VirtualBox or VMware.

3. Configure the virtual machine with the appropriate memory and storage space.

4. Set up the virtual machine to boot from the installation image you downloaded.

5. Start the installation process and follow the on-screen instructions.

6. After the installation is complete, set up the virtual machine according to your needs.

22. If you are in the '/home/user' directory, what command would you use to navigate to '/var/log'?

The name: Ebrahim AL\_Hattami  
Group ( 1 )

cyber security

## Homework

To navigate from the '/home/user' directory to the '/var/log' directory, you should use the following command:

cd /var/log

**23. How do you display the contents of the current directory in a human-readable format?**

To display the contents of the current directory in a human-readable format, you can use the following command:

ls -lh

**24. Explain what the following command does: `cp -r /home/user/docs /home/user/docs\_backup`.**

The command cp -r /home/user/docs /home/user/docs\_backup copies the contents of the /home/user/docs directory recursively to the /home/user/docs\_backup directory.

**25. What is the difference between the `rm` and `rm -r` commands? 26. Explain the significance of the `/etc` directory in Linux.**

The difference between the rm and rm -r commands is:

- rm deletes files only.

- rm -r deletes files and directories (recursively), including their contents.

**26. Explain the significance of the `/etc` directory in Linux.**

The /etc directory in Linux is where the main system and application configuration files are stored. This directory is crucial for determining and conf