

metadata SVG

Emilia

15 de setembro de 2016

Notas a respeito dos dados experimentais coletados em Santa Virgínia.

Sítio

- ID
- lat/lon
- altitude
- descrição (topografia, vegetação, uso da terra)
- citação
- Outros trabalhos publicados

2-Sistemas de aquisição:

2.1-G3V - Vertedor

- sensor: Solinst Barologger e Levellogger
- aquisição: 3 minutos

Processamento: *G3V_SVG_Solinst_GoldV2.R* são dois arquivos que o script se encarrega de calcular a cota para processar

2.2-GAR

2.3-Ref

Canal	Variavel	Descrição	Unidade
i	Timestamp		
1	short_up	W/m ²	
2	short_dn	W/m ²	
3	long_up	W/m ²	
4	long_dn	W/m ²	
5	cnr4_T_K	K	
6	batt_volt_Min	volts	
7	logger_temp	degC	
8	short_up_Avg	W/m ²	
9	short_dn_Avg	W/m ²	
10	long_up_Avg	W/m ²	
11	long_dn_Avg	W/m ²	
12	cnr4_T_C_Avg	deg_C	
13	cnr4_T_K_Avg	K	
14	long_up_corr_Avg	W/m ²	
15	long_dn_corr_Avg	W/m ²	
16	Rs_net_Avg	W/m ²	

Canal	Variavel	Descrição	Unidade
17	Rl_net_Avg	W/m ²	
18	albedo_Avg	W/m ²	
19	Rn_Avg	W/m ²	
20	PARi_Avg		
21	PARr_Avg		
22	AirTC_Avg		
23	RH_Avg		


This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.