

Emma Brunell, Michael Doran, Andrew Smith

Project Description

The Parking Buddy App will provide information to students at SUNY Oswego about available commuter parking spots, namely in the parking lots by Shineman and Sheldon Hall. Parking for commuter students can be very difficult and time consuming, as there is limited parking. Students tend to spend large amounts of time circling the parking lots looking for an open space. This causes many students to be late to class. It can sometimes be difficult to predict when there will be the most number of open parking spots as well.

The idea is to create a desktop app that will allow students to plan ahead for their parking. The app will allow students to check in and out of parking spots. The parking lot information will be provided by an overhead view of the lot, similar to Google Maps, so that the layout is accurate. A red icon in a parking spot will indicate that it is currently being used, and a green icon will indicate that the spot is available to be parked in. Additionally, an option to obstruct a parking spot will be available in case there is another reason a parking spot is full. Users will have to find their parking spot on the map and check in and out of it. They will also be able to provide information on how long they plan on staying in the spot through a timer.

System Requirements

Identifier	Priority	Requirement
REQ1	5	The information on parking spots maintained by the system, should be available to all instances of the app
REQ2	2	The system allows users to mark a spot as “obstructed” if unavailable for a reason other than the spot being taken (snow, construction, etc.).
REQ3	5	The app has a GUI that provides an overhead view of the Shineman and Sheldon parking lots.
REQ4	5	The app allows users to “check out” parking spots and be able to mark them as “available” or “taken”.
REQ5	2	The system allows the user to set a timer for how long they plan on being parked, after which the spot becomes available again.

User Stories

Identifier	User Story	Size
ST-1	I want other users to be able to view any other user's parking updates in real time.	9
ST-2	I want to be able to provide information to other users about potential problems with parking in certain spots.	2
ST-3	I want an accurate map of the parking lot to be used to view parking locations.	10
ST-4	I want to be able to check my car in and out of a parking spot as needed.	4
ST-5	I want claimed spots to become available after a certain amount of time has passed.	6

Use Cases

Use Case UC-1: Update

Related Requirements: REQ1, REQ2, REQ3, REQ4, REQ5

Initiating Actor: Student Commuter

Actor's Goal: To view the most current version of the parking lot's situation.

Participating Actors: Map, other commuters

Preconditions: The program is functioning properly with the server to take real-time updates.

Postconditions: The map refreshes with any new changes added by users.

Flow of Events for Main Success Scenario:

1. Student Commuter opens app and selects wanted parking lot
2. Student Commuter selects spot and chooses to enter, leave, or declare an obstruction.
3. This newly changed spot displays to all others using the app on this page.

Use Case UC-2: Mark Obstructed

Related Requirements: REQ1, REQ2, REQ3

Initiating Actor: Student Commuter

Actor's Goal: To let other Student Commuters know if a specific parking spot is unable to be used for a reason besides another car parking there.

Participating Actors: Map, other commuters

Preconditions: The program is functioning properly with the server to take real-time updates; the parking spot is non-null; the parking spot has not already been marked filled.

Postconditions: The map displays to other users a symbol that means that the parking spot is unable to be used.

Flow of Events for Main Success Scenario:

1. Student Commuter opens app and selects wanted parking lot
2. Student Commuter notices that a particular spot is unable to be parked in , due to being covered up by a snowbank, construction, or a similar reason.
3. Student Commuter selects parking spot and chooses it to be obstructed.
4. The parking spot displays to all other users that it is obstructed.

Use Case UC-3: Scrollable Map

Related Requirements: REQ1, REQ3

Initiating Actor: Map

Actor's Goal: To display an accurate layout of the parking lot selected by a user.

Participating Actors: Student Commuters

Preconditions: The GUI is in place and users are able to navigate through all of the states; the program is functioning properly with the server to take real-time updates.

Postconditions: The map displays to users any changes that occur; the map is able to be moved around on the screen according to where the user wants to park; the user is able to interact with the map.

Flow of Events for Main Success Scenario:

1. The map displays to the users and is not warped by differing resolutions.

Use Case UC-4: Check In and Out

Related Requirements: REQ1, REQ2, REQ3, REQ4

Initiating Actor: Student Commuter

Actor's Goal: To check themselves in or out of a selected parking spot so other users may plan for parking accordingly.

Participating Actors: Map, other commuters

Preconditions: The parking spot is non-null; the parking spot is unobstructed

Postconditions: The parking spot displays as either green (spot is empty) or red (spot has been filled).

Flow of Events for Main Success Scenario:

1. Student Commuter is entering or leaving a parking spot.
2. Student Commuter selects appropriate option to check in or out.
3. The map accurately displays to Student Commuter and other users this new update in real-time.

Use Case UC-5: Timer

Related Requirements: REQ1, REQ3, REQ4, REQ5

Initiating Actor: Student Commuter

Actor's Goal: To relinquish their parking spot after the amount of time they plan on being parked.

Participating Actors: Timer, Map, other commuters

Preconditions: The user has checked themselves into a parking spot; the map is updating in real-time.

Postconditions: The parking spot displays red until the set time has elapsed.


Flow of Events for Main Success Scenario:

1. Student checks themselves into a parking spot successfully.
2. Student selects an estimate for how long they will likely remain in that spot.
3. The spot displays red to other users. The timer begins.
4. The student checks out of the parking spot by the end of the timer countdown and the spot is marked empty.



Traceability Matrix


Req't	PW	UC1	UC2	UC3	UC4	UC5	UC6
REQ1	5	X	X	X	X	X	
REQ2	2	X	X		X		
REQ3	5	X	X	X	X	X	
REQ4	5	X			X	X	
REQ5	2	X				X	


UML Classes Diagram



UML Sequence Diagrams







interaction Timer

