InterConnect 2016 The Premier Cloud & Mobile Conference

Evolving a monolithic Java EE application to microservices

Microservices meet legacy applications

Erin Schnabel schnabel@us.ibm.com
@ebullientworks



Agenda

Explore and demonstrate how JEE applications can **evolve**

to a microservices architecture, using Plants By WebSphere (PbW) as a sample application.

- Introduction
- Rules of engagement
- Service decomposition
- An evolved image service
- Liberty app accelerator
- Summary and Questions

InterConnect 2016 The Premier Cloud & Mobile Conference

Microservices

Background and Overview

PCM-2026: Microservices:

Buzzword Bingo or Real-World Problem-Solver?

Mandalay Bay Solution EXPO - Engagement Center 232 06:30 PM - 06:50 PM

Erin Schnabel / Isabell Sippli



Why microservices?

Microservices provide benefits...

• Strong Module Boundaries: Microservices reinforce modular structure, which is particularly important for larger teams.







• Independent Deployment: Simple services are easier to deploy, and since they are autonomous, are less likely to cause system failures when they go wrong.







• Technology Diversity: With microservices you can mix multiple languages, development frameworks and data-storage technologies.

...but come with costs

• Distribution: Distributed systems are harder to program, since remote calls are slow and are always at risk of failure.







• Eventual Consistency: Maintaining strong consistency is extremely difficult for a distributed system, which means everyone has to manage eventual consistency.








 Operational Complexity: You need a mature operations team to manage lots of services, which are being redeployed regularly.

The Premium

for less-complex systems, the extra baggage required to manage microservices reduces productivity



but remember the skill of the team will outweigh any monolith/microservice choice

InterConnect 2016

The Premier Cloud & Mobile Conference

Rules of Engagement

General principles



February 21 – 25 MGM Grand & Mandalay Bay Las Vegas, Nevada

Rules of Engagement: Development

- Know what you want to achieve:
 - Strangle / Create new
 - Cloud?
- Change as little business logic or function as possible

Be prepared for a dynamic new future

Rules of Engagement: Testing

- Test for parity, not for correctness
 - Does the new thing work the same as the old thing?
 - Be consistent with the old monolith

- Unit/Functional tests are not the whole story
 - Performance/Throughput requirements
 - Existing Integration / QA environments

Rules of Engagement: Context

- What APIs are you going to create?
 - Internal? External? \$\$?

Where is your data and in what format

- How will you find your new services?
 - What is the wiring (gateways, proxies, ...)?

Rules of Engagement: Java EE

- Many aspects of Java EE are inward facing
 - Assumptions about things contained within the module
- CDI or any other injection technology needs a second look
 - Do you know what is being injected?
 - Do you know what those things are having injected?

InterConnect 2016

The Premier Cloud & Mobile Conference

Service decomposition



February 21 – 25 MGM Grand & Mandalay Bay Las Vegas, Nevada


Functional decomposition

Decide what to move where based on what it does

- Traditional approach, often a good starting point
- Relies on well defined component boundaries

Technology-based decomposition

- Look at EE specific technologies
- Use the migration toolkit:
 - view class structures and
 - identify EE technologies in the application



Web application technologies			nologies
Java Servlet	✓	✓	√
JavaServer Faces (JSF)	✓	✓	✓
JavaServer Pages/Expres Language (JSP/EL)	ssion _🗸	✓	✓
Enterprise application technologies			
Contexts and Dependency Injection for	✓	✓	✓

Decomposition: Checkpoint

• Is what I have good enough?

- Is there sufficient return on investment?
 - New API = new business ?
 - Hardware / software savings ?

Do you have the right skills?

InterConnect 2016


The Premier Cloud & Mobile Conference

A revised image service



February 21 – 25 MGM Grand & Mandalay Bay Las Vegas, Nevada

Evolutionary steps



PLANTS BY WEBSPHERE


Image service

- Selected because
 - It is mostly static content
 - Not business critical
 - Contains no proprietary code or sensitive data
- Value
 - Storage / hardware savings (on prem) when moved to cloud
 - Potential re-use of the service in other applications

Image service with shared data (2)

- Developing a new API to expose image data
 - Built with the Liberty app accelerator
 - Database is still shared with the original application
 - Defines the externals that will be used by the monolith going forward

REST: simple synchronous calls




Separate image service (3)

The service now properly owns its own data

- Externalized location
 - Service discovery, or
 - Well-known location


- Considerations: Protect the monolith
 - API Gateway
 - Circuit breaker / bulkhead



Cloud-based image service (4)

- Image service hosted in Bluemix
 - Availability
 - Scalability
 - Management
 - Statistics

- Monolith
 - Remains on-premises
 - Move to the cloud (?!)



InterConnect 2016

The Premier Cloud & Mobile Conference

Liberty app accelerator

A quick start for Java-based microservices



February 21 – 25 MGM Grand & Mandalay Bay Las Vegas, Nevada

Liberty app accelerator: http://wasdev.net/accelerate

Java-based microservice using Liberty built and deployed in < 10min

Liberty app accelerator Easily start WebSphere Liberty, a Java EE application server STEP 1/3 WebSphere Liberty can be configured to support the selected technology types as a project that you can download as a zip file or use with GitHub. Select one or more technology types: REST Web Sockets Persistence Spring Boot with Spring MVC Watson SDK Dependency Servlet

- Application configuration
- Code snippets
- Possible deployment options:
 - Local
 - Bluemix

InterConnect 2016

InterConnect 2016

The Premier Cloud & Mobile Conference

Summary



February 21 – 25 MGM Grand & Mandalay Bay Las Vegas, Nevada

Summary

- Microservices are not free
- You can build microservices with Java EE
- Microservices != Cloud

- Resources:
 - http://wasdev.net for all the things
 - http://wasdev.net/docs/microservices
 - Github Samples: https://github.com/wasdev?query=pbw
 - Liberty app accelerator: http://wasdev.net/accelerate

Create: Cloud native apps and microservices

Learn

More Information:

2116 Creating 12-Factor Applications with IBM WebSphere Liberty on IBM Bluemix: A Practical Guide Thursday 9:30-10:15

Erin Schnabel

http://wasdev.net/accelerate

Java, Liberty, Maven build and deploy < 10 mins

http://game-on.org
exemplar application



Notices and Disclaimers

Copyright © 2016 by International Business Machines Corporation (IBM). No part of this document may be reproduced or transmitted in any form without written permission from IBM.

U.S. Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM.

Information in these presentations (including information relating to products that have not yet been announced by IBM) has been reviewed for accuracy as of the date of initial publication and could include unintentional technical or typographical errors. IBM shall have no responsibility to update this information. THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IN NO EVENT SHALL IBM BE LIABLE FOR ANY DAMAGE ARISING FROM THE USE OF THIS INFORMATION, INCLUDING BUT NOT LIMITED TO, LOSS OF DATA, BUSINESS INTERRUPTION, LOSS OF PROFIT OR LOSS OF OPPORTUNITY. IBM products and services are warranted according to the terms and conditions of the agreements under which they are provided.

Any statements regarding IBM's future direction, intent or product plans are subject to change or withdrawal without notice.

Performance data contained herein was generally obtained in a controlled, isolated environments. Customer examples are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual performance, cost, savings or other results in other operating environments may vary.

References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business.

Workshops, sessions and associated materials may have been prepared by independent session speakers, and do not necessarily reflect the views of IBM. All materials and discussions are provided for informational purposes only, and are neither intended to, nor shall constitute legal or other guidance or advice to any individual participant or their specific situation.

It is the customer's responsibility to insure its own compliance with legal requirements and to obtain advice of competent legal counsel as to the identification and interpretation of any relevant laws and regulatory requirements that may affect the customer's business and any actions the customer may need to take to comply with such laws. IBM does not provide legal advice or represent or warrant that its services or products will ensure that the customer is in compliance with any law

Notices and Disclaimers Con't.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products. IBM does not warrant the quality of any third-party products, or the ability of any such third-party products to interoperate with IBM's products. IBM EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The provision of the information contained h erein is not intended to, and does not, grant any right or license under any IBM patents, copyrights, trademarks or other intellectual property right.

IBM, the IBM logo, ibm.com, Aspera®, Bluemix, Blueworks Live, CICS, Clearcase, Cognos®, DOORS®, Emptoris®, Enterprise Document Management System™, FASP®, FileNet®, Global Business Services ®, Global Technology Services ®, IBM ExperienceOne™, IBM SmartCloud®, IBM Social Business®, Information on Demand, ILOG, Maximo®, MQIntegrator®, MQSeries®, Netcool®, OMEGAMON, OpenPower, PureAnalytics™, PureApplication®, pureCluster™, PureCoverage®, PureData®, PureExperience®, PureFlex®, pureQuery®, pureScale®, PureSystems®, QRadar®, Rational®, Rhapsody®, Smarter Commerce®, SoDA, SPSS, Sterling Commerce®, StoredIQ, Tealeaf®, Tivoli®, Trusteer®, Unica®, urban{code}®, Watson, WebSphere®, Worklight®, X-Force® and System z® Z/OS, are trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at: www.ibm.com/legal/copytrade.shtml.

InterConnect 2016 The Premier Cloud & Mobile Conference

Thank You

Your Feedback is Important!

Access the InterConnect 2016 Conference Attendee
Portal to complete your session surveys from your
smartphone,
laptop or conference kiosk.

