






m1
Residuals vs Fitted
Residuals
Fitted values
34
79
82



m1
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
34
79
82



m1
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79



m1
Cook's distance
Cook's distance
Obs. number
82
34
80



m2
Residuals vs Fitted
Residuals
Fitted values
34
79
82
100
0
−100
−200
50
100
150
200
250
300
350



m2
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
34
79
82
3
2
1
0
−1
−2
−3
−2
−1
0
1
2



m2
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79
1.5
1.0
0.5
0.0
50
100
150
200
250
300
350



m2
Cook's distance
Cook's distance
Obs. number
82
34
79
0.25
0.20
0.15
0.10
0.05
0.00
0
20
40
60
80



m3
Residuals vs Fitted
Residuals
Fitted values
80
58
79



m3
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
80
79
58



m3
Scale−Location
√|Standardized residuals|
Fitted values
80
58
79



m3
Cook's distance
Cook's distance
Obs. number
80
51
58



m4
Residuals vs Fitted
Residuals
Fitted values
79



m4
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20



m4
Scale−Location
√|Standardized residuals|
Fitted values
79



m4
Cook's distance
Cook's distance
Obs. number
34
79
82



m5
Residuals vs Fitted
Residuals
Fitted values
79
34
82



m5
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
34
82



m5
Scale−Location
√|Standardized residuals|
Fitted values
82
79
34



m5
Cook's distance
Cook's distance
Obs. number
82
73
79



m6
Residuals vs Fitted
Residuals
Fitted values
79
20
82
100
50
0
−50
−150
−250
50
100
150
200
250
300



m6
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20
82
2
0
−2
−4
−6
−8
−2
−1
0
1
2



m6
Scale−Location
√|Standardized residuals|
Fitted values
82
79
20
2.5
2.0
1.5
1.0
0.5
0.0
50
100
150
200
250
300



m6
Cook's distance
Cook's distance
Obs. number
82
53
2
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80



m7
Residuals vs Fitted
Residuals
Fitted values
79
87
82



m7
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82



m7
Scale−Location
√|Standardized residuals|
Fitted values
82
79
87



m7
Cook's distance
Cook's distance
Obs. number
82
79
87



m8
Residuals vs Fitted
Residuals
Fitted values
79
20
82
100
50
0
−100
−200
50
100
150
200
250
300



m8
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20
82
4
2
0
−2
−4
−6
−8
−2
−1
0
1
2



m8
Scale−Location
√|Standardized residuals|
Fitted values
82
79
20
2.5
2.0
1.5
1.0
0.5
0.0
50
100
150
200
250
300



m8
Cook's distance
Cook's distance
Obs. number
82
79
87
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
20
40
60
80



m9
Residuals vs Fitted
Residuals
Fitted values
79
87
82



m9
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82



m9
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79



m9
Cook's distance
Cook's distance
Obs. number
82
87
51



m10
Residuals vs Fitted
Residuals
Fitted values
79
87
82



m10
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82



m10
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79



m10
Cook's distance
Cook's distance
Obs. number
82
80
87



m11
Residuals vs Fitted
Residuals
Fitted values
79
87
82



m11
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82



m11
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79



m11
Cook's distance
Cook's distance
Obs. number
82
87
86



m12
Residuals vs Fitted
Residuals
Fitted values
79
87
82
2.5
3.0
3.5
4.0
4.5
5.0
5.5
6.0
−1.0
−0.5
0.0
0.5



m12
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82
−2
−1
0
1
2
−6
−4
−2
0
2
4



m12
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79
2.5
3.0
3.5
4.0
4.5
5.0
5.5
6.0
0.0
0.5
1.0
1.5
2.0
2.5



m12
Cook's distance
Cook's distance
Obs. number
82
87
79
0
20
40
60
80
0.0
0.5
1.0
1.5
2.0
2.5



m15
Residuals vs Fitted
Residuals
Fitted values
79
34
82
50
100
150
200
250
300
350
−150
−50
0
50
100



m15
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
34
82
−3
−2
−1
0
1
2
3



m15
Scale−Location
√|Standardized residuals|
Fitted values
82
79
34
0.0
0.5
1.0
1.5
50
100
150
200
250
300
350



m15
Cook's distance
Cook's distance
Obs. number
53
82
34
0.00
0.04
0.08
0.12
0
20
40
60
80



m16
Residuals vs Fitted
Residuals
Fitted values
34
79
82
100
0
−100
−200
50
100
150
200
250
300
350



m16
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
34
79
82
3
2
1
0
−1
−2
−3
−2
−1
0
1
2



m16
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79
1.5
1.0
0.5
0.0
50
100
150
200
250
300
350



m16
Cook's distance
Cook's distance
Obs. number
80
82
34
0.15
0.10
0.05
0.00
0
20
40
60
80



m17
Residuals vs Fitted
Residuals
Fitted values
34
79
82



m17
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
34
82



m17
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79



m17
Cook's distance
Cook's distance
Obs. number
82
34
79



m18
Residuals vs Fitted
Residuals
Fitted values
79
20
82
150
100
50
0
−50
−150
100
200
300
400



m18
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
27
82
3
2
1
0
−1
−2
−3
−2
−1
0
1
2



m18
Scale−Location
√|Standardized residuals|
Fitted values
82
79
27
1.5
1.0
0.5
0.0
100
200
300
400



m18
Cook's distance
Cook's distance
Obs. number
82
27
79
0.30
0.25
0.20
0.15
0.10
0.05
0.00
0
20
40
60
80



m19
Residuals vs Fitted
Residuals
Fitted values
34
79
82
100
0
−100
−200
50
100
150
200
250
300
350



m19
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
34
79
82
3
2
1
0
−1
−2
−3
−2
−1
0
1
2



m19
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79
2.0
1.5
1.0
0.5
0.0
50
100
150
200
250
300
350



m19
Cook's distance
Cook's distance
Obs. number
82
34
4
0.4
0.3
0.2
0.1
0.0
0
20
40
60
80



m20
Residuals vs Fitted
Residuals
Fitted values
34
79
82



m20
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
34
82



m20
Scale−Location
√|Standardized residuals|
Fitted values
82
34
79



m20
Cook's distance
Cook's distance
Obs. number
82
34
87



m21
Residuals vs Fitted
Residuals
Fitted values
79
20
80



m21
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20
80



m21
Scale−Location
√|Standardized residuals|
Fitted values
79
20



m21
Cook's distance
Cook's distance
Obs. number
80
51
53



m22
Residuals vs Fitted
Residuals
Fitted values
80
20
79



m22
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
80
79
20



m22
Scale−Location
√|Standardized residuals|
Fitted values
80
79
20



m22
Cook's distance
Cook's distance
Obs. number
80
51
73



m23
Residuals vs Fitted
Residuals
Fitted values
79
87
82



m23
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82



m23
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79



m23
Cook's distance
Cook's distance
Obs. number
82
80
87



m24
Residuals vs Fitted
Residuals
Fitted values
79
20
29



m24
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20
29



m24
Scale−Location
√|Standardized residuals|
Fitted values
79
20
29



m24
Cook's distance
Cook's distance
Obs. number
27
51
79



m25
Residuals vs Fitted
Residuals
Fitted values
79



m25
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
20
29



m25
Scale−Location
√|Standardized residuals|
Fitted values
79


m25
Cook's distance
Cook's distance
Obs. number
4
34
79


m26
Residuals vs Fitted
Residuals
Fitted values
79
87
82


m26
Q−Q Residuals
Standardized residuals
Theoretical Quantiles
79
87
82


m26
Scale−Location
√|Standardized residuals|
Fitted values
82
87
79


m26
Cook's distance
Cook's distance
Obs. number
82
87
51