

100 mg/mL
eptinezumab-jjmr (VYEPTI)

Antimigraine Agents, Vyepti® (Eptinezumab-jjmr) Prior Authorization (PA) Form

HealthKeepers, Inc. | Anthem HealthKeepers Plus Medicaid products

Nicole

Angela

If the following information is not complete, correct, or legible, the PA process can be delayed. Please use one form per member.

50.9

Member Information

Last name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

First name:

					05		23		1983										
--	--	--	--	--	----	--	----	--	------	--	--	--	--	--	--	--	--	--	--

Chen
Medicaid ID number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Amy
Date of birth:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Weight in kilograms: _____

Prescriber information

Last name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

First name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NPI number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Phone number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Fax number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Drug information

Drug name:

Drug form:

Drug strength:

Dosing frequency:

Length of
therapy:

Quantity:

(Form continued next page.)

Member's first name:

[illegible]

5. Does the member have diagnosis of frequent episodic migraines defined as at least five headache attacks lasting 4 to 72 hours (when untreated or unsuccessfully treated)? AND
- a. Headaches have characteristics and symptoms consistent with migraine without aura; AND
 - b. Medication overuse headache has been ruled out by trial and failure of titrating off acute migraine treatments in the past AND
- ☐ Yes ☐ No
6. Will Vyepti not be used in combination with prophylactic calcitonin gene-related peptide (CGRP) inhibitors? (for example, erenumab, galcanezumab, fremanezumab, atogepant, rimegepant, etc.)
- ☐ Yes ☒ No

1. Does the member continue to meet the initial criteria? AND
☐ Yes ☐ No
2. Does the member have an absence of unacceptable toxicity from the drug? AND
☐ Yes ☐ No
3. Has the member experienced a clinical response as evidenced by:
 - a. Reduction in mean monthly headache days (MHD) of at least moderate severity of $\geq 50\%$ relative to the pretreatment baseline (diary documentation or medical professional attestation); OR
 - b. A clinically meaningful improvement in ANY of the following validated migraine-specific member-reported outcome measures:
 - i. Reduction of ≥ 5 points when baseline score is 11 to 20 OR reduction of $\geq 30\%$ when baseline score is >20 in the MIDAS (Migraine Disability Assessment) scores; OR
 - ii. Reduction of ≥ 5 points in the MPFID (Migraine Physical Function Impact Diary) score; OR
 - iii. Reduction of ≥ 5 points in the HIT-6 (Headache Impact Test) score
☐ Yes ☐ No

Date _____

By signature, the physician confirms the above information is accurate and verifiable by member records.

The completed form may be **faxed to 844-512-7020**.

Amy