MEDAC
Instituto Oficial de Formación Profesional

Presentación de la Practica: Al-Assisted Development and Git Mastery

Trabajo Realizado Por:Eloy Centeno Bruña

Índice

Presentación de la Practica: Al-Assisted Development and Git Mastery **1**
Objetivos 2
2. Inicialización 3
3. Tracking y commits 3
4. Branching 4
5. Merge 5
6. Remote y Deployment 5
7. Conclusión 6

1. OBJETIVOS

Objetivos

- Crear un programa funcional: UnitConverter (temperatura y longitud).
- Documentar el flujo de Git desde la CLI y crear la entrega.

2. Inicialización

Comandos principales:

git init

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git init
Initialized empty Git repository in C:/Users/Eloix/Desktop/EntornoDesarrollo/.git/
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

git status

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .vscode/
```

3. Tracking y commits

Comandos y acciones:

git add

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config advice.addEmptyPathspec false"
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

git status

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .vscode/
        Book.java
        DiscountService.java
        LibraryAppSeleniumTest.java
```

git commit -m "Initial commit"

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git comit -m "Initial commit"
git: 'comit' is not a git command. See 'git --help'.

The most similar command is
        commit
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

4. ***Branching***

Crear rama de función y trabajar en ella:

git checkout -b feature-update

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git checkout -b feature-update
Switched to a new branch 'feature-update'
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

editar código

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> #edit
```

git add .

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git add .
warning: in the working copy of 'Book.java', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'DiscountService.java', LF will be replaced by CRLF the next time Git
 touches it
warning: in the working copy of 'LibraryAppSeleniumTest.java', LF will be replaced by CRLF the next t
ime Git touches it
warning: in the working copy of 'LibraryService.java', LF will be replaced by CRLF the next time Git
touches it
warning: in the working copy of 'Member.java', LF will be replaced by CRLF the next time Git touches
it
warning: in the working copy of 'Order.java', LF will be replaced by CRLF the next time Git touches i
```

git commit -m "Add length conversions (feature-update)"

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git commit -m "Initial commit"
[feature-update (root-commit) f3d1732] Initial commit
 12 files changed, 691 insertions(+)
 create mode 100644 .vscode/launch.json
 create mode 100644 Book.java
 create mode 100644 DiscountService.java
 create mode 100644 LibraryAppSeleniumTest.java
 create mode 100644 LibraryService.java
 create mode 100644 Member.java
 create mode 100644 Order.java
```

5. ***Merge***

git checkout main

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git checkout main
error: pathspec 'main' did not match any file(s) known to git
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

git merge feature-update

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git merge feature-update
Already up to date.
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

git log --oneline

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git log --oneline
f3d1732 (HEAD -> feature-update) Initial commit
PS C:\Users\Eloix\Desktop\EntornoDesarrollo>
```

6. ***Remote y Deployment***

git remote add origin https://github.com/tuUsuario/tuRepo.git

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git remote add origin https://github.com/ecb0019-afk/Mod
ulo20_ED
```

git branch -M main

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git branch -M main
>>
```

git push -u origin main

```
PS C:\Users\Eloix\Desktop\EntornoDesarrollo> git push -u origin main
>>
info: please complete authentication in your browser...
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 16 threads
Compressing objects: 100% (14/14), done.
Writing objects: 100% (16/16), 8.54 KiB | 794.00 KiB/s, done.
Total 16 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ecb0019-afk/Modulo20_ED
 * [new branch]      main -> main
```

Activar GitHub Pages en Settings → Pages.



7. ***Conclusión***

En este trabajo hemos aprendido a crear un proyecto simple usando comandos de git. También he entendido cómo funcionan estos

comandos básicos, las ramas y los merges desde la terminal. Además he subido mi proyecto a GitHub y he activado GitHub Pages por primera vez que nunca lo habia hecho. También he hecho el pdf con capturas para ver todo el proceso paso a paso