Eccelerators Library IP specification

Table of Contents

List of Figures

List of Tables

1. EventCatcherIfc

1.1. Interrupt Generator Interface (InterruptGeneratorIfc)

Interface containing a basic Interrupt Generator block as predictable source and execurion check for interrupt simulation.

Table 1.1. Blocks of Interrupt Generator Interface

Blocks of Interrupt Generator Interface		
Block Address	ID	Block Name
`0x00`	InterruptGeneratorBlk	Interrupt Generator Block

Table 1.2. Resets of Interrupt Generator Interface

Resets of Registers of Interrupt Generator Interface	
ID	Reset Name

1.1.1. Interrupt Generator Block (InterruptGeneratorBlk)

This block defines a basic Interrupt Generator block as predictable source and execution check for interrupt simulation. It provides 4 channels to generate 4 interrupt sources.

Constraints:

1. Generate interrupts at a configurable rate for level triggered interrupt destinations.

2. Check if interrupts are executed in time.

3. Provide a failure output.

Interrupt Generator details:

Figure 1.1. Interrupt Generator details



Table 1.3. Registers or Delegates of Interrupt Generator Block

Registers or Delegates of Interrupt Generator Block		

`0x00`
`..`
`0x53`
		Interrupt Generator Block

Address	ID	Name
`0x00`	ControlReg	Control Register
`0x00`	StatusReg	Status Register
`0x00`	ChargedCountReg	Charged Count Register
`0x04`	ChargedCountReg	Charged Count Register
`0x08`	ChargedCountReg	Charged Count Register
`0x0c`	ChargedCountReg	Charged Count Register
`0x10`	ActualCountReg	Actual Count Register
`0x14`	ActualCountReg	Actual Count Register

0x18	ActualCountReg	Actual Count Register
0x1c	ActualCountReg	Actual Count Register
0x20	FailureCountReg	Failure Count Register
0x24	FailureCountReg	Failure Count Register
0x28	FailureCountReg	Failure Count Register
0x2c	FailureCountReg	Failure Count Register
0x30	IntervalReg	Interval Register
0x34	IntervalReg	Interval Register
0x38	IntervalReg	Interval Register
0x3c	IntervalReg	Interval Register
0x40	ReferenceCoun-tReg	Reference Count Register
0x44	ReferenceCoun-tReg	Reference Count Register
0x48	ReferenceCoun-tReg	Reference Count Register
0x4c	ReferenceCoun-tReg	Reference Count Register

1.1.1.1. Control Register (ControlReg)

Table 1.4. Bits of Control Register

Bits of Control Register			
0x00			Control Register (ControlReg)
Bits	ID	Type	Description
3	ChannelOperation	RW	**Table 1.5. Values of ChannelOperation** Value / ID / Type / Description 0x1 / Enabled / R / An Interrupt is pending. 0x0 / Disabled / R / An Interrupt is not pending. **Table 1.6. Resets of ChannelOperation** 0x0 / BusReset / RW / Default Bus Reset
2	ChannelOperation	RW	**Table 1.7. Values of ChannelOperation** Value / ID / Type / Description 0x1 / Enabled / R / An Interrupt is pending. 0x0 / Disabled / R / An Interrupt is not pending. **Table 1.8. Resets of ChannelOperation** 0x0 / BusReset / RW / Default Bus Reset
1	ChannelOperation	RW	**Table 1.9. Values of ChannelOperation** Value / ID / Type / Description 0x1 / Enabled / R / An Interrupt is pending. 0x0 / Disabled / R / An Interrupt is not pending. **Table 1.10. Resets of ChannelOperation** 0x0 / BusReset / RW / Default Bus Reset
0	ChannelOperation	RW	**Table 1.11. Values of ChannelOperation** Value / ID / Type / Description 0x1 / Enabled / R / An Interrupt is pending. 0x0 / Disabled / R / An Interrupt is not pending. **Table 1.12. Resets of ChannelOperation** 0x0 / BusReset / RW / Default Bus Reset

1.1.1.2. Status Register (StatusReg)

Table 1.13. Bits of Status Register

Bits of Status Register

0x00			Status Register (StatusReg)
Bits	ID	Type	Description
7 .. 6	ChannelStatus	R	**Table 1.14. Values of ChannelStatus** Value / ID / Type / Description 0b00 / Idle / R / An Interrupt is pending. 0b01 / Operating / R / An Interrupt is not pending. 0b1* / Ended / R / An Interrupt is not pending.
5 .. 4	ChannelStatus	R	**Table 1.15. Values of ChannelStatus** Value / ID / Type / Description 0b00 / Idle / R / An Interrupt is pending. 0b01 / Operating / R / An Interrupt is not pending. 0b1* / Ended / R / An Interrupt is not pending.
3 .. 2	ChannelStatus	R	**Table 1.16. Values of ChannelStatus** Value / ID / Type / Description 0b00 / Idle / R / An Interrupt is pending. 0b01 / Operating / R / An Interrupt is not pending. 0b1* / Ended / R / An Interrupt is not pending.
1 .. 0	ChannelStatus	R	**Table 1.17. Values of ChannelStatus** Value / ID / Type / Description 0b00 / Idle / R / An Interrupt is pending. 0b01 / Operating / R / An Interrupt is not pending. 0b1* / Ended / R / An Interrupt is not pending.

1.1.1.3. Charged Count Register (ChargedCountReg)

Table 1.18. Bits of Charged Count Register

Bits of Charged Count Register			
0x00			Charged Count Register (ChargedCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Number of interrupts to be generated and expected to be handled by SW. **Table 1.19. Resets of Count** 0x0000.0000 / BusReset / RW / Default Bus Reset

1.1.1.4. Charged Count Register (ChargedCountReg)

Table 1.20. Bits of Charged Count Register

Bits of Charged Count Register			
0x04			Charged Count Register (ChargedCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Number of interrupts to be generated and expected to be handled by SW. **Table 1.21. Resets of Count** 0x0000.0000 / BusReset / RW / Default Bus Reset

1.1.1.5. Charged Count Register (ChargedCountReg)

Table 1.22. Bits of Charged Count Register

Bits of Charged Count Register			
0x08			Charged Count Register (ChargedCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Number of interrupts to be generated and expected to be handled by SW.

Table 1.23. Resets of Count

0x0000.0000	BusReset	RW	Default Bus Reset

1.1.1.6. Charged Count Register (ChargedCountReg)

Table 1.24. Bits of Charged Count Register

Bits of Charged Count Register			
0x0c			Charged Count Register (ChargedCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Number of interrupts to be generated and expected to be handled by SW. **Table 1.25. Resets of Count** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.7. Actual Count Register (ActualCountReg)

Table 1.26. Bits of Actual Count Register

Bits of Actual Count Register			
0x10			Actual Count Register (ActualCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Actual count of interrupts already generated.

1.1.1.8. Actual Count Register (ActualCountReg)

Table 1.27. Bits of Actual Count Register

Bits of Actual Count Register			
0x14			Actual Count Register (ActualCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Actual count of interrupts already generated.

1.1.1.9. Actual Count Register (ActualCountReg)

Table 1.28. Bits of Actual Count Register

Bits of Actual Count Register			
0x18			Actual Count Register (ActualCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Actual count of interrupts already generated.

1.1.1.10. Actual Count Register (ActualCountReg)

Table 1.29. Bits of Actual Count Register

Bits of Actual Count Register			
0x1c			Actual Count Register (ActualCountReg)
Bits	ID	Type	Description
31 ..	Count	R	Actual count of interrupts already generated.

00			

1.1.1.11. Failure Count Register (FailureCountReg)

Table 1.30. Bits of Failure Count Register

Bits of Failure Count Register			
0x20			Failure Count Register (FailureCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Failure count of missed interrupts.

1.1.1.12. Failure Count Register (FailureCountReg)

Table 1.31. Bits of Failure Count Register

Bits of Failure Count Register			
0x24			Failure Count Register (FailureCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Failure count of missed interrupts.

1.1.1.13. Failure Count Register (FailureCountReg)

Table 1.32. Bits of Failure Count Register

Bits of Failure Count Register			
0x28			Failure Count Register (FailureCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Failure count of missed interrupts.

1.1.1.14. Failure Count Register (FailureCountReg)

Table 1.33. Bits of Failure Count Register

Bits of Failure Count Register			
0x2c			Failure Count Register (FailureCountReg)
Bits	ID	Type	Description
31 .. 00	Count	R	Failure count of missed interrupts.

1.1.1.15. Interval Register (IntervalReg)

Table 1.34. Bits of Interval Register

Bits of Interval Register			
0x30			Interval Register (IntervalReg)
Bits	ID	Type	Description
31 .. 00	Interval	RW	Interval of generated interrupt in nanaoseconds.

Table 1.35. Resets of Interval

0x0000.0000	BusReset	RW	Default Bus Reset

1.1.1.16. Interval Register (IntervalReg)

Table 1.36. Bits of Interval Register

Bits of Interval Register			
0x34			Interval Register (IntervalReg)
Bits	ID	Type	Description
31 .. 00	Interval	RW	Interval of generated interrupt in nanaoseconds. **Table 1.37. Resets of Interval** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.17. Interval Register (IntervalReg)

Table 1.38. Bits of Interval Register

Bits of Interval Register			
0x38			Interval Register (IntervalReg)
Bits	ID	Type	Description
31 .. 00	Interval	RW	Interval of generated interrupt in nanaoseconds. **Table 1.39. Resets of Interval** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.18. Interval Register (IntervalReg)

Table 1.40. Bits of Interval Register

Bits of Interval Register			
0x3c			Interval Register (IntervalReg)
Bits	ID	Type	Description
31 .. 00	Interval	RW	Interval of generated interrupt in nanaoseconds. **Table 1.41. Resets of Interval** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.19. Reference Count Register (ReferenceCountReg)

Table 1.42. Bits of Reference Count Register

Bits of Reference Count Register			
0x40			Reference Count Register (ReferenceCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Reference count written by SW to acknowledge a processed interrupt. **Table 1.43. Resets of Count** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.20. Reference Count Register (ReferenceCountReg)

Table 1.44. Bits of Reference Count Register

Bits of Reference Count Register			
0x44			Reference Count Register (ReferenceCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Reference count written by SW to acknowledge a processed interrupt.

Table 1.45. Resets of Count

0x0000.0000	BusReset	RW	Default Bus Reset

1.1.1.21. Reference Count Register (ReferenceCountReg)

Table 1.46. Bits of Reference Count Register

Bits of Reference Count Register			
0x48			Reference Count Register (ReferenceCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Reference count written by SW to acknowledge a processed interrupt. **Table 1.47. Resets of Count** 0x0000.0000 | BusReset | RW | Default Bus Reset

1.1.1.22. Reference Count Register (ReferenceCountReg)

Table 1.48. Bits of Reference Count Register

Bits of Reference Count Register			
0x4c			Reference Count Register (ReferenceCountReg)
Bits	ID	Type	Description
31 .. 00	Count	RW	Reference count written by SW to acknowledge a processed interrupt. **Table 1.49. Resets of Count** 0x0000.0000 | BusReset | RW | Default Bus Reset