yolov7-detection

April 22, 2024

1 1.

2 1.1   Google Drive

```
[1]: from google.colab import drive
     drive.mount('/content/gdrive')
```

Mounted at /content/gdrive

3 1.2 YOLO v7   library

```
[2]: %%bash
     cd /content/gdrive/MyDrive
     git clone https://github.com/WongKinYiu/yolov7.git
     cd yolov7
     wget https://raw.githubusercontent.com/WongKinYiu/yolov7/u5/requirements.txt
     pip install -r requirements.txt
```

Requirement already satisfied: matplotlib>=3.2.2 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 4))
(3.7.1)
Collecting numpy<1.24.0,>=1.18.5 (from -r requirements.txt (line 5))
  Downloading
numpy-1.23.5-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (17.1
MB)
                         17.1/17.1 MB 82.0 MB/s eta 0:00:00
Requirement already satisfied: opencv-python>=4.1.1 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 6))
(4.8.0.76)
Requirement already satisfied: Pillow>=7.1.2 in /usr/local/lib/python3.10/dist-
packages (from -r requirements.txt (line 7)) (9.4.0)
Requirement already satisfied: PyYAML>=5.3.1 in /usr/local/lib/python3.10/dist-
packages (from -r requirements.txt (line 8)) (6.0.1)
Requirement already satisfied: requests>=2.23.0 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 9))
(2.31.0)
Requirement already satisfied: scipy>=1.4.1 in /usr/local/lib/python3.10/dist-

packages (from -r requirements.txt (line 10)) (1.11.4)
Requirement already satisfied: torch!=1.12.0,>=1.7.0 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 11))
(2.2.1+cu121)
Requirement already satisfied: torchvision!=0.13.0,>=0.8.1 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 12))
(0.17.1+cu121)
Requirement already satisfied: tqdm>=4.41.0 in /usr/local/lib/python3.10/dist-
packages (from -r requirements.txt (line 13)) (4.66.2)
Requirement already satisfied: protobuf<4.21.3 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 14))
(3.20.3)
Requirement already satisfied: tensorboard>=2.4.1 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 17))
(2.15.2)
Requirement already satisfied: pandas>=1.1.4 in /usr/local/lib/python3.10/dist-
packages (from -r requirements.txt (line 21)) (2.0.3)
Requirement already satisfied: seaborn>=0.11.0 in
/usr/local/lib/python3.10/dist-packages (from -r requirements.txt (line 22))
(0.13.1)
Requirement already satisfied: ipython in /usr/local/lib/python3.10/dist-
packages (from -r requirements.txt (line 34)) (7.34.0)
Requirement already satisfied: psutil in /usr/local/lib/python3.10/dist-packages
(from -r requirements.txt (line 35)) (5.9.5)
Collecting thop (from -r requirements.txt (line 36))
  Downloading thop-0.1.1.post2209072238-py3-none-any.whl (15 kB)
Requirement already satisfied: contourpy>=1.0.1 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (1.2.1)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.10/dist-
packages (from matplotlib>=3.2.2->-r requirements.txt (line 4)) (0.12.1)
Requirement already satisfied: fonttools>=4.22.0 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (4.51.0)
Requirement already satisfied: kiwisolver>=1.0.1 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (1.4.5)
Requirement already satisfied: packaging>=20.0 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (24.0)
Requirement already satisfied: pyparsing>=2.3.1 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (3.1.2)
Requirement already satisfied: python-dateutil>=2.7 in
/usr/local/lib/python3.10/dist-packages (from matplotlib>=3.2.2->-r
requirements.txt (line 4)) (2.8.2)
Requirement already satisfied: charset-normalizer<4,>=2 in
/usr/local/lib/python3.10/dist-packages (from requests>=2.23.0->-r

requirements.txt (line 9)) (3.3.2)
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-packages (from requests>=2.23.0->-r requirements.txt (line 9)) (3.7)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/dist-packages (from requests>=2.23.0->-r requirements.txt (line 9)) (2.0.7)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/dist-packages (from requests>=2.23.0->-r requirements.txt (line 9)) (2024.2.2)
Requirement already satisfied: filelock in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (3.13.4)
Requirement already satisfied: typing-extensions>=4.8.0 in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (4.11.0)
Requirement already satisfied: sympy in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (1.12)
Requirement already satisfied: networkx in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (3.3)
Requirement already satisfied: jinja2 in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (3.1.3)
Requirement already satisfied: fsspec in /usr/local/lib/python3.10/dist-packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (2023.6.0)
Collecting nvidia-cuda-nvrtc-cu12==12.1.105 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cuda_nvrtc_cu12-12.1.105-py3-none-manylinux1_x86_64.whl (23.7 MB)
Collecting nvidia-cuda-runtime-cu12==12.1.105 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cuda_runtime_cu12-12.1.105-py3-none-manylinux1_x86_64.whl (823 kB)
Collecting nvidia-cuda-cupti-cu12==12.1.105 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cuda_cupti_cu12-12.1.105-py3-none-manylinux1_x86_64.whl (14.1 MB)
Collecting nvidia-cudnn-cu12==8.9.2.26 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cudnn_cu12-8.9.2.26-py3-none-manylinux1_x86_64.whl (731.7 MB)
Collecting nvidia-cublas-cu12==12.1.3.1 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cublas_cu12-12.1.3.1-py3-none-manylinux1_x86_64.whl (410.6 MB)
Collecting nvidia-cufft-cu12==11.0.2.54 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_cufft_cu12-11.0.2.54-py3-none-manylinux1_x86_64.whl (121.6 MB)
Collecting nvidia-curand-cu12==10.3.2.106 (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))

```
  Using cached nvidia_curand_cu12-10.3.2.106-py3-none-manylinux1_x86_64.whl
(56.5 MB)
Collecting nvidia-cusolver-cu12==11.4.5.107 (from torch!=1.12.0,>=1.7.0->-r
requirements.txt (line 11))
  Using cached nvidia_cusolver_cu12-11.4.5.107-py3-none-manylinux1_x86_64.whl
(124.2 MB)
Collecting nvidia-cusparse-cu12==12.1.0.106 (from torch!=1.12.0,>=1.7.0->-r
requirements.txt (line 11))
  Using cached nvidia_cusparse_cu12-12.1.0.106-py3-none-manylinux1_x86_64.whl
(196.0 MB)
Collecting nvidia-nccl-cu12==2.19.3 (from torch!=1.12.0,>=1.7.0->-r
requirements.txt (line 11))
  Using cached nvidia_nccl_cu12-2.19.3-py3-none-manylinux1_x86_64.whl (166.0 MB)
Collecting nvidia-nvtx-cu12==12.1.105 (from torch!=1.12.0,>=1.7.0->-r
requirements.txt (line 11))
  Using cached nvidia_nvtx_cu12-12.1.105-py3-none-manylinux1_x86_64.whl (99 kB)
Requirement already satisfied: triton==2.2.0 in /usr/local/lib/python3.10/dist-
packages (from torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11)) (2.2.0)
Collecting nvidia-nvjitlink-cu12 (from nvidia-cusolver-
cu12==11.4.5.107->torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
  Using cached nvidia_nvjitlink_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl
(21.1 MB)
Requirement already satisfied: absl-py>=0.4 in /usr/local/lib/python3.10/dist-
packages (from tensorboard>=2.4.1->-r requirements.txt (line 17)) (1.4.0)
Requirement already satisfied: grpcio>=1.48.2 in /usr/local/lib/python3.10/dist-
packages (from tensorboard>=2.4.1->-r requirements.txt (line 17)) (1.62.1)
Requirement already satisfied: google-auth<3,>=1.6.3 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (2.27.0)
Requirement already satisfied: google-auth-oauthlib<2,>=0.5 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (1.2.0)
Requirement already satisfied: markdown>=2.6.8 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (3.6)
Requirement already satisfied: setuptools>=41.0.0 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (67.7.2)
Requirement already satisfied: six>1.9 in /usr/local/lib/python3.10/dist-
packages (from tensorboard>=2.4.1->-r requirements.txt (line 17)) (1.16.0)
Requirement already satisfied: tensorboard-data-server<0.8.0,>=0.7.0 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (0.7.2)
Requirement already satisfied: werkzeug>=1.0.1 in
/usr/local/lib/python3.10/dist-packages (from tensorboard>=2.4.1->-r
requirements.txt (line 17)) (3.0.2)
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.10/dist-
packages (from pandas>=1.1.4->-r requirements.txt (line 21)) (2023.4)
```

Requirement already satisfied: tzdata>=2022.1 in /usr/local/lib/python3.10/dist-packages (from pandas>=1.1.4->-r requirements.txt (line 21)) (2024.1)
Collecting jedi>=0.16 (from ipython->-r requirements.txt (line 34))
  Downloading jedi-0.19.1-py2.py3-none-any.whl (1.6 MB)
                              1.6/1.6 MB 82.8 MB/s eta 0:00:00
Requirement already satisfied: decorator in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (4.4.2)
Requirement already satisfied: pickleshare in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (0.7.5)
Requirement already satisfied: traitlets>=4.2 in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (5.7.1)
Requirement already satisfied: prompt-toolkit!=3.0.0,!=3.0.1,<3.1.0,>=2.0.0 in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (3.0.43)
Requirement already satisfied: pygments in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (2.16.1)
Requirement already satisfied: backcall in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (0.2.0)
Requirement already satisfied: matplotlib-inline in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (0.1.7)
Requirement already satisfied: pexpect>4.3 in /usr/local/lib/python3.10/dist-packages (from ipython->-r requirements.txt (line 34)) (4.9.0)
Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.10/dist-packages (from google-auth<3,>=1.6.3->tensorboard>=2.4.1->-r requirements.txt (line 17)) (5.3.3)
Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.10/dist-packages (from google-auth<3,>=1.6.3->tensorboard>=2.4.1->-r requirements.txt (line 17)) (0.4.0)
Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.10/dist-packages (from google-auth<3,>=1.6.3->tensorboard>=2.4.1->-r requirements.txt (line 17)) (4.9)
Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.10/dist-packages (from google-auth-oauthlib<2,>=0.5->tensorboard>=2.4.1->-r requirements.txt (line 17)) (1.3.1)
Requirement already satisfied: parso<0.9.0,>=0.8.3 in /usr/local/lib/python3.10/dist-packages (from jedi>=0.16->ipython->-r requirements.txt (line 34)) (0.8.4)
Requirement already satisfied: ptyprocess>=0.5 in /usr/local/lib/python3.10/dist-packages (from pexpect>4.3->ipython->-r requirements.txt (line 34)) (0.7.0)
Requirement already satisfied: wcwidth in /usr/local/lib/python3.10/dist-packages (from prompt-toolkit!=3.0.0,!=3.0.1,<3.1.0,>=2.0.0->ipython->-r requirements.txt (line 34)) (0.2.13)
Requirement already satisfied: MarkupSafe>=2.1.1 in /usr/local/lib/python3.10/dist-packages (from werkzeug>=1.0.1->tensorboard>=2.4.1->-r requirements.txt (line 17)) (2.1.5)
Requirement already satisfied: mpmath>=0.19 in /usr/local/lib/python3.10/dist-

packages (from sympy->torch!=1.12.0,>=1.7.0->-r requirements.txt (line 11))
(1.3.0)
Requirement already satisfied: pyasn1<0.7.0,>=0.4.6 in
/usr/local/lib/python3.10/dist-packages (from pyasn1-modules>=0.2.1->google-
auth<3,>=1.6.3->tensorboard>=2.4.1->-r requirements.txt (line 17)) (0.6.0)
Requirement already satisfied: oauthlib>=3.0.0 in
/usr/local/lib/python3.10/dist-packages (from requests-oauthlib>=0.7.0->google-
auth-oauthlib<2,>=0.5->tensorboard>=2.4.1->-r requirements.txt (line 17))
(3.2.2)
Installing collected packages: nvidia-nvtx-cu12, nvidia-nvjitlink-cu12, nvidia-
nccl-cu12, nvidia-curand-cu12, nvidia-cufft-cu12, nvidia-cuda-runtime-cu12,
nvidia-cuda-nvrtc-cu12, nvidia-cuda-cupti-cu12, nvidia-cublas-cu12, numpy, jedi,
nvidia-cusparse-cu12, nvidia-cudnn-cu12, nvidia-cusolver-cu12, thop
  Attempting uninstall: numpy
    Found existing installation: numpy 1.25.2
    Uninstalling numpy-1.25.2:
      Successfully uninstalled numpy-1.25.2
Successfully installed jedi-0.19.1 numpy-1.23.5 nvidia-cublas-cu12-12.1.3.1
nvidia-cuda-cupti-cu12-12.1.105 nvidia-cuda-nvrtc-cu12-12.1.105 nvidia-cuda-
runtime-cu12-12.1.105 nvidia-cudnn-cu12-8.9.2.26 nvidia-cufft-cu12-11.0.2.54
nvidia-curand-cu12-10.3.2.106 nvidia-cusolver-cu12-11.4.5.107 nvidia-cusparse-
cu12-12.1.0.106 nvidia-nccl-cu12-2.19.3 nvidia-nvjitlink-cu12-12.4.127 nvidia-
nvtx-cu12-12.1.105 thop-0.1.1.post2209072238

fatal: destination path 'yolov7' already exists and is not an empty directory.
--2024-04-22 11:23:14--
https://raw.githubusercontent.com/WongKinYiu/yolov7/u5/requirements.txt
Resolving raw.githubusercontent.com (raw.githubusercontent.com)…
185.199.108.133, 185.199.109.133, 185.199.110.133, …
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443… connected.
HTTP request sent, awaiting response… 200 OK
Length: 1032 (1.0K) [text/plain]
Saving to: 'requirements.txt.78'

    OK .   100% 47.3M=0s

2024-04-22 11:23:15 (47.3 MB/s) - 'requirements.txt.78' saved [1032/1032]

ERROR: pip's dependency resolver does not currently take into account all the
packages that are installed. This behaviour is the source of the following
dependency conflicts.
chex 0.1.86 requires numpy>=1.24.1, but you have numpy 1.23.5 which is
incompatible.
pandas-stubs 2.0.3.230814 requires numpy>=1.25.0; python_version >= "3.9", but
you have numpy 1.23.5 which is incompatible.

```
[3]: import os
     import sys
     sys.path.append('/content/gdrive/MyDrive/yolov7')
```

```
[4]: cd /content/gdrive/MyDrive/yolov7
```

/content/gdrive/MyDrive/yolov7

```
[5]: if not os.path.isdir("/content/gdrive/MyDrive/yolov7/weights"):
         os.makedirs("/content/gdrive/MyDrive/yolov7/weights")
```

https://drive.usercontent.google.com/download?id=1CjWwUq64dqvgG_wmqOYLaqBg6aOjxwax&export=do

/content/gdrive/MyDrive/yolov7/weights

4   1.3 import library

```
[6]: import argparse
     import time
     from pathlib import Path
     import cv2
     import torch
     import numpy as np
     import torch.backends.cudnn as cudnn
     from numpy import random

     from models.experimental import attempt_load
     from utils.datasets import LoadStreams, LoadImages
     from utils.general import check_img_size, check_requirements, check_imshow,
      ↪non_max_suppression, apply_classifier, \
         scale_coords, xyxy2xywh, strip_optimizer, set_logging, increment_path
     from utils.plots import plot_one_box
     from utils.torch_utils import select_device, load_classifier,
      ↪time_synchronized, TracedModel


     def letterbox(img, new_shape=(640, 640), color=(114, 114, 114), auto=True,
      ↪scaleFill=False, scaleup=True, stride=32):
         shape = img.shape[:2]
         #  new_shape  int
         if isinstance(new_shape, int):
             new_shape = (new_shape, new_shape)

         #
         r = min(new_shape[0] / shape[0], new_shape[1] / shape[1])
         if not scaleup:
             r = min(r, 1.0)
```

```python
    #
    ratio = r, r
    new_unpad = int(round(shape[1] * r)), int(round(shape[0] * r))
    #
    dw, dh = new_shape[1] - new_unpad[0], new_shape[0] - new_unpad[1]
    if auto:  #        dw, dh
        dw, dh = np.mod(dw, stride), np.mod(dh, stride)    # np.mod
    elif scaleFill:
        dw, dh = 0.0, 0.0
        new_unpad = (new_shape[1], new_shape[0])
        ratio = new_shape[1] / shape[1], new_shape[0] / shape[0]
    dw /= 2   #
    dh /= 2

    if shape[::-1] != new_unpad:   #
        img = cv2.resize(img, new_unpad, interpolation=cv2.INTER_LINEAR)
    top, bottom = int(round(dh - 0.1)), int(round(dh + 0.1))
    left, right = int(round(dw - 0.1)), int(round(dw + 0.1))
    img = cv2.copyMakeBorder(img, top, bottom, left, right, cv2.
 ↪BORDER_CONSTANT, value=color)   #
    return img, ratio, (dw, dh)
```

5 1.4

```python
[7]: opt   = {
         "weights": "weights/60ep_best.pt",
         "yaml"   : "data/data.yaml",
         "img-size": 640,
         "conf-thres": 0.3, #
         "iou-thres" : 0, #
         "device" : '0', # 0  GPU cpu   cpu
     }

     driver_name = ' '   #
     token = '64zNrDrhaddw5Cj9DRrxpevndzumRhRC8UgUXLS7ZJo'   # Line
```

6 2. webcam

```python
[8]: from IPython.display import display, Javascript, Image
     from google.colab.output import eval_js
     from google.colab.patches import cv2_imshow
     from base64 import b64decode, b64encode
     import PIL
     import io
```

```python
import html
# JavaScript    OpenCV
def js_to_image(js_reply):

  # base64
  image_bytes = b64decode(js_reply.split(',')[1])
  #    numpy array
  jpg_as_np = np.frombuffer(image_bytes, dtype=np.uint8)
  #   numpy array    OpenCV BGR
  img = cv2.imdecode(jpg_as_np, flags=1)

  return img

#    OpenCV   base64 byte
def bbox_to_bytes(bbox_array):
  #   array    PIL image
  bbox_PIL = PIL.Image.fromarray(bbox_array, 'RGBA')
  iobuf = io.BytesIO()
  # PIL image    png
  bbox_PIL.save(iobuf, format='png')
  #  base64 byte  bbox_bytes
  bbox_bytes = 'data:image/png;base64,{}'.format((str(b64encode(iobuf.
 ↪getvalue()), 'utf-8')))

  return bbox_bytes


#   Javascript
def video_stream():
  js = Javascript('''
    var video;
    var div = null;
    var stream;
    var captureCanvas;
    var imgElement;
    var labelElement;

    var pendingResolve = null;
    var shutdown = false;

    function removeDom() {
       stream.getVideoTracks()[0].stop();
       video.remove();
       div.remove();
       video = null;
       div = null;
       stream = null;
```

```
    imgElement = null;
    captureCanvas = null;
    labelElement = null;
}

function onAnimationFrame() {
  if (!shutdown) {
    window.requestAnimationFrame(onAnimationFrame);
  }
  if (pendingResolve) {
    var result = "";
    if (!shutdown) {
      captureCanvas.getContext('2d').drawImage(video, 0, 0, 640, 480);
      result = captureCanvas.toDataURL('image/jpeg', 0.8)
    }
    var lp = pendingResolve;
    pendingResolve = null;
    lp(result);
  }
}

async function createDom() {
  if (div !== null) {
    return stream;
  }

  div = document.createElement('div');
  div.style.position = 'fixed';
  div.style.top = '0%';
  div.style.border = '2px solid black';
  div.style.padding = '3px';
  div.style.width = '100%';
  div.style.maxWidth = '600px';
  document.body.appendChild(div);

  const modelOut = document.createElement('div');
  modelOut.innerHTML = "<span> :</span>";
  labelElement = document.createElement('span');
  labelElement.innerText = 'No data';
  labelElement.style.fontWeight = 'bold';
  modelOut.appendChild(labelElement);
  div.appendChild(modelOut);

  video = document.createElement('video');
  video.style.display = 'block';
  video.width = div.clientWidth - 6;
  video.setAttribute('playsinline', '');
```

```javascript
        video.onclick = () => { shutdown = true; };
        stream = await navigator.mediaDevices.getUserMedia(
            {video: { facingMode: "environment"}});
        div.appendChild(video);

        imgElement = document.createElement('img');
        imgElement.style.position = 'absolute';
        imgElement.style.zIndex = 1;
        imgElement.onclick = () => { shutdown = true; };
        div.appendChild(imgElement);

        const instruction = document.createElement('div');
        instruction.innerHTML =
            '<span style="color: red; font-weight: bold;">' +
            '        </span>';
        div.appendChild(instruction);
        instruction.onclick = () => { shutdown = true; };

        video.srcObject = stream;
        await video.play();

        captureCanvas = document.createElement('canvas');
        captureCanvas.width = 640;
        captureCanvas.height = 480;
        window.requestAnimationFrame(onAnimationFrame);

        return stream;
    }
    async function stream_frame(label, imgData) {
      if (shutdown) {
        removeDom();
        shutdown = false;
        return '';
      }

      var preCreate = Date.now();
      stream = await createDom();

      var preShow = Date.now();
      if (label != "") {
        labelElement.innerHTML = label;
      }

      if (imgData != "") {
        var videoRect = video.getClientRects()[0];
        imgElement.style.top = videoRect.top + "px";
        imgElement.style.left = videoRect.left + "px";
```

11

```
              imgElement.style.width = videoRect.width + "px";
              imgElement.style.height = videoRect.height + "px";
              imgElement.src = imgData;
            }

            var preCapture = Date.now();
            var result = await new Promise(function(resolve, reject) {
              pendingResolve = resolve;
            });
            shutdown = false;

            return {'create': preShow - preCreate,
                    'show': preCapture - preShow,
                    'capture': Date.now() - preCapture,
                    'img': result};
          }
          ''')

    display(js)

def video_frame(label, bbox):
    data = eval_js('stream_frame("{}", "{}")'.format(label, bbox))
    return data
```

```python
#  numpy              wn
from IPython.display import Audio
f1 = 500
f2 = 1000
rate = 9000
L = 2
times = np.linspace(0,L,rate*L)
signal = np.sin(2*np.pi*f1*times) + np.sin(2*np.pi*f2*times)

wn = Audio(data=signal, rate=rate, autoplay=True)
```

```python
from collections import deque
from datetime import datetime
import requests

#
video_stream()
label_html = '  ...'

#
label = 'awake'
bbox = ''
count = 0
```

```python
print('\n'*30)

#
time_deque = {}
time_names = ['awake','drowsy']
for id in time_names:
  time_deque[id] = deque(maxlen = 64)

#
time_deque['awake'].appendleft(datetime.now())
time_deque['drowsy'].appendleft(datetime.now())

#   awake drowsy
delta_awake  = 0
delta_drowsy = 0

#              RAM
with torch.no_grad():
  weights, imgsz = opt['weights'], (480,640)
  set_logging()
  device = select_device(opt['device'])
  half = device.type != 'cpu'  #CPU
  model = attempt_load(weights, map_location=device)  #
  stride = int(model.stride.max())  #     stride

  #   gpu                      RAM
  if half:
    model.half()

  #      GPU   GPU
  names = model.module.names if hasattr(model, 'module') else model.names
  #
  colors = [[random.randint(0, 255) for _ in range(3)] for _ in names]
  #   cpu                 (  ,    , rows, cloumns)
  #   GPU
  if device.type != 'cpu':
    model(torch.zeros(1, 3, imgsz[0], imgsz[1]).to(device).type_as(next(model.
  ↪parameters())))


  while True:
    js_reply = video_frame(label_html, bbox)
    if not js_reply:
        break

    img0 = js_to_image(js_reply["img"])
    bbox_array = np.zeros([480,640,4], dtype=np.uint8)
```

```python
    img = letterbox(img0, imgsz, stride=stride)[0]
    #    ( , , )      PyTorch  ( , , )      RGB   BGR (::-1   )
    img = img[:, :, ::-1].transpose(2, 0, 1)
    #     array
    img = np.ascontiguousarray(img)
    img = torch.from_numpy(img).to(device)
    img = img.half() if half else img.float()
    img /= 255.0
    if img.ndimension() == 3:
      img = img.unsqueeze(0)

    #
    t1 = time_synchronized()
    pred = model(img, augment= False)[0]

    #
    pred = non_max_suppression(pred, opt['conf-thres'], opt['iou-thres'],↵
↪agnostic= False)
    t2 = time_synchronized()
    for i, det in enumerate(pred):
      if len(det):
        #
        det[:, :4] = scale_coords(img.shape[2:], det[:, :4], img0.shape).round()

        #  reversed
        for *xyxy, conf, cls in reversed(det):
          label = f'{names[int(cls)]}'
          plot_one_box(xyxy, bbox_array, label=label, color=colors[int(cls)],↵
↪line_thickness=3)

      #
      obj_name = label[0]
      if obj_name == 'a':
        if delta_drowsy != 0:
          time_deque['awake'].clear()
          delta_drowsy =0
          time_deque['awake'].appendleft(datetime.now())

        time_deque['awake'].popleft()
        time_deque['awake'].appendleft(datetime.now())
        delta_awake = (time_deque['awake'][0]-time_deque['drowsy'][-1]).↵
↪total_seconds()
      cv2.putText(bbox_array, 'awake(sec):'+str(round(delta_awake,2)), (10, 90),↵
↪5, 1, [0, 0, 255], thickness=1, lineType=cv2.LINE_AA)

      if obj_name == 'd':
        if delta_awake != 0:
```

```python
        time_deque['drowsy'].clear()
        delta_awake =0
        time_deque['drowsy'].appendleft(datetime.now())

    time_deque['drowsy'].popleft()
    time_deque['drowsy'].appendleft(datetime.now())
    delta_drowsy = (time_deque['drowsy'][0]-time_deque['awake'][-1]).
↪total_seconds()

    if delta_drowsy >=2:
        display(wn)
        cv2.line(bbox_array, (170, 400), (470, 400), [255, 0, 0], 140)
        cv2.putText(bbox_array, 'WAKE UP!!!', (190, 420), 5, 2, [225, 255,␣
↪255], thickness=2, lineType=cv2.LINE_AA)
        #
        message = f'\n {driver_name}          '
        headers = { "Authorization": "Bearer " + token }
        data = { 'message': message }
        requests.post("https://notify-api.line.me/api/notify",␣
↪headers=headers, data=data)


    cv2.putText(bbox_array, 'drowsy(sec):'+str(round(delta_drowsy,2)), (10,␣
↪110), 5, 1, [0, 0, 255], thickness=1, lineType=cv2.LINE_AA)
    cv2.putText(bbox_array, 'alarm_time(sec):'+str(2), (10, 130), 5, 1, [0, 0,␣
↪255], thickness=1, lineType=cv2.LINE_AA)

    #  bbox_array 0  255   0-255
    bbox_array[:,:,3] = (bbox_array.max(axis = 2) > 0 ).astype(int) * 255
    bbox_bytes = bbox_to_bytes(bbox_array)

    bbox = bbox_bytes

    #    Javascript( webcam   )
    jss = Javascript('''

    var elementsToHide = document.querySelectorAll(".display_data");

    elementsToHide.forEach(function(element) {
        element.style.display = "none";
    });
    ''')

    # jss
    display(jss)
```

<IPython.core.display.Javascript object>

```
Fusing layers…
RepConv.fuse_repvgg_block
RepConv.fuse_repvgg_block
RepConv.fuse_repvgg_block
IDetect.fuse
```

<IPython.core.display.Javascript object>

<IPython.core.display.Javascript object>

<IPython.core.display.Javascript object>

<IPython.core.display.Javascript object>

<IPython.lib.display.Audio object>

<IPython.core.display.Javascript object>

<IPython.lib.display.Audio object>

<IPython.core.display.Javascript object>

```
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
```

```
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.lib.display.Audio object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
<IPython.core.display.Javascript object>
```