



BRFSS Prevalence & Trends Data

[Home](#) [Explore by Topic](#) [Explore by Location](#)[Data Portal](#) [Help](#)

Explore by Topic



States and MMSAs

Class**Topic****Year**

Topic: Cardiovascular Disease

Question[States](#)[Hide](#)[Conducting](#)[Footnotes](#)[Surveillance, by](#)[Year](#)

Respondents that have ever reported having coronary heart disease (chd) or myocardial infarction (mi) (variable calculated from one or more BRFSS questions)

**Year****View by** Show MMSAs**Response**

All responses

Data Type**2017**

Respondents that have ever reported having coronary heart disease (chd) or myocardial infarction (mi) (variable calculated from one or more BRFSS questions) (Age-adjusted Prevalence)

View by: Overall

Response: All

	Reported having MI or CHD	Did not report having MI or CHD
Alabama		
Percent (%)	7.6	92.4
95% CI	6.9 - 8.3	91.7 - 93.1
n	777	5885
Birmingham-Hoover, AL Metropolitan Statistical Area		
Percent (%)	6.3	93.7
95% CI	4.9 - 7.7	92.3 - 95.1
n	118	1159
Tuscaloosa, AL Metropolitan Statistical Area		
Percent (%)	6.8	93.2
95% CI	4.2 - 9.5	90.5 - 95.8
n	52	479
Alaska		
Percent (%)	4.8	95.2
95% CI	3.5 - 6.1	93.9 - 96.5
n	223	2962
Anchorage, AK Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	3.2 - 7.5	92.5 - 96.8
n	64	959
Arizona		
Percent (%)	5.1	94.9
95% CI	4.7 - 5.5	94.5 - 95.3
n	1329	14032
Phoenix-Mesa-Scottsdale, AZ Metropolitan Statistical Area		

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	4.8	95.2
95% CI	4.3 - 5.2	94.8 - 95.7
n		
n	738	8342
Arkansas		
Percent (%)	8.2	91.8
95% CI	7.2 - 9.3	90.7 - 92.8
n	718	4517
Fayetteville-Springdale-Rogers, AR-MO Metropolitan Statistical Area		
Percent (%)	7.8	92.2
95% CI	5.5 - 10.2	89.8 - 94.5
n	115	672
Little Rock-North Little Rock-Conway, AR Metropolitan Statistical Area		
Percent (%)	7.8	92.2
95% CI	5.6 - 10.0	90.0 - 94.4
n	136	1060
California		
Percent (%)	4.5	95.5
95% CI	3.9 - 5.0	95.0 - 96.1
n	501	8799
Los Angeles-Long Beach-Anaheim, CA Metropolitan Statistical Area		
Percent (%)	4.5	95.5
95% CI	3.5 - 5.6	94.4 - 96.5
n	102	1993
Oakland-Hayward-Berkeley, CA Metropolitan Division		
Percent (%)	3.8	96.2
95% CI	1.9 - 5.6	94.4 - 98.1
n	28	666
Riverside-San Bernardino-Ontario, CA Metropolitan Statistical Area		
Percent (%)	5.4	94.6

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	3.6 - 7.2	92.8 - 96.4
n	65	945
Sacramento--Roseville--Arden-Arcade, CA Metropolitan Statistical Area		
Percent (%)	3.3	96.7
95% CI	2.0 - 4.6	95.4 - 98.0
n	42	884
Colorado		
Percent (%)	4.1	95.9
95% CI	3.7 - 4.5	95.5 - 96.3
n	587	9138
Colorado Springs, CO Metropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	3.9 - 6.4	93.6 - 96.1
n	81	1101
Denver-Aurora-Lakewood, CO Metropolitan Statistical Area		
Percent (%)	3.9	96.1
95% CI	3.3 - 4.5	95.5 - 96.7
n	266	4382
Connecticut		
Percent (%)	5.0	95.0
95% CI	4.5 - 5.5	94.5 - 95.5
n	786	9710
Hartford-West Hartford-East Hartford, CT Metropolitan Statistical Area		
Percent (%)	5.1	94.9
95% CI	4.2 - 5.9	94.1 - 95.8
n	281	3338
Delaware		
Percent (%)	5.4	94.6
95% CI	4.6 - 6.2	93.8 - 95.4

	Reported having MI or CHD	Did not report having MI or CHD
n	357	3746
District of Columbia		
Percent (%)	4.2	95.8
95% CI	3.5 - 4.9	95.1 - 96.5
n	230	3606
Washington-Arlington-Alexandria, DC-VA-MD-WV Metropolitan Division		
Percent (%)	4.5	95.5
95% CI	3.9 - 5.1	94.9 - 96.1
n	566	7906
Florida		
Percent (%)	6.0	94.0
95% CI	5.4 - 6.5	93.5 - 94.6
n	2308	19493
Crestview-Fort Walton Beach-Destin, FL Metropolitan Statistical Area		
Percent (%)	6.1	93.9
95% CI	4.0 - 8.2	91.8 - 96.0
n	56	520
Deltona-Daytona Beach-Ormond Beach, FL Metropolitan Statistical Area		
Percent (%)	6.7	93.3
95% CI	4.5 - 8.9	91.1 - 95.5
n	72	664
Gainesville, FL Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	3.2 - 7.6	92.4 - 96.8
n	43	477
Jacksonville, FL Metropolitan Statistical Area		
Percent (%)	6.7	93.3
95% CI	4.5 - 9.0	91.0 - 95.5
n	162	1629

	Reported having MI or CHD	Did not report having MI or CHD
Miami-Fort Lauderdale-West Palm Beach, FL Metropolitan Statistical Area		
Percent (%)	4.6	95.4
95% CI	3.4 - 5.9	94.1 - 96.6
n	103	1291
North Port-Sarasota-Bradenton, FL Metropolitan Statistical Area		
Percent (%)	4.7	95.3
95% CI	3.3 - 6.1	93.9 - 96.7
n	74	688
Orlando-Kissimmee-Sanford, FL Metropolitan Statistical Area		
Percent (%)	6.2	93.8
95% CI	4.5 - 7.9	92.1 - 95.5
n	126	1307
Panama City, FL Metropolitan Statistical Area		
Percent (%)	6.9	93.1
95% CI	4.3 - 9.6	90.4 - 95.7
n	74	663
Pensacola-Ferry Pass-Brent, FL Metropolitan Statistical Area		
Percent (%)	3.7	96.3
95% CI	2.3 - 5.1	94.9 - 97.7
n	54	628
Port St. Lucie, FL Metropolitan Statistical Area		
Percent (%)	6.8	93.2
95% CI	4.2 - 9.3	90.7 - 95.8
n	68	594
Tallahassee, FL Metropolitan Statistical Area		
Percent (%)	4.5	95.5
95% CI	2.8 - 6.2	93.8 - 97.2
n	82	833
Tampa-St. Petersburg-Clearwater, FL Metropolitan Statistical Area		

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	7.1	92.9
95% CI	5.2 - 8.9	91.1 - 94.8
n	158	1383
Georgia		
Percent (%)	5.6	94.4
95% CI	5.0 - 6.2	93.8 - 95.0
n	541	5444
Atlanta-Sandy Springs-Roswell, GA Metropolitan Statistical Area		
Percent (%)	4.4	95.6
95% CI	3.6 - 5.1	94.9 - 96.4
n	191	2729
Augusta-Richmond County, GA-SC Metropolitan Statistical Area		
Percent (%)	7.5	92.5
95% CI	4.9 - 10.1	89.9 - 95.1
n	103	733
Hawaii		
Percent (%)	3.9	96.1
95% CI	3.4 - 4.4	95.6 - 96.6
n	420	7292
Kahului-Wailuku-Lahaina, HI Metropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	3.6 - 6.7	93.3 - 96.4
n	81	1277
Idaho		
Percent (%)	5.0	95.0
95% CI	4.3 - 5.8	94.2 - 95.7
n	354	4502
Boise City, ID Metropolitan Statistical Area		
Percent (%)	5.3	94.7

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	3.8 - 6.8	93.2 - 96.2
n	98	1195
Illinois		
Percent (%)	5.5	94.5
95% CI	4.9 - 6.1	93.9 - 95.1
n	462	5069
Chicago-Naperville-Elgin, IL-IN-WI Metropolitan Statistical Area		
Percent (%)	5.0	95.0
95% CI	4.3 - 5.6	94.4 - 95.7
n	405	4691
Indiana		
Percent (%)	6.6	93.4
95% CI	6.1 - 7.0	93.0 - 93.9
n	1429	12280
Evansville, IN-KY Metropolitan Statistical Area		
Percent (%)	6.6	93.4
95% CI	4.7 - 8.5	91.5 - 95.3
n	67	551
Fort Wayne, IN Metropolitan Statistical Area		
Percent (%)	7.3	92.7
95% CI	5.5 - 9.1	90.9 - 94.5
n	83	771
Indianapolis-Carmel-Anderson, IN Metropolitan Statistical Area		
Percent (%)	5.9	94.1
95% CI	5.1 - 6.7	93.3 - 94.9
n	386	3799
South Bend-Mishawaka, IN-MI Metropolitan Statistical Area		
Percent (%)	8.9	91.1
95% CI	6.2 - 11.6	88.4 - 93.8

	Reported having MI or CHD	Did not report having MI or CHD
n	63	504
Iowa		
Percent (%)	5.4	94.6
95% CI	4.9 - 5.9	94.1 - 95.1
n	596	7048
Cedar Rapids, IA Metropolitan Statistical Area		
Percent (%)	4.5	95.5
95% CI	3.0 - 6.1	93.9 - 97.0
n	38	552
Des Moines-West Des Moines, IA Metropolitan Statistical Area		
Percent (%)	4.8	95.2
95% CI	3.6 - 5.9	94.1 - 96.4
n	87	1285
Omaha-Council Bluffs, NE-IA Metropolitan Statistical Area		
Percent (%)	5.3	94.7
95% CI	4.5 - 6.1	93.9 - 95.5
n	262	3042
Sioux City, IA-NE-SD Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	3.2 - 7.7	92.3 - 96.8
n	82	970
Kansas		
Percent (%)	5.5	94.5
95% CI	5.2 - 5.9	94.1 - 94.8
n	1789	19839
Kansas City, MO-KS Metropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	4.3 - 6.1	93.9 - 95.7
n	585	7111

Reported having MI or CHD	Did not report having MI or CHD
----------------------------------	--

Manhattan, KS Metropolitan Statistical Area

Percent (%)	4.9	95.1
95% CI	3.4 - 6.3	93.7 - 96.6
n	57	783

Salina, KS Micropolitan Statistical Area

Percent (%)	5.1	94.9
95% CI	3.4 - 6.7	93.3 - 96.6
n	49	570

Topeka, KS Metropolitan Statistical Area

Percent (%)	5.4	94.6
95% CI	4.2 - 6.6	93.4 - 95.8
n	131	1506

Wichita, KS Metropolitan Statistical Area

Percent (%)	5.8	94.2
95% CI	5.1 - 6.6	93.4 - 94.9
n	347	3670

Kentucky

Percent (%)	8.7	91.3
95% CI	7.8 - 9.5	90.5 - 92.2
n	1022	7533

Huntington-Ashland, WV-KY-OH Metropolitan Statistical Area

Percent (%)	11.1	88.9
95% CI	9.0 - 13.2	86.8 - 91.0
n	167	971

Lexington-Fayette, KY Metropolitan Statistical Area

Percent (%)	8.8	91.2
95% CI	5.7 - 12.0	88.0 - 94.3
n	44	459

Louisville/Jefferson County, KY-IN Metropolitan Statistical Area

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	7.2	92.8
95% CI	5.6 - 8.8	91.2 - 94.4
n	253	1751
Louisiana		
Percent (%)	7.2	92.8
95% CI	6.4 - 7.9	92.1 - 93.6
n	481	4272
Baton Rouge, LA Metropolitan Statistical Area		
Percent (%)	6.4	93.6
95% CI	4.6 - 8.1	91.9 - 95.4
n	71	708
New Orleans-Metairie, LA Metropolitan Statistical Area		
Percent (%)	5.6	94.4
95% CI	4.1 - 7.1	92.9 - 95.9
n	68	811
Maine		
Percent (%)	6.2	93.8
95% CI	5.4 - 7.0	93.0 - 94.6
n	850	8781
Portland-South Portland, ME Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	4.3 - 6.4	93.6 - 95.7
n	199	2366
Maryland		
Percent (%)	4.9	95.1
95% CI	4.4 - 5.4	94.6 - 95.6
n	1141	12308
Baltimore-Columbia-Towson, MD Metropolitan Statistical Area		
Percent (%)	4.9	95.1

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	4.2 - 5.6	94.4 - 95.8
n	393	4610
Hagerstown-Martinsburg, MD-WV Metropolitan Statistical Area		
Percent (%)	8.1	91.9
95% CI	5.4 - 10.8	89.2 - 94.6
n	83	691
Salisbury, MD-DE Metropolitan Statistical Area		
Percent (%)	6.5	93.5
95% CI	5.2 - 7.9	92.1 - 94.8
n	227	1894
Silver Spring-Frederick-Rockville, MD Metropolitan Division		
Percent (%)	3.2	96.8
95% CI	2.6 - 3.9	96.1 - 97.4
n	163	2261
Massachusetts		
Percent (%)	5.0	95.0
95% CI	4.3 - 5.8	94.2 - 95.7
n	498	6347
Boston, MA Metropolitan Division		
Percent (%)	3.9	96.1
95% CI	2.5 - 5.2	94.8 - 97.5
n	122	1805
Cambridge-Newton-Framingham, MA Metropolitan Division		
Percent (%)	4.2	95.8
95% CI	3.0 - 5.5	94.5 - 97.0
n	146	2184
Springfield, MA Metropolitan Statistical Area		
Percent (%)	6.2	93.8
95% CI	3.5 - 9.0	91.0 - 96.5

	Reported having MI or CHD	Did not report having MI or CHD
n	56	553
Worcester, MA-CT Metropolitan Statistical Area		
Percent (%)	6.0	94.0
95% CI	4.0 - 8.0	92.0 - 96.0
n	106	1319
Michigan		
Percent (%)	6.8	93.2
95% CI	6.3 - 7.4	92.6 - 93.7
n	1047	9749
Grand Rapids-Wyoming, MI Metropolitan Statistical Area		
Percent (%)	3.7	96.3
95% CI	2.6 - 4.7	95.3 - 97.4
n	64	917
Lansing-East Lansing, MI Metropolitan Statistical Area		
Percent (%)	7.9	92.1
95% CI	5.3 - 10.4	89.6 - 94.7
n	49	458
Warren-Troy-Farmington Hills, MI Metropolitan Division		
Percent (%)	6.9	93.1
95% CI	5.8 - 8.1	91.9 - 94.2
n	245	2278
Minnesota		
Percent (%)	4.5	95.5
95% CI	4.2 - 4.8	95.2 - 95.8
n	1188	15770
Duluth, MN-WI Metropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	3.7 - 6.6	93.4 - 96.3
n	100	967

Reported having MI or CHD Did not report having MI or CHD

Minneapolis-St. Paul-Bloomington, MN-WI Metropolitan Statistical Area

Percent (%)	4.2	95.8
95% CI	3.7 - 4.6	95.4 - 96.3
n	493	7583

Rochester, MN Metropolitan Statistical Area

Percent (%)	4.5	95.5
95% CI	3.1 - 5.9	94.1 - 96.9
n	49	635

St. Cloud, MN Metropolitan Statistical Area

Percent (%)	5.0	95.0
95% CI	3.4 - 6.6	93.4 - 96.6
n	41	641

Mississippi

Percent (%)	7.5	92.5
95% CI	6.6 - 8.4	91.6 - 93.4
n	572	4434

Jackson, MS Metropolitan Statistical Area

Percent (%)	5.8	94.2
95% CI	3.9 - 7.7	92.3 - 96.1
n	51	482

Missouri

Percent (%)	6.6	93.4
95% CI	6.0 - 7.2	92.8 - 94.0
n	818	6700

St. Louis, MO-IL Metropolitan Statistical Area

Percent (%)	5.7	94.3
95% CI	4.7 - 6.6	93.4 - 95.3
n	213	2005

Montana

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	4.7	95.3
95% CI	4.1 - 5.3	94.7 - 95.9
n	491	5380
Billings, MT Metropolitan Statistical Area		
Percent (%)	4.6	95.4
95% CI	3.0 - 6.3	93.7 - 97.0
n	38	578
Nebraska		
Percent (%)	5.5	94.5
95% CI	5.1 - 6.0	94.0 - 94.9
n	1326	13891
Grand Island, NE Metropolitan Statistical Area		
Percent (%)	6.1	93.9
95% CI	4.4 - 7.8	92.2 - 95.6
n	72	712
Lincoln, NE Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	4.3 - 6.6	93.4 - 95.7
n	100	1417
North Platte, NE Micropolitan Statistical Area		
Percent (%)	5.7	94.3
95% CI	3.9 - 7.5	92.5 - 96.1
n	52	499
Scottsbluff, NE Micropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	3.6 - 6.9	93.1 - 96.4
n	59	549
Nevada		
Percent (%)	6.1	93.9

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	5.1 - 7.1	92.9 - 94.9
n	320	3418
Reno, NV Metropolitan Statistical Area		
Percent (%)	5.6	94.4
95% CI	4.2 - 7.1	92.9 - 95.8
n	100	1151
New Hampshire		
Percent (%)	4.6	95.4
95% CI	4.0 - 5.2	94.8 - 96.0
n	496	5215
Claremont-Lebanon, NH-VT Micropolitan Statistical Area		
Percent (%)	5.2	94.8
95% CI	3.6 - 6.7	93.3 - 96.4
n	129	1621
Rockingham County-Strafford County, NH Metropolitan Division		
Percent (%)	4.5	95.5
95% CI	3.5 - 5.5	94.5 - 96.5
n	107	1238
New Jersey		
Percent (%)	5.2	94.8
95% CI	4.7 - 5.8	94.2 - 95.3
n	989	10608
Camden, NJ Metropolitan Division		
Percent (%)	5.7	94.3
95% CI	4.5 - 6.9	93.1 - 95.5
n	161	1455
Newark, NJ-PA Metropolitan Division		
Percent (%)	4.6	95.4
95% CI	3.7 - 5.5	94.5 - 96.3

	Reported having MI or CHD	Did not report having MI or CHD
n	286	3382
Wilmington, DE-MD-NJ Metropolitan Division		
Percent (%)	5.1	94.9
95% CI	4.1 - 6.0	94.0 - 95.9
n	196	2168
New Mexico		
Percent (%)	5.0	95.0
95% CI	4.4 - 5.6	94.4 - 95.6
n	532	5947
Albuquerque, NM Metropolitan Statistical Area		
Percent (%)	4.4	95.6
95% CI	3.4 - 5.5	94.5 - 96.6
n	123	1512
New York		
Percent (%)	5.3	94.7
95% CI	4.8 - 5.7	94.3 - 95.2
n	927	11215
Albany-Schenectady-Troy, NY Metropolitan Statistical Area		
Percent (%)	5.6	94.4
95% CI	3.7 - 7.6	92.4 - 96.3
n	48	578
Buffalo-Cheektowaga-Niagara Falls, NY Metropolitan Statistical Area		
Percent (%)	6.7	93.3
95% CI	4.5 - 9.0	91.0 - 95.5
n	56	456
Nassau County-Suffolk County, NY Metropolitan Division		
Percent (%)	4.9	95.1
95% CI	3.7 - 6.1	93.9 - 96.3
n	89	1139

	Reported having MI or CHD	Did not report having MI or CHD
New York-Jersey City-White Plains, NY-NJ Metropolitan Division		
Percent (%)	5.1	94.9
95% CI	4.5 - 5.7	94.3 - 95.5
n	576	8095
Rochester, NY Metropolitan Statistical Area		
Percent (%)	4.3	95.7
95% CI	2.6 - 6.0	94.0 - 97.4
n	45	492
North Carolina		
Percent (%)	5.8	94.2
95% CI	5.0 - 6.5	93.5 - 95.0
n	394	4479
Charlotte-Concord-Gastonia, NC-SC Metropolitan Statistical Area		
Percent (%)	5.6	94.4
95% CI	4.0 - 7.2	92.8 - 96.0
n	133	1356
North Dakota		
Percent (%)	5.7	94.3
95% CI	5.1 - 6.2	93.8 - 94.9
n	618	6319
Bismarck, ND Metropolitan Statistical Area		
Percent (%)	5.3	94.7
95% CI	3.9 - 6.6	93.4 - 96.1
n	99	1007
Fargo, ND-MN Metropolitan Statistical Area		
Percent (%)	4.3	95.7
95% CI	3.3 - 5.4	94.6 - 96.7
n	85	1222
Grand Forks, ND-MN Metropolitan Statistical Area		

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	7.9	92.1
95% CI	5.3 - 10.4	89.6 - 94.7
n		
n	57	537
Minot, ND Micropolitan Statistical Area		
Percent (%)	6.3	93.7
95% CI	4.6 - 8.1	91.9 - 95.4
n	67	584
Ohio		
Percent (%)	6.6	93.4
95% CI	6.0 - 7.1	92.9 - 94.0
n	1365	10808
Cincinnati, OH-KY-IN Metropolitan Statistical Area		
Percent (%)	7.1	92.9
95% CI	5.8 - 8.4	91.6 - 94.2
n	174	1545
Cleveland-Elyria, OH Metropolitan Statistical Area		
Percent (%)	5.7	94.3
95% CI	4.2 - 7.2	92.8 - 95.8
n	100	1025
Columbus, OH Metropolitan Statistical Area		
Percent (%)	5.4	94.6
95% CI	4.2 - 6.5	93.5 - 95.8
n	160	1855
Dayton, OH Metropolitan Statistical Area		
Percent (%)	6.9	93.1
95% CI	4.7 - 9.2	90.8 - 95.3
n	60	523
Toledo, OH Metropolitan Statistical Area		
Percent (%)	8.4	91.6

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	5.9 - 10.8	89.2 - 94.1
n	87	670
Oklahoma		
Percent (%)	7.4	92.6
95% CI	6.8 - 8.0	92.0 - 93.2
n	760	5773
Oklahoma City, OK Metropolitan Statistical Area		
Percent (%)	7.2	92.8
95% CI	6.1 - 8.3	91.7 - 93.9
n	235	1894
Tulsa, OK Metropolitan Statistical Area		
Percent (%)	6.3	93.7
95% CI	5.0 - 7.6	92.4 - 95.0
n	138	1102
Oregon		
Percent (%)	4.7	95.3
95% CI	4.1 - 5.3	94.7 - 95.9
n	361	4955
Portland-Vancouver-Hillsboro, OR-WA Metropolitan Statistical Area		
Percent (%)	4.7	95.3
95% CI	3.9 - 5.5	94.5 - 96.1
n	196	2914
Pennsylvania		
Percent (%)	6.3	93.7
95% CI	5.5 - 7.0	93.0 - 94.5
n	546	5941
Allentown-Bethlehem-Easton, PA-NJ Metropolitan Statistical Area		
Percent (%)	5.7	94.3
95% CI	3.5 - 7.9	92.1 - 96.5

	Reported having MI or CHD	Did not report having MI or CHD
n	79	779
Montgomery County-Bucks County-Chester County, PA Metropolitan Division		
Percent (%)	5.9	94.1
95% CI	3.7 - 8.0	92.0 - 96.3
n	36	578
Philadelphia, PA Metropolitan Division		
Percent (%)	6.3	93.7
95% CI	4.6 - 8.1	91.9 - 95.4
n	81	902
Pittsburgh, PA Metropolitan Statistical Area		
Percent (%)	6.6	93.4
95% CI	4.6 - 8.6	91.4 - 95.4
n	110	1312
Rhode Island		
Percent (%)	5.1	94.9
95% CI	4.6 - 5.7	94.3 - 95.4
n	464	5110
Providence-Warwick, RI-MA Metropolitan Statistical Area		
Percent (%)	5.9	94.1
95% CI	4.9 - 7.0	93.0 - 95.1
n	508	5568
South Carolina		
Percent (%)	6.4	93.6
95% CI	5.9 - 6.9	93.1 - 94.1
n	1194	9960
Charleston-North Charleston, SC Metropolitan Statistical Area		
Percent (%)	5.0	95.0
95% CI	3.9 - 6.2	93.8 - 96.1
n	123	1336

	Reported having MI or CHD	Did not report having MI or CHD
Columbia, SC Metropolitan Statistical Area		
Percent (%)	5.5	94.5
95% CI	4.2 - 6.8	93.2 - 95.8
n	114	1097
Florence, SC Metropolitan Statistical Area		
Percent (%)	7.9	92.1
95% CI	5.8 - 10.0	90.0 - 94.2
n	65	454
Greenville-Anderson-Mauldin, SC Metropolitan Statistical Area		
Percent (%)	6.4	93.6
95% CI	5.0 - 7.7	92.3 - 95.0
n	151	1321
Hilton Head Island-Bluffton-Beaufort, SC Metropolitan Statistical Area		
Percent (%)	4.5	95.5
95% CI	2.8 - 6.2	93.8 - 97.2
n	56	562
Myrtle Beach-Conway-North Myrtle Beach, SC-NC Metropolitan Statistical Area		
Percent (%)	6.4	93.6
95% CI	4.6 - 8.2	91.8 - 95.4
n	104	802
Spartanburg, SC Metropolitan Statistical Area		
Percent (%)	5.3	94.7
95% CI	3.1 - 7.6	92.4 - 96.9
n	42	462
South Dakota		
Percent (%)	6.6	93.4
95% CI	5.6 - 7.5	92.5 - 94.4
n	717	6236
Aberdeen, SD Micropolitan Statistical Area		

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	4.9	95.1
95% CI	3.2 - 6.6	93.4 - 96.8
n	53	451
Rapid City, SD Metropolitan Statistical Area		
Percent (%)	5.7	94.3
95% CI	3.6 - 7.8	92.2 - 96.4
n	105	953
Sioux Falls, SD Metropolitan Statistical Area		
Percent (%)	7.2	92.8
95% CI	4.9 - 9.6	90.4 - 95.1
n	93	997
Tennessee		
Percent (%)	7.4	92.6
95% CI	6.6 - 8.1	91.9 - 93.4
n	613	5167
Kingsport-Bristol-Bristol, TN-VA Metropolitan Statistical Area		
Percent (%)	9.5	90.5
95% CI	7.0 - 12.1	87.9 - 93.0
n	89	509
Knoxville, TN Metropolitan Statistical Area		
Percent (%)	8.1	91.9
95% CI	5.9 - 10.2	89.8 - 94.1
n	72	513
Memphis, TN-MS-AR Metropolitan Statistical Area		
Percent (%)	4.6	95.4
95% CI	2.8 - 6.3	93.7 - 97.2
n	73	875
Nashville-Davidson--Murfreesboro--Franklin, TN Metropolitan Statistical Area		
Percent (%)	6.8	93.2

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	5.0 - 8.7	91.3 - 95.0
n	72	850
Texas		
Percent (%)	5.6	94.4
95% CI	4.8 - 6.4	93.6 - 95.2
n	1146	10988
Austin-Round Rock, TX Metropolitan Statistical Area		
Percent (%)	3.6	96.4
95% CI	2.4 - 4.8	95.2 - 97.6
n	114	1507
College Station-Bryan, TX Metropolitan Statistical Area		
Percent (%)	3.3	96.7
95% CI	1.5 - 5.2	94.8 - 98.5
n	52	464
Corpus Christi, TX Metropolitan Statistical Area		
Percent (%)	6.1	93.9
95% CI	3.5 - 8.7	91.3 - 96.5
n	75	636
Dallas-Plano-Irving, TX Metropolitan Division		
Percent (%)	3.4	96.6
95% CI	1.6 - 5.2	94.8 - 98.4
n	100	1089
El Paso, TX Metropolitan Statistical Area		
Percent (%)	4.9	95.1
95% CI	2.8 - 7.0	93.0 - 97.2
n	33	492
Fort Worth-Arlington, TX Metropolitan Division		
Percent (%)	6.3	93.7
95% CI	4.1 - 8.5	91.5 - 95.9

	Reported having MI or CHD	Did not report having MI or CHD
n	54	510
Houston-The Woodlands-Sugar Land, TX Metropolitan Statistical Area		
Percent (%)	5.5	94.5
95% CI	3.4 - 7.5	92.5 - 96.6
n	184	2094
San Antonio-New Braunfels, TX Metropolitan Statistical Area		
Percent (%)	8.6	91.4
95% CI	4.9 - 12.4	87.6 - 95.1
n	55	575
Wichita Falls, TX Metropolitan Statistical Area		
Percent (%)	12.6	87.4
95% CI	6.1 - 19.2	80.8 - 93.9
n	84	427
Utah		
Percent (%)	4.7	95.3
95% CI	4.2 - 5.1	94.9 - 95.8
n	564	9606
Ogden-Clearfield, UT Metropolitan Statistical Area		
Percent (%)	5.3	94.7
95% CI	4.2 - 6.3	93.7 - 95.8
n	113	1673
Provo-Orem, UT Metropolitan Statistical Area		
Percent (%)	4.3	95.7
95% CI	3.2 - 5.5	94.5 - 96.8
n	80	1696
Salt Lake City, UT Metropolitan Statistical Area		
Percent (%)	4.5	95.5
95% CI	3.7 - 5.2	94.8 - 96.3
n	168	3140

Reported having MI or CHD Did not report having MI or CHD

Vermont

Percent (%)	5.4	94.6
95% CI	4.7 - 6.1	93.9 - 95.3
n	532	5929

Burlington-South Burlington, VT Metropolitan Statistical Area

Percent (%)	5.4	94.6
95% CI	4.1 - 6.6	93.4 - 95.9
n	127	1416

Virginia

Percent (%)	6.0	94.0
95% CI	5.4 - 6.6	93.4 - 94.6
n	810	8741

Richmond, VA Metropolitan Statistical Area

Percent (%)	6.3	93.7
95% CI	4.6 - 7.9	92.1 - 95.4
n	120	1400

Virginia Beach-Norfolk-Newport News, VA-NC Metropolitan Statistical Area

Percent (%)	6.0	94.0
95% CI	4.6 - 7.3	92.7 - 95.4
n	175	1902

Washington

Percent (%)	5.0	95.0
95% CI	4.6 - 5.5	94.5 - 95.4
n	1004	12156

Seattle-Bellevue-Everett, WA Metropolitan Division

Percent (%)	4.1	95.9
95% CI	3.5 - 4.8	95.2 - 96.5
n	216	3949

Spokane-Spokane Valley, WA Metropolitan Statistical Area

	Reported having MI or CHD	Did not report having MI or CHD
Percent (%)	4.7	95.3
95% CI	3.4 - 5.9	94.1 - 96.6
n	90	985
West Virginia		
Percent (%)	9.4	90.6
95% CI	8.6 - 10.1	89.9 - 91.4
n	760	4654
Charleston, WV Metropolitan Statistical Area		
Percent (%)	8.4	91.6
95% CI	6.6 - 10.2	89.8 - 93.4
n	105	702
Wisconsin		
Percent (%)	4.6	95.4
95% CI	4.0 - 5.1	94.9 - 96.0
n	416	5355
Milwaukee-Waukesha-West Allis, WI Metropolitan Statistical Area		
Percent (%)	4.4	95.6
95% CI	3.1 - 5.7	94.3 - 96.9
n	73	1036
Wyoming		
Percent (%)	5.4	94.6
95% CI	4.7 - 6.0	94.0 - 95.3
n	379	4056
Guam		
Percent (%)	7.8	92.2
95% CI	5.9 - 9.6	90.4 - 94.1
n	112	1378
Puerto Rico		
Percent (%)	9.0	91.0

	Reported having MI or CHD	Did not report having MI or CHD
95% CI	7.9 - 10.1	89.9 - 92.1
n	497	3974
San Juan-Carolina-Caguas, PR Metropolitan Statistical Area		
Percent (%)	8.8	91.2
95% CI	7.5 - 10.1	89.9 - 92.5
n	315	2490

Data Source: Behavioral Risk Factor Surveillance System (BRFSS)

Note

Use caution in interpreting cell sizes less than 50.

If you see that a question is not available for a particular year, it is because the question was dropped or changed. Check the category of interest for that year to find similar items.

Denominator includes all respondents except those with missing, don't know, and refused answers.

** Median value reported with no confidence intervals.

Measure Definitions

% = Percent

CI = 95% Confidence Interval

n = "Sample Size". Translates to the number of adult respondents who answered this question, or were assigned to this category based on question responses for a calculated variable, or the number of states included for a median.

N/A = Translates to no data available for a record.

No Data = Translates to no data available for record.

Suggested Citation

Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. BRFSS Prevalence & Trends Data [online]. 2015. [accessed Aug 10, 2019]. URL: <https://www.cdc.gov/brfss/brfssprevalence/>.

Related Links

- [Prevalence Data and Data Analysis Tools](#)
- [Behavioral Risk Factor Surveillance System \(BRFSS\)](#)
- [Division of Population Health](#)
- [Survey Data & Documentation](#)

File Formats Help:

[How do I view different file formats \(PDF, DOC, PPT, MPEG\) on this site?](#)

**Follow CDC****CDC Media****Legal**[Policies](#)[USA.gov](#)**Contact CDC**

Centers for Disease Control and

Prevention

1600 Clifton Road, Atlanta, GA 30329-4027

USA

800-CDC-INFO (800-232-4636)

[Contact CDC-INFO](#)