



## 7. How to Record a Post Natal Visit for an HIV Exposed Infant in PTracker

	<b>○</b> Ia: a a±!	Factoria Aleas described			. f			f-11 / / th		
Objective:		Ensure that details for an HIV exposed infant visit at postnatal care and follow-up (mother-baby follow-up visits) are recorded in PTracker								
	i dSKS.	a. Enter client's (Baby) PNC details, either as linked to the mother who is already registered								
	\A/b on .	b. Create a new client record then enter details as recorded in register								
	When:	When an HIV exposed infant comes for a PMTCT visit or ensuing follow up visits at PNC from								
		6 days up to when infant is between 18-24 months old OR after cessation of breastfeeding								
	Who	when final PMTC outcome for baby is determined.								
Who:		PMTCT staff. These users should have logins and have data entry roles to create visits.								
Required Materials:		Username, password, hardware with a Firefox web browser or ODK collect application								
iviateriais:		installed on tablets to access the PTracker, <b>Mother Baby Follow up Care Register</b> infant								
		details for PNC visits (Demographics, PTracker ID, EID testing, ARV prophylaxis, visit date breastfeeding and if infant is positive, ART Unique number and linkage details.								
STEP		breastreeding and in	illiant is po			. Hulliber	and mikage a	ictaris.		
JILI		ACTION THEN								
	a Newly		 rsed infant	See ste	ns in Sec	tion 2 He		r or Create a New		
1.	on this	See steps in Section 2. How to Register or Create a New Client Record in PTracker								
		is already in PTracker	from previo	-						
	Mater		nom previo	ous regist	.racion ac	Go to	step 2			
	Water	•	creating c	·	o cliont	rocordo	-1			
Doforo	orostina o n		_	-				o on ovicting record		
		ew client record for a					does not nave	e an existing record		
III F II ac	T by sear	ching for the infant's r	iaine or pre	eviously u	iseu r iia	CKELID				
		Navigate to the Search Client screen to confirm that the Infant exists in								
	Navigate '	to the <b>Search Client</b> se	creen to co	nfirm tha	t the Infa	nt exists	in	O		
	_					ınt exists		Client Record		
	_	to the <b>Search Client</b> so by clicking on the <b>Find</b>				int exists	Find (			
	PTracker l	by clicking on the <b>Find</b>	d Client Rec	ord butto	on.		Find (	Client Record		
	PTracker   From the	by clicking on the Find Find Client Record pa	d Client Rec	ord butto	on.		Find (	Client Record		
2.	PTracker l	by clicking on the Find Find Client Record pa	d Client Rec	ord butto	on.		Find ( Find Client  Search by ID	Client Record Record or Name		
2.	From the search bo	by clicking on the Find Find Client Record pa x.	d Client Rec	ord butto	on. s name ir	nto the	Find () Find Client  Search by ID  Register a Pat	Client Record  Record  Or Name client Register a patient		
2.	From the search bo	Find Client Record pa x. Find Client Record pa	ge, enter th	ord buttone client's	on. s name ir s name (I	nto the Mother's	Find () Find Client Search by ID Register a Pat  name) or PTra	Client Record  Record  O or Name client Register a patient acker ID into the		
2.	From the search bo  From the search bo	Find Client Record pa x. Find Client Record pa x. Find Client Record pa x. For example, if a m	ge, enter the	ne client's	on.  s name ir  s name (forded in	nto the Mother's the regist	Find ()  Find Client    Search by ID     Register a Pate     name) or PTracer as or client	Record Or Name Sient Register a patient Client Register a patient Client Record Cor Name Client Register a patient Cor Name Client Record Cor Name Client Register a patient Cor Name Client Register a patient Cor Name Co		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x.  Find Client Record pa x. For example, if a m Shilonga. First search	age, enter the nother's nar the for the clie	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client Search by ID Register a Pat There as or client provided nam	Client Record Record Record Cor Name Client Register a patient Cacker ID into the Cacker		
2.	From the search bo  From the search bo	Find Client Record pa x. Find Client Record pa x. Find Client Record pa x. For example, if a m	age, enter the nother's nar the for the clie	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client Search by ID Register a Pat There as or client provided nam	Client Record  Record  Por Name client Register a patient  acker ID into the client gives her name as e. Entering "Nda" in		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x.  Find Client Record pa x. For example, if a m Shilonga. First search	age, enter the sage, enter the sage, enter the sage of	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client Search by ID Register a Pat There as or client provided nam	Client Record  Record  Por Name client Register a patient  acker ID into the client gives her name as e. Entering "Nda" in		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x.  Find Client Record pa x. For example, if a management of a shilonga. First search th box returns a list of a	age, enter the nother's nar the for the clie all records	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client Search by ID Register a Pat There as or client provided nam	Client Record  Record  Por Name client Register a patient  acker ID into the client gives her name as e. Entering "Nda" in		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x. For example, if a many Shilonga. First search the box returns a list of the search of th	age, enter the nother's nar the for the clie all records	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client Search by ID Register a Pat There as or client provided nam	Client Record Record Record Cor Name Client Register a patient Register ID into the Regives her name as Record Rec		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x.  Find Client Record pa x. For example, if a m a Shilonga. First search h box returns a list of a Find Client Find Client Record	age, enter the nother's nar the for the clie all records	ne client's ne client's ne is reco	on.  s name ir  s name (I  orded in in  e by a pa	Nother's the regist	Find () Find Client   Search by ID   Register a Pat   name) or PTra   ter as or client   provided name   ntain with "No	Client Record Record Record Cor Name Client Register a patient Register ID into the Regives her name as Record Rec		
2.	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x. For example, if a many Shilonga. First search the box returns a list of a search of the	age, enter the other's name of the client all records for the client all re	ne client's me client's me is reco	s name ir s name (f orded in a e by a pa s whose n	Mother's the regist rt of the names con	Find (Find Client Search by ID Register a Pater as or client provided namentain with "No	Client Record Record Record Cor Name Client Register a patient Register ID into the Regives her name as Record Rec		
	From the search bo  From the search bo	Find Client Record pa x.  Find Client Record pa x. For example, if a many shilonga. First search the box returns a list of a shilonga. First search the box returns a list of a shilonga. Find Client Record pa A prind Client Record pa	age, enter the age, enter the age, enter the nother's name all records for the client all records for the	ne client's ne client's ne is reco	s name ir s name (f orded in a e by a pa s whose n	Mother's the registert of the cames con	Find () Find Client   Search by ID   Register a Pat   Patron	Client Record Record Record Cor Name Client Register a patient Register ID into the Regives her name as Record Rec		
	From the search bo  From the search bo	Find Client Record parx.  Find Client Record parx.  Find Client Record parx.  Find Client Record parx.  For example, if a mark shilonga. First search hox returns a list of a find Client Record part of the part	age, enter the age, enter the age, enter the age, enter the all records of anna Ndapewa shikalepo Ndamona onghenda Mercy ndapewa ndapewa	ne client's me client's me is reco	on.  s name ir  s name (forded in a part of the by a part	Mother's the regist rt of the cames con	Find (Find Client Find Client Find Client Find Client Find Client Fear as or client provided namentain with "No	Client Record  Record  Por Name client Register a patient  acker ID into the client gives her name as e. Entering "Nda" in		
	From the search bo  From the search bo	Find Client Record parx.	age, enter the age, enter the age, enter the age, enter the all records of all records of all records of all record and and a shikalepo Ndamona onghenda Mercy ndapewa ndapewa ndapewa ndapewa ndapewa	ne client's me client's me is reco	on.  s name ir  s name (forded in a se by a pa se whose name a whose n	Mother's the regist rt of the ames con	Find ( Find Client   Search by ID     Register a Pat   Re	Client Record  Record  Por Name client Register a patient  acker ID into the client gives her name as e. Entering "Nda" in		









STEP	ACTION						
17.	Enter the <b>Cotrimoxazole (CTX) Prohylaxis</b> status of the infant, the <b>CTX Adherence</b> .		CTX Prophylaxis status Received CTX prophylaxis Never received CTX prophylaxis Stopped CTX prophylaxis Missing CTX Adherence Good Fair Poor Starting prophylaxis on this visit Missing				
	Also indicate if the <b>Infant was tested for HIV</b> during the PNC visit <b>being recorded.</b>	Was this infant tested for HIV during this visit?  Tested for HIV during this visit  Not tested for HIV during this visit  Missing					
F	IF	THEN					
	a. Tested for HIV during this visit	Go to Step 19					
	b. Not tested for HIV during this visit	Go to Breastfeeding Section in Step 24					
	c. Missing		Go to Breastfeeding Section in Step 24				
19.			What kind of test was used?  DNA PCR Rapid Test Missing  NA PCR, proceed to Step 20 to enter test result				
			Rapid Test, proceed to Step 20 to enter test result				
		issing, proceed to Breastfeeding Section in Step 24					
	Enter response on HIV test result on PCR or Rapid Test						
20.	a. If "Negative" or "Results pending" or "Miss	Go to Step 21					
	b. If <b>Positive</b> PCR or Rapid test result	Go to Step 21					
21.	Indicate if a confirmatory test was performed	Was a confirmatory test performed during this visit?  Yes No Missing					
	If <b>"Yes"</b> , Go to <b>Step 22</b> to enter test result response for the Confirmatory test performed	What was the final test result for the confirmatory test?  Negative Positive Results Pending Missing					
	If "No" or "Results pending" or "Missing"		to Breastfeeding Section in Step 24				
	Enter response on Confirmatory test performed						
22.	a. If "Negative" or "Results pending" or "Miss	Go to Breastfeeding Section in Step 24					
	b. If <b>Positive</b> Confirmatory test result Th		e final PMTCT outcome is <b>Positive</b> . Go to <b>Step 23</b>				

STEP	ACTION							
23.	Indicate whether the Infant was linked to ART	Then enter the <b>Infant ART Unique Number</b> and <b>proceed to Step 24.</b>						
	Was this infant linked to ART  Yes	Infant ART Unique Number						
	○ No ○ Missing	☐ Infant ART Unique Number missing						
24.	Enter the details of the Infant's <b>Breastfeeding Sta</b> tto the next step (Step 25)  Note: Infant Breasfeeding status is a required field	Mixed Feeding  Complementary Feeding  Other						
		Briefly describe the other infant feeding method in a few words in the text box provided and proceed to Step 25.						
	If "Other" breastfeeding is chosen as a response	Other infant feeding method  Other feeding method missing						
	INFANT STATUS							
25.	Record the <b>Infant outcome Status</b> at for the visit being recorded	Infant outcome status Still in Care Transfer In to ART Clinic Confirmed HIV negative infant (discharged from PMTCT) Transferred Out Lost to Follow Up Dead Missing						
	IF	THEN						
	<ul> <li>a. Infant is still in care, record the Next visit date</li> <li>26 to submit the form.</li> </ul>	and proceed to Step  Next visit date  Next visit date						
	b. Infant Transfer to ART Clinic, record the ART cl transferred to, the date of transfer and the nex clinic visit. Proceed to Step 26 to submit the for	t visit date for the ART						
	c. Confirmed HIV negative (discharged from PMT when infant was confirmed HIV negative and diand Proceed to Step 26 to submit the form.							

