



D-16

Version: 3.0

Material Safety Data Sheet- Authored according to GB / T 16483(2008), GB / T 17519(2013).

1.1 Name of substance/preparation

Commercial product name: D-16

Chemical name: Propyl tri acetoxy silane

Industrial, Silicone sealant crosslinking agent

Manufacturer/distributor: ANHUI MOON TECHNOLOGY CO.,LTD

ADD:Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengbu City, Anhui Province, China

Postal code:233000

Tel/Fax: +86-552-2079969

2021.04.20

2.1 GHS classify

Physical hazard

Unclassified

Health hazard

Skin irritation

Skin irritation	Category 1B
-----------------	-------------

Serious eye damage/irritation

Category 1

Environmental hazards

Unclassified

Pictogram

Signal word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280

Wear protective gloves/ eye protection/ face protection.

P261

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P240

Ground/connected containers and receiving equipment.

Reaction statement(s)

P301+P312

If swallowed: Call a Poison center or doctor if you feel unwell.



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

P302+P352	If on skin, wash with plenty of soap and water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a Poison center or doctor if you feel unwell.
P321	Specific emergency response (see first aid instructions provided on this label).
P330	Gargle.
P333 + P313	If skin irritation or rash occurs: Seek medical advice.
P337 + P313	If eyes irritation persists: Seek medical advice.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
Safe storage	
P405	Store locked up.
Waste disposal	
P501	Dispose of contents/container to an approved waste disposal plant.

2.3 Other effects

Chronic: No information found

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Chemical characterization (substance)

Ingredients Name	CAS No.
propyltriacetoxysilane	17865-07-5

3.2 Hazardous ingredients

Chemical name	CAS No.	Concentration
propyltriacetoxysilane	17865-07-5	≥90.0%
Acetic acid	64-19-7	≤5%
Dimer	-	≤5%

4. FIRST AID MEASURES

4.1 General information

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

4.2 After inhalation

Remove the victim to fresh air, keep breathing comfortable and rest. Call a poison center/doctor if you feel unwell.

4.3 After contact with the skin

Removed all contaminated clothing immediately.
Wash gently with plenty of soap and water.
If skin irritation or rash occurs: seek medical attention.

4.4 After contact with the eyes

Immediately flush eyes with plenty of water for at least 15 minutes



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

If convenient and easy to operate, remove contact lenses. Keep cleaning.

If eye irritation: seek medical attention.

4.5 After swallowing

If you feel unwell, call the poison center/doctor. Rinse your mouth.

4.6 Protection of emergency rescuer

Rescuers need to wear personal protective equipment, such as rubber gloves and air-tight goggles.

5. FIRE FIGHTING MEASURES

5.1 Flash point

Flash point is about $>96.0^{\circ}\text{C}$ (Test method: closed cup).

5.2 Suitable extinguishing media

Use dry powder or foam in large fires and carbon dioxide, dry powder, sand in small fires.

Water can be used to cool containers affected by the fire.

5.3 Special hazards

Caution, toxic fumes may decompose under fire or high temperature.

5.4 Special methods

Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

5.5 Special protective equipment for firefighters

When putting out of a fire, always wear personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal prevention, protective equipment and emergency procedures

Use personal protective equipment. Prevent inhalation of vapors, aerosols or gases. Ensure adequate ventilation.

6.2 Environmental precautions

Take measures to prevent further leakage or overflow under safe conditions. Prevent product from entering drains. Prevent discharge into the surrounding environment.

6.3 Methods and materials for suppressing and removing spills.

It is absorbed by inert adsorption material and treated as hazardous waste. Store in a suitable closed processing container.

7. HANDLING AND STORAGE

7.1 Handling precautions

Precautions for safe handling

Use in a ventilated place.

When using the product, use an air-supply or self-contained breathing apparatus to provide ventilation.

Do not get into your eyes.

Avoid contact with skin. Avoid breathing in steam, mist, dust or smoke.

Keep container sealed.



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

Don't take it internally.

Develop good industrial hygiene habits, must clean, before eating, drinking or smoking.

Precautions against fire and explosion

Take fire protection measures.

7.2 Storage precautions

Store in the shade. Keep container closed and store in a dry and ventilated place.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Maximum permissible concentration

Component	CAS No.	Maximum permissible concentration
propyltriacetoxysilane	17865-07-5	See acetic acid comments.
Acetic acid	64-19-7	CHINA: TWA 10 mg/m ³ . STEL 20 mg/m ³ . OSHA PEL: TWA 10 ppm ACGIH TLV: TWA 10 ppm, STEL 15 ppm.

8.2 Engineering control

8.2.1 Personal protective

Respiratory protection: gas mask. According to local and government regulations.

Hand protection: protective gloves.

Eye protection: safety goggles. Wear a mask if necessary.

Skin and body protection: protective clothing. Wear protective boots if necessary.

8.2.2 Environmental protection

Local Ventilation:

Recommended

General Ventilation:

Recommended

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state/form.....	Liquid
Color.....	Light yellow transparent
pH.....	4.5 (25°C)
Boiling point.....	No data available
Melting point.....	No data available
Flash point.....	> 96°C (tag closed cup)
Molecular Weight.....	248
Refractive index n _D ²⁵	1.4300
Ignition temperature.....	No data available
Oxidizing properties.....	No
Upper explosion limit.....	No data available
Lower explosion limit.....	No data available
Vapor pressure.....	No data available



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

Vapor density.....: No data available
Density/relative density.....: 1.112g/cm³(25°C)
Solubility.....: React with water
Heat of combustion.....: No data available
Viscosity(dynamic).....: No data available

10. STABILITY AND REACTIVITY

10.1 General information

Stored and handled in accordance with standard industrial practices without harmful reactions.

10.2 Chemical stability: Sensitive to humidity.

10.3 Reactive

Conditions to avoid: Incompatible materials, sources of ignition, excess heat, exposure to moist air.

Hazardous decomposition products: carbon oxides and incompletely combusted carbon compounds, silicon dioxide.

Hazardous polymerization: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

11.1 Route of Exposure: Inhalation, skin contact and accidental ingestion.

11.2 Signs and Symptoms of Overexposure:

Harmful if inhaled. Harmful if swallowed. Causing severe eye damage. May cause skin irritation.

11.3 Acute Toxicity:

Chemical Name	CAS No.	LD50 (Oral)	LD50 (Dermal)	LC50 (Inhalation)
propyltriacetoxysilane	17865-07-5	-	-	-

Potential health effects

Inhalation: May be harmful if inhaled. May cause respiratory irritation.

Ingestion: Be harmful to human body.

Skin: Be harmful if absorbed through the skin. May cause skin irritation.

Eyes: Cause eye irritation.

11.4 Chronic Toxicity

Organosilicon compounds are generally low in toxicity.

11.5 Other Health Hazard Information

No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Fish: No data available
Toxicity to water fleas and other aquatic invertebrates: No data available
The algae: No data available

12.2 Residuality/degradability

The product is hydrolyzed in water or moist air, releasing Acetic acid and organosilicon compounds.

12.3 Potential bioaccumulation (BCF): No data available



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

12.4 Mobility in Soil:: No data available

12.5 Additional Environmental Information

Environmental hazards cannot be ruled out even in cases of professional treatment or disposal.

13. DISPOSAL CONSIDERATIONS

Product disposal:	Dispose of in accordance with local regulations.
Packaging disposal:	Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

Class.....:8
UN-Number.....: 3265
Packing group.....: II
Proper Shipping Name.....: Corrosive liquid, acidic,organic,n.o.s.
Technical name.....: Propyl triacetoxysilane

15. REGULATORY INFORMATION

15.1 Applicable regulations

Relevant regulations are in accordance with Article 423 of the "Regulations on Chemical Safety Management" promulgated by the Ministry of Labor (1996), especially the regulations on the safe use, production, storage and transportation of hazardous chemicals.

15.2 Chemical inventories:

AICS: All ingredients listed or exempt.
IECSC: All ingredients listed or exempt.
KECL: All ingredients listed or exempt.
EINECS: All ingredients listed or exempt.
TSCA: All chemical substances in this material are included or exempted from the TSCA Chemical Substance List.
MITI: Not determined.
DSL: All chemicals in this material are included or exempted in the DSL.

16. OTHER INFORMATION

Prepared by ANHUI MOON TECHNOLOGY CO.,LTD

(R) indicates Registered Trademark

The information provided here is in good faith and the data listed above are believed to be correct. However, no basis, express or implied, adjustments according to the requirements of different regions are given. Compliance with federal, national, provincial or local regulations is the responsibility of the buyer/user. The information listed here applies only to the transportation of the product. Since the conditions of use of the product are not under our control, the user is responsible for determining the technology and conditions required for the safe use of chemicals. Because the information comes from different sources, we cannot be held responsible for MSDS from other sources. If you have obtained our MSDS from a source other than ours or you are not sure that our



Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

MSDS is the current version, please contact us to obtain it.

-End of Material Safety Data Sheet-

