



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

MSDS FOR MTMS

Anhui moon technology co.,ltd.

Version: 2.0

Material Safety Data Sheet- Authored according to GB / T 16483(2008), GB / T 17519(2013).

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Name of substance/preparation

Chemical name: Methyl tri methoxy silane

Commercial product name: MTMS

1.2 Use of substance/preparation

Industrial, chemical intermediate

1.3 Company information

Manufacturer/distributor: Anhui moon technology co.,ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengbu City, Anhui Province, China

Postal code/city/province/country: 233000, Bengbu city, Anhui province, China

Telephone: 0086-552-2079969

Fax: : 0086-552-2079969

E-mail: echo@ahmoontech.com

1.4 Revision date

2019.08.01

2. HAZARDS IDENTIFICATION

2.1 GHS Classify

Physical hazard

Flammability

Health hazard

Skin corrosion

Category 2B

Serious damage/irritation to the eyes

Category 2

Environmental hazards

Unclassified

2.2 GHS The label element

Pictogram

Signal word

Hazard statement(s)

H225

H315

H320



Highly Flammable liquid and vapour.

Cause skin irritation

Cause eye irritation



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

Precautionary statement(s)

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 Wear protective gloves and eye/ face protection
- Incident response
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Safe storage
- P403 + P235 Store in a well-ventilated place. Keep cool.
- Disposal
- P501 Dispose of contents/container in accordance with local regulation.

2.2 Other effects

Chronic: No information found.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Chemical characterization (substance)

Ingredients Name	CAS No.	Chemical characteristics
Methyltrimethoxysilane	1185-55-3	Crosslinker for silicone sealant

3.2 Hazardous ingredients

Chemical name	CAS No.	Concentration
Methyltrimethoxysilane	1185-55-3	≥99.0%
Methyl alcohol	67-56-1	≤1%

4. FIRST AID MEASURES

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

4.2 After inhalation

Move the victim to fresh air, keep breathing well and rest.
Call the detoxification center/doctor if you feel unwell.

4.3 After contact with the skin

Removed all contaminated clothing immediately.
Flush skin with plenty of water for at least 15 minutes.
If skin irritation or rash occurs: seek medical attention.

4.4 After contact with the eyes

Immediately flush eyes with plenty of water for at least 15 minutes
If convenient and easy to operate, remove contact lenses. Keep cleaning.
If eye irritation: seek medical attention.



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

4.5 After swallowing

If you feel unwell, call the detoxification center/doctor. Rinse your mouth.

4.6 Protection of emergency rescuer

5. FIRE FIGHTING MEASURES

5.1 Flash point

Flash point is about 11 °C (Test method: closed cup). Flammable liquid.

5.2 Suitable extinguishing media

Use dry powder or foam in large fires, carbon dioxide in small fires, dry powder, sand. Water can be used to cool containers affected by fire.

5.3 Special hazards

Be careful, combustion or high temperature may decompose to produce toxic smoke.

5.4 Special methods

Determine if evacuation or isolation of the area is necessary according to the local emergency plan. Keep containers exposed to fire cool by spraying water.

6. ACCIDENTAL RELEASE MEASURES

When putting out of a fire, always wear personal protective equipment.

6.1 Personal prevention, protective equipment and emergency procedures

Use personal protective equipment. Prevent inhalation of vapors, aerosols or gases. Ensure adequate ventilation.

6.2 Environmental precautions

Take measures to prevent further leakage or overflow under safe conditions.

Prevent product from entering drains. Prevent discharge into the surrounding environment.

6.3 Methods and materials for suppressing and removing spills.

7. HANDLING AND STORAGE

closed processing container.

7.1 Handling

Use in a ventilated place.

When the product is used, it comes into contact with flammable methanol in water or moist air.

During use, methanol exposure must be controlled and ventilation provided by air supply or self-contained breathing apparatus.

Do not get into your eyes.

Avoid skin contact.

Avoid breathing in steam, mist, dust or smoke. - 3 -



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui

POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

Keep container sealed.

Don't take it internally.

Remove contaminated clothing immediately.

Develop good industrial hygiene habits, must clean, before eating, drinking or smoking.

7.2 Storage

Store in the shade. Keep container closed and store in a dry and ventilated place.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Maximum permissible concentration

Component	CAS No.	Exposure Limits
Methyltrimethoxysilane	1185-55-3	See Methyl alcohol comments.
Methyl alcohol	67-56-1	China: TWA 25 mg/m ³ . STEL 50 mg/m ³ . Can be absorbed through the skin. OSHA PEL (final rule): TWA 200 ppm, 260 mg/m ³ and ACGIH TLV-skin: TWA 200ppm, STEL 250 ppm.

8.2 Engineering control

8.2.1 Personal protective

Respiratory protection: gas mask. According to local and government regulations.

Hand protection: protective gloves.

Eye protection: safety goggles. Wear a mask if necessary.

Skin and body protection: protective clothing. Wear protective boots if necessary.

8.2.2 Environmental protection

Local Ventilation:

Recommended

General Ventilation:

Recommended

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state/form.....	Liquid
Color.....	Colorless
pH.....	No data available
Boiling point.....	102°C at 760mmHg
Melting point.....	-78°C
Flash point.....	11°C (tag closed cup)
Ignition temperature.....	No data available
Oxidizing properties.....	No data available
Upper explosion limit.....	No data available
Lower explosion limit.....	No data available
Vapor pressure.....	No data available
Vapor density.....	No data available



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui

POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

Density/relative density..... 0.95g/cm³
Solubility..... React with water
Heat of combustion..... No data available
Viscosity(dynamic)..... No data available

10. STABILITY AND REACTIVITY

10.1 General information

It is stored and disposed of, according to conventional industrial practices for non-hazardous reactions.

10.2 Chemical stability: Moisture sensitive.

10.3 Reactive

Conditions to avoid contact: Incompatible materials, ignition sources, excess heat, exposure to moist air.

Hazardous decomposition products: Carbon oxides and incomplete combustion of carbon compounds, silicon dioxide.

Dangerous polymerization: Polymerization may occur in the presence of water, strong oxidizing alcohols, oxidizing agents, and heavy metal salts.

11. TOXICOLOGICAL INFORMATION

11.1 Route of Exposure: Inhalation, skin contact and accidental ingestion.

11.2 Signs and Symptoms of Overexposure:

Harmful if inhaled. May be harmful if swallowed. Causing severe eye damage. May cause skin irritation.

11.3 Acute Toxicity:

Chemical Name	CAS No.	LD50 (Oral)	LD50 (Dermal)	LC50 (Inhalation)
Methyltrimethoxysilane	1185-55-3	12.3 ml/kg (Rat)	> 9,500 mg/kg (Rabbit)	> 42.1 mg/L (Rat; 6 Hrs Vapor)

Potential health effects

Inhalation: Be harmful. May cause respiratory irritation.

Ingestion: Be harmful to human body.

Skin: Be harmful if absorbed through the skin. May cause skin irritation.

Eyes: Cause eye irritation.

11.4 Chronic Toxicity

Organosilicon compounds generally have low toxicity.

11.5 Other Health Hazard Information

This material may release methanol in contact with moisture or moist air. Excessive methanol can lead to blindness and neurological effects.

12. ECOLOGICAL INFORMATION



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui

POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

12.1 Ecotoxicity:

The fish:	No data available
Toxicity to water fleas and other aquatic invertebrates:	No data available
The algae:	No data available

12.2 Residuality/degradability

The product is hydrolyzed in water or moist air, releasing methanol and organosilicon compounds.

12.3 Potential bioaccumulation (BCF): No data available

12.4 Mobility in Soil: No data available

12.5 Additional Environmental Information

Environmental hazards cannot be ruled out even in cases of professional treatment or disposal.

13. DISPOSAL CONSIDERATIONS

Product disposal:	Dispose of in accordance with local regulations.
Packaging disposal:	Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

Class of dangerous goods:	Class 3 Hazardous materials - flammable liquids
UN-Number (UN No.) :	UN1993
Packing group:	II
Proper Shipping Names:	Flammable liquids, N.O.S.
Technical name:	Methyl tri methoxy silane

15. REGULATORY INFORMATION

must comply with national and local regulations. Label, see the information in this document. Regulations on the safety administration of hazardous chemicals (promulgated by the state council on February 16, 2011) : relevant provisions are made for the safe use, production, storage, transportation, loading and unloading of hazardous chemicals.

16. OTHER INFORMATION

Prepared by Anhui moon technology co.ltd

(R) Indicates Registered Trademark

The information provided here is in good faith and it is assumed that the data listed above are correct. However, there is no basis, express or implied, for making adjustments according to the requirements of different regions. Compliance with federal, national, provincial or local regulations is the responsibility of the buyer/user. This list of information applies only to the shipping of products. Since the conditions of use of products are not controlled by our company, users have the obligation to determine the technology and conditions required for the safe use of chemicals. As information comes from different sources, we are not responsible for MSDS from other sources. If you have obtained our MSDS from non-us sources or you are not sure our MSDS is the current version, please contact us for a copy.

-End of Material Safety Data Sheet-