



# Anhui MOON Technology Co., Ltd.

Room 449, Building 3, 1151 Yanan South Road, Bengbu City, Anhui Province, China  
TEL, FAX: +86-552-2079969 POST CODE: 233000

## Moon Tech(R) D-70

### D-70

Anhui MOON Technology Co., Ltd. Version

: 2.0

Material Safety Data Sheet- According to GB / T 16483(2008), GB / T 17519(2013) establishment

#### 1. PRODUCT AND COMPANY IDENTIFICATION

##### 1.1 Chemical name

Chemical name: : DIBUTYL TIN DIACETATE

Commercial product name: D-70

##### 1.2 Usage

Industrial, intermediate chemical.

##### 1.3 Supplier information:

Manufacturer/distributor: ANHUI MOON TECHNOLOGY CO.,LTD

ADD:Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengbu City, Anhui Province, China

Postal code:233000

Tel/Fax: +86-552-2079969

##### 1.4 Revision date

2019.08.01

#### 2. HAZARDS IDENTIFICATION

##### 2.1 GHS Classify

|                                                 |              |
|-------------------------------------------------|--------------|
| physical hazards                                | Unclassified |
| health hazard                                   |              |
| acute toxicity ( Oral )                         | CLASS 2      |
| Skin corrosion/irritation                       | CLASS 2      |
| Serious damage/irritation to the eyes           | CLASS 2A     |
| Specific target organ toxicity--single contact; |              |
| Respiratory irritation                          | CLASS 3      |
| Environment damage                              | Unclassified |

##### 2.2 GHS Labels elements



##### Pictogram

Signal word

danger

##### Hazard statement(s)

H300

It will be death if swallowed.

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

|      |                                   |
|------|-----------------------------------|
| H315 | Cause skin irritation.            |
| H319 | Cause severe eye damage.          |
| H335 | May cause respiratory irritation. |

#### Precautionary statement(s)

##### precautionary measures

|      |                                                           |
|------|-----------------------------------------------------------|
| P261 | Avoid inhalation of dust/smoke/gas/smoke/steam/spray.     |
| P264 | Clean the skin thoroughly after operation.                |
| P270 | Do not eat, drink or smoke while using this product.      |
| P271 | Use outdoors or in well-ventilated areas only.            |
| P280 | Wear protective gloves/protective clothing/protective eye |

patches/protective masks.

##### Incident response

|                    |                                                                                                                                                           |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| P301 + P310        | If swallow: Call a detoxification center or see a doctor if                                                                                               |
|                    | uncomfortable.                                                                                                                                            |
| P302 + P352        | If on skin: rinse with plenty of soap and water.                                                                                                          |
| P305 + P351 + P338 | If into eyes: Wash carefully with water for a few minutes. If wearing contact lenses and can be easily removed, remove contact lenses. Continue to rinse. |
| P312               | Call a detoxification center or doctor if uncomfortable.                                                                                                  |
| P321               | Detail treatment (see first aid instructions provided on this label).                                                                                     |
| P330               | Rinsing your mouth.                                                                                                                                       |
| P304 + P340        | If inhaled: Move the patient to fresh air to rest and maintain a relaxed breathing posture.                                                               |
| P337 + P313        | If eye irritation persists: seek medical attention.                                                                                                       |
| P332 + P313        | In case of skin irritation: seek medical attention.                                                                                                       |
| P362               | Take off the contaminated clothes and wash them before reuse.                                                                                             |
| Safe storage       |                                                                                                                                                           |
| P405               | Storage must be locked                                                                                                                                    |

##### Waste disposal

|      |                                                               |
|------|---------------------------------------------------------------|
| P501 | Dispose of contents/containers according to local regulations |
|------|---------------------------------------------------------------|

#### 2.3 Other influences

chronic: Exposure limits for organotin compounds have been defined, the potential to minimize adverse effects on the body's immune function and central nervous system.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

#### 3.1 Chemical characterization (substance)

| Ingredients Name      | CAS No.   |
|-----------------------|-----------|
| DIBUTYL TIN DIACETATE | 1067-33-0 |

#### 3.2 Ingredients

| Chemical name         | CAS No.   | Concentration |
|-----------------------|-----------|---------------|
| DIBUTYL TIN DIACETATE | 1067-33-0 | ≥95.0%        |
| Acetic acid           | 64-19-7   | ≤5.0%         |

### 4. FIRST AID MEASURES

#### 4.1 General information

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### 4.2 After inhalation

Remove from exposure and move to fresh air immediately. If breathing is stopped, resuscitate quickly. If you have difficulty breathing, get oxygen immediately. Keep the patient warm, seek immediate medical attention in severe cases or if full recovery is not possible immediately.

#### 4.3 After contact with the skin

immediately. Wash gently with plenty of soap and water at least 15 minutes, remove or take off all contaminated clothing. Seek medical advice if skin damage or irritation persists. Use clothes after cleaning.

#### 4.4 After contact with the eyes

Filed eyelid, Wash gently with plenty of soap and water at least 15 minutes and seek medical.

#### 4.5 After swallowing

Ban vomiting. Never feed an unconscious person anything from his or her mouth. If the patient is conscious, gargle with water and drink 2-4 full glasses of milk or warm water. Seek medical if uncomfortable.

#### 4.6 Protection of emergency responders

Rescuers need to wear personal protective equipment, such as rubber gloves and air-tight goggles.

### 5. FIRE FIGHTING MEASURES

#### 5.1 Flash point

The flash point of the compound is greater than 110 °C.

#### 5.2 Suitable extinguishing media

Extinguish the fire with water spray, alcohol-resistant foam, dry powder or carbon dioxide.

#### 5.3 Specific hazards

Be careful, combustion or high temperature may decompose to produce toxic smoke.

#### 5.4 Specific method

Determine if evacuation or isolation of the area is necessary according to the local emergency plan. Keep containers exposed to fire cool by spraying.

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

#### 5.5 Special protective equipment for firemen

Be sure to wear personal protective equipment when the fire .

#### 6. Leakage emergency treatment

Use personal protective equipment . Prevent inhalation of vapors, aerosols or gases. Stay away from the source of the fire. Avoid eye contact. Wear a mask, make sure adequate ventilation , prevent inhalation of vapors, aerosols or gases. Avoid contact with spills . If safe and easy to operate, cut off the leak. Use sand, diatomite, acid adhesives, general adhesives, sawdust and other inert adsorption materials to absorb leakage. Collect as many leak handlers as possible in suitable labeled containers. Flush the leak area with water after treatment . Spill disposal must not be dumped into drains, ditches or drains. To prevent discharge into the surrounding environment.

#### 7. HANDLING AND STORAGE

##### 7.1 Precautions for operation and disposal

Keep container closed when not use , avoid contact with eyes, skin and clothing.

Prevent inhalation of vapor and smoke.

Avoid ingestion and inhalation.

No contact with water.

Avoid contact with air and steam , special instructions are required before use.

Make sure the work area is well ventilated or vented.

General fire protection measures, do not close to the source of fire.

No fire.

Keep away from heat and fire sources.

Rinse skin with soapy water after contact.

Empty containers may contain residues. Do not reuse or damage empty containers.

Stay away from food, drinks and feed.

Wash hands thoroughly after work.

##### 7.2 Storage

Seal the container . Store in a cool, dry, ventilated area away from non-coexisting materials . air inflation storage, sensitive to humidity . Avoid direct sunlight and moisture . Keep away from moisture, heat, sparks and flames. Stay away from strong base, strong oxidizer and fire sources . Should be stored separately from food chemicals . Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Don't eat in the work area. Wash your hands with soapy water before eating or drinking.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### 8.1 Exposure max limits

| Component | CAS No.   | Exposure max Limits                                       |
|-----------|-----------|-----------------------------------------------------------|
| DIBUTYL   | 1067-33-0 | NIOSH TWA 0.1 mg/m <sup>3</sup> IDLH 25 mg/m <sup>3</sup> |

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

|                      |         |                                                                                                                             |
|----------------------|---------|-----------------------------------------------------------------------------------------------------------------------------|
| TIN<br>DIACETAT<br>E |         | OSHA PEL: TWA 0.1 mg/m <sup>3</sup><br>ACGIH TLV: TWA 0.1 mg/m <sup>3</sup> , STEL 0.2 mg/m <sup>3</sup>                    |
| Acetic acid          | 64-19-7 | CHINA: TWA 10 mg/m <sup>3</sup> , STEL 20 mg/m <sup>3</sup> .<br>OSHA PEL: TWA 10 ppm<br>ACGIH TLV: TWA 10 ppm, STEL 15 ppm |

#### 8.2 Engineering control

#### 8.3 personal protection

Respiratory protection: gas mask。According to local and government regulations。

Hand protection: protective gloves。

Eye protection: safety goggles. Wear a mask if necessary。

Skin and body protection: protective clothing. Wear protective boots if necessary。

#### 8.4 Environment protection

Local ventilation

Recommended

Conventional ventilation

Recommended

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                     |                              |
|-----------------------------------------------------|------------------------------|
| Physical state/form.....                            | Liquid                       |
| Color.....                                          | Light yellow transparent     |
| pH.....                                             | No data available            |
| Boiling point.....                                  | 142~145°C (under 10mmHg)     |
| Melting point.....                                  | 7~10°C                       |
| Flash point.....                                    | >110°C                       |
| Molecular weight .....                              | 351.03g/mol                  |
| Refractive index n <sub>D</sub> <sup>25</sup> ..... | 1.470                        |
| Ignition temperature .....                          | No data available            |
| Oxidizing properties .....                          | No                           |
| Upper explosion limit .....                         | No data available            |
| Lower explosion limit .....                         | No data available            |
| Vapor pressure.....                                 | 1.3mmHg (25°C)               |
| Vapor density .....                                 | 12(air=1)                    |
| Density/relative density .....                      | 1.32g/cm <sup>3</sup> (25°C) |
| Solubility .....                                    | water-immiscible             |
| Heat of combustion .....                            | No data available            |
| Viscosity(dynamic).....                             | No data available            |

### 10. STABILITY AND REACTIVITY

#### 10.1 General information

It is stored and disposed of in accordance with conventional industrial practices for non-hazardous reactions。

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

**10.2 Chemical stability:** No data available

**10.3 Reactive**

Avoid contact conditions: Water, heat, fire, strong oxidizer, strong acid, strong base, moist air and steam.

Dangerous breakdown products: Carbon oxides, tin/tin oxide.

Dangerous aggregation: No dangerous polymerization occurs

## 11. TOXICOLOGICAL INFORMATION

**11.1 Route of Exposure:** Inhalation, skin contact and accidental ingestion.

**11.2 Signs and Symptoms of Overexposure:**

As we know, the chemical, physical and toxicological properties of the substance have not been fully sorted out. The material has great damage to the tissues of the mucous membranes and upper respiratory tract, eyes, and skin, causing spasms, inflammation, and edema, larynx, bronchi, pneumonia, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, cramps, inflammation and edema.

**11.3 Acute Toxicity:**

| Chemical Name            | CAS No.   | half lethal dose<br>LD50 (Oral) | half lethal dose LD50<br>(Dermal) | LC50<br>(Inhalation)               |
|--------------------------|-----------|---------------------------------|-----------------------------------|------------------------------------|
| DIBUTYL TIN<br>DIACETATE | 1067-33-0 | 32mg/kg(Rat)                    | 2318 mg/kg(Rabbit)                | 150 mg/m <sup>3</sup> /2H<br>(RAT) |

**Potential health effects**

**Inhalation** May be harmful by inhalation. May cause respiratory irritation.

**Ingestion:** Harmful if swallowed.

**Skin** It can be harmful if absorbed through the skin. May cause skin irritation.

**Eyes** Cause eye irritation.

**11.4 Chronic Toxicity**

No data available

**11.5 Other health hazard information**

RTECS number: WH6880000

## 12. ECOLOGICAL INFORMATION

**12.1 Ecotoxicity:**

Fish: medial lethal concentration (LC50) - Medaka - 3.76 mg/l - 48 h

Toxicity to water fleas and other aquatic invertebrates: No data available

Algae: Semi-lethal effective concentration of growth inhibition (EC50) -  
Skeletonema costatum - 0.035 mg/l - 72h

**12.2 Residuality/degradability**

No data available

**12.3 Potential bioaccumulation (BCF):** No data available

**12.4 Mobility in the soil:** No data available

# Anhui MOON Technology Co., Ltd.

## Material Safety Data Sheet

Revision Date: 2019-08-01

### Moon Tech(R) D-70

#### 12.5 Additional environmental information

Environmental hazards cannot be ruled out even in cases of professional treatment or disposal.

#### 13. Waste disposal

Product disposal: Handle properly according to local regulations.

Package disposal: Handle properly according to local regulations.

#### 14. TRANSPORT INFORMATION

Class: 8 (6.1)

UN-Number: 2922

Packing group: II

Proper Shipping Name: Corrosive liquid, toxic, N.O.S

Chemical name: DIBUTYL TIN DIACETATE

#### 15. REGULATORY INFORMATION

Must comply with national and local regulations. Label, see the information in this document.

《Regulations on safety management of hazardous chemicals》 (Issued by the state council in Feb., 16, 2011): Relevant provisions have been made for the safe use, production, storage, transportation, loading and unloading of hazardous chemicals.

#### 16. OTHER INFORMATION

Prepared by Anhui MOON Technology Co., Ltd. (R)

indicates Registered Trademark

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific materials designated herein and may not be valid for such materials used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text

-End of Material Safety Data Sheet-