



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China

TEL, FAX: +86-552-2079969 POST CODE: 233000

Material Safety Data Sheet

1.1 Name of substance/preparation

Commercial product name: D-130 (Si28)

Chemical name: Tetra ethoxy silane

1.2 Use of substance/preparation

Industrial, crosslinker for silicone sealant

1.3 Company information

Manufacturer/distributor: ANHUI MOON TECHNOLOGY CO.,LTD

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road

Zone Postal code/city/province/country: 233000, Bengbu city, Anhui province,China

Telephone: 0086-552-2079969

Fax: 0086-552-2079969

E-mail:

1.4 Revision date

2019.12.11

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

PHYSICAL HAZARDS

Flammable liquids Category 3

HEALTH HAZARDS

Skin corrosion/irritation Category 2

Acute toxicity (Inhalation) Category 4

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity Category 3

GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation

H371 May cause damage to organs.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

smoking.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves, eye protection.

P303 + P361 + P353 IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370 + P378 In case of fire: Use dry chemical, dry sand or foam to extinguish.

P403+P235 Store in a well-ventilated place. Keep container tightly closed. Store locked up.

P501 Dispose of contents and container in accordance with local, regional, national regulations

HMIS Classification

Health hazard: 2

Flammability: 2

Physical hazards: 1

NFPA Rating

Health hazard: 2

Fire: 2

Reactivity: 1

2.2 Other effects

Chronic: No information found.



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Chemical characterization (substance)

Ingredients Name	CAS No.	Chemical characteristics
Tetraethylsilicate	78-10-4	

3.2 Hazardous ingredients

Chemical name	CAS No.	Concentration
Tetraethylsilicate	78-10-4	≥99.0%
Ethyl alcohol	64-17-5	≤1%

4. FIRST AID MEASURES

4.1 General information

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

4.2 After inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

4.3 After contact with the skin

Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Call a POISON CENTER or doctor/physician.

4.4 After contact with the eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Call a POISON CENTER or doctor/physician.

4.5 After swallowing

Call a POISON CENTER or doctor/physician. Rinse mouth.

4.6 Protection of first-aider

A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

5. FIRE FIGHTING MEASURE

5.1 Flash point

Flash point is about 53 °C (Test method: closed cup)

5.2 Suitable extinguishing media

Dry chemical, foam, carbon dioxide.

5.3 Specific hazards during fire fighting

Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.

5.4 Special protective equipment for fire fighting

When extinguishing fire, be sure to wear personal protective equipment. Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so.



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

5.5 Additional advice

Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used.
Uninvolved persons should evacuate to a safe place.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid skin and eye contact. Avoid breathing vapor. Keep container closed. Do not take internally.

6.2 Environmental precautions

Use extra personal protective equipment (self-contained breathing apparatus).
Keep people away from and upwind of spill/leak. Ensure adequate ventilation.
Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

6.3 Methods for cleaning up

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7. HANDLING AND STORAGE

7.1 Handling

Precautions for safe handling

Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, and clothing. Avoid contact with skin and eyes. Keep container tightly closed. Avoid ingestion and inhalation. Use with adequate ventilation. Do not allow contact with water. Wash clothing before reuse.

Precautions against fire and explosion

Normal measures for preventive fire protection

7.2 Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Moisture sensitive.



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limits

Component	CAS No.	Exposure Limits
Tetraethylsilicate	78-10-4	ACGIH TLV(TWA) 10 ppm OSHA PEL(TWA) 100 ppm

8.2 Exposure in the work place limited and controlled

8.2.1 Exposure in the work place limited and controlled

Respiratory Protection: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. IH personnel can assist in judging the adequacy of existing engineering controls.

Suitable respirator: Organic Vapor Type.

Eye Protection: Under normal conditions, wear chemical safety glasses.

Hand protection: Chemical protective gloves should be worn.

Skin protection: Wash at mealtime and end of shift. Skin contact must be avoided by using impervious protective clothing (glove, aprons, boosted.) Use chemical protective gloves as a minimum and wash skin promptly upon any skin contact.

Hygiene Measures: Remove contaminated clothing immediately. Exercise good industrial hygiene practices. Wash after handling, especially before eating, ringing or smoking.

8.2.2 Exposure to the environment limited and controlled

Local Ventilation: Recommended

General Ventilation: Recommended

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state/form.....	Liquid
Color.....	Colorless
pH.....	No data available
Boiling point.....	168°C
Melting point.....	: -77°C
Flash point.....	53°C (tag closed cup)
Molecular weight.....	208.33g/mol
Ignition temperature.....	No data available
Oxidizing properties.....	No
Upper explosion limit.....	23% (V)
Lower explosion limit.....	1.3% (V)
Vapor pressure.....	No data available
Vapor density.....	No data available
Density/relative density.....	0.94g/cm ³ (25°C)
Solubility.....	React with water
Heat of combustion.....	No data available
Viscosity(dynamic).....	No data available



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

10. STABILITY AND REACTIVITY

10.1 General information

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Chemical stability: Moisture sensitive.

10.3 Reactive

Conditions to avoid: Incompatible materials, ignition sources, excess heat, exposure to moist air .

Decomposition products: Water, moisture or humid air can cause hazardous vapors to form. Can react with strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, silicon dioxide.

Hazardous polymerization: Hazardous polymerization may occur.

11. TOXICOLOGICAL INFORMATION

11.1 Route of Exposure: Inhalation, skin contact and accidental ingestion.

11.2 Signs and Symptoms of Overexposure:

May cause an allergic skin reaction.

11.3 Acute Toxicity:

Chemical Name	CAS No.	LD50 (Oral)	LD50 (Dermal)	LC50 (Inhalation)
Tetraethylsilicate	78-10-4	6,270mg/kg (Rat)	5,878 mg/kg (rabbit)	500mg/ l 24 hours (rabbit)

Skin corrosion/irritation

Skin - rabbit - Skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

11.4 Chronic Toxicity

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

11.5 Other Health Hazard Information: No data available.

12. ECOLOGICAL INFORMATION

12.1 Aquatic and Terrestrial Ecotoxicity

No data available.

12.2 Persistence and Degradability Water:

No data available..



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

12.3 Bioaccumulative Potential Bioaccumulation: No bioaccumulation potential.

12.4 Mobility in Soil: No data available.

12.5 Additional Environmental Information: No specific information

13. DISPOSAL CONSIDERATIONS

Product disposal: Dispose of in accordance with local regulations.

Packaging disposal: Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 Land transport regulations

Class..... 3
Packing group..... III
UN-Number..... 1292
Proper Shipping Name..... TETRAETHYL SILICATE
Technical name..... Tetraethylsilicate

14.2 Transport by sea

Class..... 3
Packing group..... III
UN-Number..... 1292
Proper Shipping Name..... TETRAETHYL SILICATE
Technical name..... Tetraethylsilicate

14.3 Transport by air

Class..... 3
Packing group..... III
UN-Number..... 1292
Proper Shipping Name..... TETRAETHYL SILICATE
Technical name..... Tetraethylsilicate

15. REGULATORY INFORMATION

15.1 National regulations

National and local regulations must be observed. For information on labeling please refer to section of this document.

15.2 Chemical inventories:

OSHA Hazards

Combustible Liquid, Target Organ Effect, Irritant

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA



Anhui Moon Technology Co., Ltd

Room 449, Building 3, Industrial Park, 1151 Yan'an South Road, Bengbu City, Anhui Province, China
TEL, FAX: +86-552-2079969 POST CODE: 233000

Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

16. OTHER INFORMATION

Prepared by Ahui Moon Technology Co.,Ltd.

(R) indicates Registered Trademark

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific materials designated herein and may not be valid for such materials used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

-End of Material Safety Data Sheet-