



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

MSDS

1 - Chemical and enterprise identification

1.1 Product identifier

Name of commodity MOON-V171
The product name Vinyl trimethoxy silane
CAS no. 2768-02-7

1.2 The use of the substance or mixture identified and the use not recommended industry:

Not for medical, domestic or other purposes.

1.3 Details of the safety technical specification provider

Manufacturer: Anhui Moon Technology Co. LTD
Address:
Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengbu City, Anhui Province, China
Tel/Fax: + 86-552-2079969
Post code:

1.4 Business emergency telephone

Emergency contact number: + 86-552-2079969

2 - Risk overview

2.1 GHS classification

Classification is based on (EC) No 1272/2008 [EU-GHS/CLP] regulation

Flammable liquids - Class 2
Acute toxicity, inhalation toxicity, class 4,
Percutaneous toxicity, class 5

2.2 Tag elements

(EC) No 1272/2008 [CLP] label



Pictograph of hazard types

The warning word: Dangerous

Dangerous statement

H225 Highly flammable liquids and vapors
H313 Skin contact may be harmful.
H332 Inhaling harmful

The warning states and precautions

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

P233	Keep the container closed.
P240	The container and the loading device are earthed/equipotential connected.
P241	USES explosion-proof electrical/ventilation/lighting equipment
P242	Only spark-free tools should be used.
P243	Measures shall be taken to prevent electrostatic discharge.
P261	Avoid inhalation of dust/smoke/gas/smoke/vapor/spray.
P271	Can only be used in a place with good ventilation for outdoor cargo.
P280	Wear protective gloves/goggles/masks.

Incident response

P303+P361+P353	In case of skin (or hair) contamination: remove all soiled clothing immediately. Rinse skin/shower with water.
P304+P340+P312	If inhaled by mistake: move to fresh air, keep breathing in a comfortable position, call emergency services/doctor if you feel unwell.
P312	If you feel unwell, call an emergency centre/doctor.
P370+P378	In case of fire: use dry sand, dry powder or anti-alcohol foam.

Safe storage

P403+P235	Store in a well-ventilated place. Keep it cold.
-----------	---

Waste disposal

P501	Send contents/containers to an approved waste treatment.
------	--



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

2.3 Other hazards - None

3 - Component/component information

- 3.1** Material is qualitative
- | | |
|----------------------|--|
| Alias: | Vinyl trimethoxy silane |
| Molecular formula | C ₅ H ₁₂ O ₃ Si |
| The molecular weight | 148.23 g/mol |
| Composition: | Vinyl trimethoxy silane |
| Concentration: | - |
| CAS-No.: | 2768-02-7 |
| EC-No. | 220-449-8 |
- 3.2 mixture**
- Uncorrelated

4 - First aid measures

4.1 Description of necessary first aid measures

General recommendations

Seek medical advice/treatment. Show this safety specification to the attending physician.

If inhaled

If inhaled, remove to fresh air. If you stop breathing, give artificial respiration. Consult a doctor.

In case of contact with skin

Rinse with soap and plenty of water. Please seek medical attention.

In case of contact with eyes

Flush thoroughly with plenty of water for at least 15 minutes and seek medical attention.

If case of eating by mistake

Never feed an unconscious person anything from his mouth. Rinse your mouth with water. Seek medical advice/treatment.

5 - Fire protection measures

5.1 Extinguishing media

Extinguishing method and extinguishing agent

Use water mist, alcohol-resistant foam, dry powder or carbon dioxide to extinguish fire.

5.2 A particular hazard arising from this substance or mixture

Carbon oxide, silicon dioxide

5.3 Prevention of fire fighters

Wear self-contained breathing apparatus (SCBA) to fight fires if necessary.

6 - Emergency response to leaks

6.1 Personnel prevention, protective equipment and emergency procedures

Use personal protective equipment. Prevent inhalation of steam, aerosol, or gas. Ensure adequate ventilation.

6.2 Environmental preventive measures

Take steps to prevent further leaks or spills under conditions that ensure safety. Don't let the product go down the drain. Prevent emissions into the surrounding environment.

6.3 Methods and materials for containment and removal of spillage

Absorbed with inert adsorbent and treated as hazardous waste. Store in a suitable enclosed processing container.

6.4 Refer to other sections

See Section 13 for discard disposal.



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

7 - Handling and storage

7.1 Precautions for safe operation

Avoid contact with skin and eyes.
Prevent inhalation of steam and smoke.
General fire protection measures.

7.2 Conditions for safe storage, including any incompatibility

Store in a cool place. Containers should be kept tightly closed and stored in a dry and ventilated place.
Open containers must be carefully resealed and held upright to prevent leakage.

7.3 Specific use

No relevant information

8 - Contact control/personal protection

8.1 Control parameters

Maximum permissible concentration

There is no known national exposure limit.

8.2 Exposure control

Appropriate technical controls

Operate according to industrial hygiene and safe use rules.
Wash your hands before breaks and at the end of work.

Personal protective equipment

Eye/face protection

Safety glasses with protective edgework meet the requirements of EN166. Use eye protection approved by official standards such as NIOSH (USA) or EN166 (EU).

Skin protection

Gloves must be inspected before use.

Remove gloves using appropriate methods (do not touch the outer surface of the gloves). Avoid any skin contact with this product.

After use, please handle contaminated gloves with care in accordance with relevant laws and regulations and effective laboratory procedures. Please clean and blow-dry the protective gloves selected by the hands must comply with EU 89/686/EEC regulations and its derived EN 376 standard.



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email: echo@ahmoontech.com TEL, FAX: +86-552-2079969

The body protection

The type of impermeable clothing and protective equipment must be selected based on the concentration and content of hazardous substances in a particular workplace.

Respiratory protection

If the hazard assessment indicates that air purification is required for a gas mask, use the all-in-one multifunctional gas mask (US) or ABEK (EN14387) gas mask cylinder as an alternative to engineering control. If a gas mask is the only means of protection, use a full-cover air supply gas mask. Respirators use respirators and parts that have been tested and passed government standards such as NIOSH (US) or CEN (EU).

9 - Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Colorless transparent liquid
Smell	No data available
Odor threshold	No data available
PH	No data available
Melting point/freezing point	-96.99° C at 101.3 hpa
Initial boiling point and boiling range	123° C - lit
Flash point	22 °C-Closed cup
The evaporation rate	No data available
Flammability (solid, gas)	No data available
The explosion limit	No data available
Vapor pressure	11.9 Hpa at 20°C
Relative vapor density	No data available
Relative density	0.968 g/cm ³ at 25 °C
Water soluble	No data available
Log of octyl alcohol/water partition Coefficient	No data available
Autoignition temperature	224°C at 101.3 hpa
Decomposition temperature	No data available
Viscosity	No data available
The oxidation performance	No data available

9.2 Other security data

No data available

10 - Stability and reactivity

10.1 Reactive

No data available

10.2 Chemical stability

No data available

10.3 The likelihood of a dangerous reaction

No data available

10.4 Conditions to avoid contact

Heat, flames and sparks

10.5 Incompatible materials

Heat, flames and sparks



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

11 - Toxicological information

11.1 Acute toxicity

No data available

Skin corrosion/irritation

Severe eye injury/eye irritation

Eyes - Rabbit - mild eye

Respiratory or skin allergies

No data available

Germ cells mutate

No data available

Carcinogenicity

IARC: No component greater than or equal to 0.1% of the product has been identified by IARC as a probable or confirmed human carcinogen.

The reproductive toxicity

No data available

Specific target organ systemic toxicity (primary exposure)

No data available

Specific target organ systemic toxicity (repeated exposure)

No data available

Inhalation risk

No data available

Potential health effects

Inhalation

May be harmful by inhalation.

May cause respiratory irritation.

Intake

It is harmful if taken.

Skin

It can be harmful if absorbed through the skin.

May cause skin irritation.

Eyes

Cause eye irritation.

Signs and symptoms after exposure

The substance may form siloxane polymers in the skin, eyes or lungs. If the fluid is in direct contact with these tissues, seek medical advice. To our knowledge, the chemical, physical and toxic properties have not been fully studied.

Additional instructions

RTECS: VV4025000

12 - Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradation

No data available

12.3 The potential for bioaccumulation

No data available

12.4 Migration in soil

No data available

12.5 Evaluation of PBT and vPvB results

No data available

12.6 Other adverse effects

No data available



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China
POST CODE: 233030 Email:echo@ahmoontech.com TEL,FAX: +86-552-2079969

13 - Waste disposal

13.1 Waste disposal method

Product

Hand over the remaining and unrecovered solutions to the disposal company. Contact a professional waste disposal authority to dispose of the material.

Contaminated containers and packaging

Dispose of as unused product.

14 - Transport information

14.1 The UN No.

European Land Hazard Regulations: 1993

International regulations on Dangerous Goods by sea: 1993

International regulations on Dangerous Goods by air: 1993

14.2 United Nations designation of transport

European land transport Hazard regulation : Flammable liquids, not otherwise specified

International regulations on Dangerous Goods by sea : Flammable liquids, not otherwise specified

International regulations on Dangerous Goods by air : Flammable liquids, not otherwise specified

14.3 Categories of transport hazards

European Land Hazard Regulations: 3

International regulations on Dangerous Goods by sea: 3

International regulations on Dangerous Goods by air: 3

14.4 Packaging category

European Land Hazard Regulations: II

International regulations on Dangerous Goods by sea:II

International regulations on Dangerous Goods by air: II

14.5 Environmental hazards

European Land Hazard Regulations: NO.

International regulations on Dangerous Goods by sea: NO.

International regulations on Dangerous Goods by air: NO.

14.6 Special precautions for users

No date available

15 - Regulatory information

This safety technical specification meets the requirements of (EC) No. 1907/2006

15.1 There is no data on regulations/regulations specifically governing the safety, health and environment of such substances or mixtures

15.2 Chemical safety assessment

No date available



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

16 - Other information

Further information:

The above information is considered to be correct, but does not contain all information and is used only as a guide. The information in this document is based on what we know so far and applies to this article for the purposes of correct safety tips. This information does not warrant the nature of the product. ANHUI MOON TECHNOLOGY CO.,LTD shall not be liable for any damage caused by any operation or contact with the aforesaid products. For more terms of use, see the reverse side of the invoice or package insert.

End -