
APPENDIX

APPENDIX A.1 POTENTIAL CONFLICT POINTS IN AN INTERSECTION



Name	Expression	d (intermediate variable)
d(1,2)	$r_6 \arccos\left(\frac{L+2b}{2r_6}\right)$	
d(1,3)	$r_6 \left[\arccos\left(\frac{d^2 - r_5^2 + r_6^2}{2dr_6}\right) - \arccos\left(\frac{L + 2b}{d}\right) \right]$	$\sqrt{(L+2b)^2 + (r_5 - L - b + 5a)^2}$
d(1,4)	$r_6 \sin^{-1}\left(\frac{b+3a}{r_6}\right)$	-
d(1,5)	$r_6 \left[\arccos\left(\frac{d^2 - r_4^2 + r_6^2}{2dr_6}\right) - \arccos\left(\frac{L + 2b}{d}\right) \right]$	$\sqrt{(L+2b)^2 + (r_4 - L - b + 5a)^2}$
d(1,6)	$r_{6}\arccos\left(\frac{{r_{7}}^{2}-{r_{6}}^{2}-d^{2}}{2dr_{6}}\right)$	$r_7 - 5a - b$
d(1,7)	$r_6 \left[\pi - \arccos\left(\frac{r_7^2 - r_6^2 - d^2}{2dr_6}\right) - \arccos\left(\frac{L + 2b}{d}\right) \right]$	$\sqrt{(L+2b)^2 + (R_7 - 5a - b)^2}$
d(1,8)	$r_6 \arccos\left(\frac{b+3a}{r_6}\right)$	-
d(1,9)	$r_6 \sin^{-1}\left(\frac{d^2 - r_4^2 + r_6^2}{2dr_6}\right)$	$r_4 + b + 5a$
d(1,10)	$r_6 \sin^{-1}\left(\frac{r_5^2 - r_6^2 - d^2}{2dr_6}\right)$	$r_5 + b + 5a$
d(1,11)	$r_6 \sin^{-1}\left(\frac{d}{r_6}\right)$	L + 2b
d(1,12)	$\frac{\pi r_6}{2}$	-
d(1,13)	$r_5 \left[\arccos(\frac{r_5 + 5a + b}{d}) - \arccos\left(\frac{d^2 - r_7^2 + r_5^2}{2dr_5}\right) \right]$	$\sqrt{(r_5+5a+b)^2+(r_7+a+b)^2}$
d(1,13)	$r_{5}\left[\arccos\left(\frac{r_{5}+5a+b}{d}\right)-\arccos\left(\frac{d^{2}-r_{7}^{2}+r_{5}^{2}}{2dr_{5}}\right)\right]$	$\sqrt{(r_5+5a+b)^2+(r_7+a+b)^2}$
d(1,14)	$r_{5}\arccos\left(\frac{d^{2}-r_{6}^{2}+r_{5}^{2}}{2dr_{5}}\right)$	$r_5 + 5a + b$
d(1,15)	$r_{\rm S}\left[\arccos\left(\frac{d}{r_{\rm s}}\right) - \arccos\left(\frac{r_{\rm S} + 5a + b}{d}\right)\right]$	$\sqrt{(r_5+5a+b)^2+(r_5-L+5a-b)^2}$
d(1,16)	$r_5 \arcsin\left(\frac{b+3a}{r_5}\right)$	-
d(1,17)	$r_{\rm S} \left[\arccos \left(\frac{d^2 - r_4^2 + r_5^2}{2dr} \right) - \arccos \left(\frac{r_5 + 5a + b}{d} \right) \right]$	$\sqrt{(r_5+5a+b)^2+(r_4-L-b+5a)^2}$
d(1,18)	$r_{5} \left[\pi - \arccos\left(\frac{r_{7}^{2} - r_{5}^{2} - d^{2}}{2dr_{5}}\right) - \arctan\left(\frac{r_{7} - 5a - b}{r_{7} + 5a + b}\right) \right]$	$\sqrt{(r_5 + 5a + b)^2 + (r_7 - 5a - b)^2}$
d(1,19)	$r_{5}\arccos\left(\frac{r_{5}-b-4a}{r_{c}}\right)$	-
d(1,20)	$r_{5} \left[\arccos\left(\frac{r_{5} - L + 5a - b}{d}\right) - \arccos\left(\frac{d}{2r}\right)\right]$	$\sqrt{(r_5-L+5a-b)^2+(r_5+5a+b)^2}$
d(1,21)	$r_{5}\left[\arccos\left(\frac{r_{5}-L+5a-b}{d}\right)-\arccos\left(\frac{d^{2}-r_{6}^{2}+r_{5}^{2}}{2d^{2}}\right)\right]$	$\sqrt{(r_5 - L + 5a - b)^2 + (r_6 + 5a + b)^2}$
d(1,21)	$r_{\text{S}} = \left(\frac{d}{d} \right) \left(\frac{2d^2}{r_{\text{S}}} \right)$	$r_5 - L + 6a + r_7$
d(1,23)	$r_{5} \left[\frac{\pi}{2} - \arccos\left(\frac{d^{2} - r_{3}^{2} + r_{5}^{2}}{2dr_{5}} \right) + \arctan\left(\frac{r_{3} - 6a - r_{5} + L}{L + 2b}\right) \right]$	$\sqrt{(L+2b)^2 + (r_3 - r_5 + L - 6a)^2}$
d(1,24)		γ(2 2D) (1 ₃ 1 ₅ 2 3α)
d(1,25)	r_5 $r_4 \left[\arccos\left(\frac{r_4 + 5a + b}{d}\right) - \arccos\left(\frac{d^2 - r_7^2 + r_4^2}{2dr_*}\right) \right] *$	$\sqrt{(r_4+5a+b)^2+(r_7+a+b)^2}$
d(1,26)	$\frac{1}{4}\left[11\cos(d-d-d-d-d-d-d-d-d-d-d-d-d-d-d-d-d-d-d-$	$r_4 + 5a + b$ $r_4 + 5a + b$
	$r_{4} \left[\arccos\left(\frac{d^{2} - r_{5}^{2} + r_{4}^{2}}{2dr_{5}}\right) - \arccos\left(\frac{r_{4} + 5a + b}{d}\right) \right]$	
d(1,27)	$r_{4}\left[\arccos\left(\frac{d}{2dr_{5}}\right) - \arccos\left(\frac{d}{d}\right)\right]$ $r_{4}\left[\arccos\left(\frac{d}{r_{2}}\right) - \arccos\left(\frac{r_{4} + 5a + b}{d}\right)\right]$	$\sqrt{(r_4 + 5a + b)^2 + (r_5 - L - b + 5a)^2}$
d(1,28)	1 (75) (2 /1	$\sqrt{(r_4 + 5a + b)^2 + (r_4 - L - b + 5a)^2}$
d(1,29)	$r_{4} \left[\pi - \arccos\left(\frac{r_{7}^{2} - r_{4}^{2} - d^{2}}{2dr_{4}}\right) - \arctan\left(\frac{r_{7} - 5a - b}{r_{4} + 5a + b}\right) \right]$ $\left(r_{7}^{2} - r_{4}^{2} - d^{2}\right)$	$\sqrt{(r_4 + 5a + b)^2 + (r_7 - 5a - b)^2}$
d(1,30)	$r_{4}\arccos\left(\frac{r_{7}^{2}-r_{4}^{2}-d^{2}}{2dr_{4}}\right)$ $r_{4}-r_{5}-r_{5}-r_{5}$	$(r_7 - 5a - b) - (r_4 - L + 5a - b)$
d(1,31)	$r_4 \left[\arccos\left(\frac{r_4 - L + 5a - b}{d}\right) - \arccos\left(\frac{d}{2r_4}\right) \right]$ $\left[(r_4 - L + 5a - b) - \frac{d^2 - r_4^2 + r_4^2}{2r_4^2} \right]$	$\sqrt{(r_4 - L + 5a - b)^2 + (r_4 + 5a + b)^2}$
d(1,32)	$r_4 \left[\arccos \left(\frac{r_4 - L + 5a - b}{d} \right) - \arccos \left(\frac{d^2 - r_5^2 + r_4^2}{2dr_4} \right) \right]$	$\sqrt{(r_4 - L + 5a - b)^2 + (r_5 + 5a + b)^2}$
d(1,33)	$r_4 \left[\arccos \left(\frac{r_4 - L + 5a - b}{d} \right) - \arccos \left(\frac{d^2 - r_6^2 + r_4^2}{2d^2} \right) \right]$	$\sqrt{(r_4 - L + 5a - b)^2 + (r_6 + 5a + b)^2}$
d(1,34)	$r_4 \arccos\left(\frac{r_4 - L + 5a + 3b}{r_4}\right)$	-
d(1,35)	$r_4 \arccos(\frac{d^2 - r_7^2 + r_4^2}{2d^2})$	$r_4 - L + 6a + r_7$
d(1,36)	$r_{5}\left[\frac{\pi}{2} - \arccos\left(\frac{d^{2} - r_{3}^{2} + r_{4}^{2}}{2dr_{4}}\right) + \arctan\left(\frac{r_{3} - 6a - r_{4} + L}{L + 2b}\right)\right]$	$\sqrt{(L+2b)^2+(r_3-6a-r_4+L)^2}$
d(1,37)	$r_4 \left[\frac{\pi}{2} - \arccos\left(\frac{d^2 - r_2^2 + r_4^2}{2dr_4}\right) - \arctan\left(\frac{r_4 - L + 6a - r_2}{L + 2b}\right) \right]$	$\sqrt{(L+2b)^2 + (r_4 - L + 6a - r_2)^2}$
d(1,38)	$r_4\arccos\left(\frac{r_4-L+5a-b}{r_4}\right)$	-
d(39,40)	$r_7 \left[\arcsin \left(\frac{L}{r_7} \right) - \arccos \left(\frac{d}{r_7} \right) + \arccos \left(\frac{r_7 - 5a - b}{d} \right) \right]$	$\sqrt{(r_7 - 5a - b)^2 + (r_7 - 5a - b)^2}$
d(39,41)	$r_7 \left[\arcsin\left(\frac{L+2b}{r_7}\right) - \arcsin\left(\frac{L-3a+b}{r_7}\right) \right]$	-
d(39,42)	$r_7 \left[\arccos\left(\frac{r_7^2 - r_6^2 + d^2}{2dr_7}\right) - \arcsin\left(\frac{L + 2b}{d}\right) + \arcsin\left(\frac{L + 2b}{r_7}\right) \right]$	$\sqrt{(L+2b)^2 + (r_7 - 5a - b)^2}$
d(39,43)	$r_7\left[\arcsin\left(\frac{L+2b}{r_7}\right) - \arcsin\left(\frac{r_5+5a+b}{d}\right) + \arccos\left(\frac{r_7^2 - r_5^2 + d^2}{2dr_7}\right)\right]$	$\sqrt{(r_5 + 5a + b)^2 + (r_7 - 5a - b)^2}$
d(39,44)	$r_7 \left[\arccos\left(\frac{r_7^2 - r_4^2 + d^2}{2dr_7}\right) - \arcsin\left(\frac{r_4 + 5a + b}{d}\right) + \arcsin\left(\frac{L + 2b}{r_7}\right) \right]$	$\sqrt{(r_4 + 5a + b)^2 + (r_7 - 5a - b)^2}$
d(39,45)	$r_7 \left[\arcsin \left(\frac{L+2b}{r_7} \right) - \arccos \left(\frac{r_7^2 - r_4^2 + d^2}{2dr_7} \right) \right]$	$r_7 - r_4 + L - 10a$
d(39,46)	$r_7 \left[\arcsin\left(\frac{L+2b}{r_7}\right) - \arccos\left(\frac{r_7^2 - r_5^2 + d^2}{2dr_7}\right) \right]$	$r_7 - r_5 + L - 10a$
	L ` '/ ' \ 2417 /]	

```
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right)-\arcsin\left(\frac{3a+b}{r_{7}}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right)-\arccos\left(\frac{d^{2}-r_{5}^{2}+r_{7}^{2}}{2dr_{7}}\right)-\arctan\left(\frac{r_{5}+5a-L-b}{r_{7}-5a+L+b}\right)\right]
r_{7}\arcsin\left(\frac{L+2b}{r_{7}}\right)
d(39,48)
d(39,49)
                                                                                                                                                                                                                                                                                                                                                                                \sqrt{(r_5-L+5a-b)^2+(r_7-5a+L+b)^2}
d(39,50)
                                                                                                                                           r_7 + a + b - \sqrt{r_7^2 - (3a + b)^2}
 d(39,51)
d(39,52)
                                                                                                                                                                         3a + b
d(39.53)
                                                                                                                                          \sqrt{r_7^2 - (3a+b)^2} - r_7 + 5a + b
                                                                                                                                                            \sqrt{r_6^2 - (3a+b)^2}
d(39,54)
                                                                                                                                      \sqrt{r_5^2 - (3a+b)^2} - r_5 + L - 5a + b
d(39.55)
d(39,56)
                                                                                                                                      \sqrt{r_4^2 - (3a+b)^2} - r_4 + L - 5a + b
d(39,57)
                                                                                                                                                L + 2b - \sqrt{r_6^2 - (3a + b)^2}
                                                                                                                               r_7 + L - 5a + b - \sqrt{r_7^2 - (L - 3a + b)^2}
d(39,58)
d(39,59)
                                                                                                                                                                    L+b-3a
d(39.60)
                                                                                                                                  \sqrt{r_7^2 - (L - 3a + b)^2} - r_7 + b + L - a
d(39,61)
                                                                                                                  L + 2b - [\sqrt{r_4{}^2 - (L - 3a + b)^2} - r_4 + b + L - 5a]
                                                                                                                              L + 2b - [\sqrt{r_3^2 - (3a + b)^2} - r_3 + a + b]
d(39.62)
d(39,63)
                                                                                                     r_7\left[\arcsin\left(\frac{L+2b}{r_7}\right)-\arccos\left(\frac{d}{r_7}\right)+\arctan(\frac{r_7+a-L-b}{r_7+a+b})\right]
d(39,64)
                                                                                        r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arccos\left(\frac{d}{r_{9}}\right) + \arctan\left(\frac{r_{7}+a+b}{r_{7}+a+b}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arcsin\left(\frac{L-3a+b}{r_{7}}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arccos\left(\frac{d^{2}-r_{4}^{2}+r_{7}^{2}}{2dr_{7}}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arccos\left(\frac{d^{2}-r_{5}^{2}+r_{7}^{2}}{2dr_{7}}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arccos\left(\frac{d^{2}-r_{5}^{2}+r_{7}^{2}}{2dr_{7}}\right)\right]
r_{7}\left[\arccos\left(\frac{d^{2}-r_{5}^{2}+r_{7}^{2}}{2dr_{7}}\right) - \arcsin\left(\frac{r_{5}+5a+b}{d}\right) + \arcsin\left(\frac{L+2b}{r_{7}}\right)\right]
r_{7}\left[\arccos\left(\frac{d^{2}-r_{4}^{2}+r_{7}^{2}}{2dr_{7}}\right) - \arcsin\left(\frac{r_{4}+5a+b}{d}\right) + \arcsin\left(\frac{L+2b}{r_{7}}\right)\right]
r_{7}\left[\arcsin\left(\frac{L+2b}{r_{7}}\right) - \arccos\left(\frac{d}{r_{7}}\right) + \arccos\left(\frac{r_{7}+b+a+b}{d}\right)\right]
                                                                                                                                                                                                                                                                                                                                                                                         \sqrt{(r_7 + a - L - b)^2 + (r_7 + a + b)^2}
d(39,65)
d(39,66)
                                                                                                                                                                                                                                                                                                                                                                                                                  r_4 - L + r_7 + 6a
d(39,67)
                                                                                                                                                                                                                                                                                                                                                                                                                 r_5 - L + r_7 + 6a
d(39,68)
                                                                                                                                                                                                                                                                                                                                                                                                                 r_6 - L + 6a + r_7
                                                                                                                                                                                                                                                                                                                                                                                            \sqrt{(r_5+5a+b)^2+(r_7+a+b)^2}
d(39.69)
                                                                                                                                                                                                                                                                                                                                                                                            \sqrt{(r_4+5a+b)^2+(r_7+a+b)^2}
d(39,70)
                                                                                                                                                                                                                                                                                                                                                                                        \sqrt{(r_7-L+a-b)^2+(r_7-5a-b)^2}
d(39.71)
                                                                                                                                  r_7 \left[ \arcsin \left( \frac{L+2b}{r_7} \right) - \arcsin \left( \frac{3a+b}{r_7} \right) \right]
                                                                                        \begin{split} r_7 \left[ \arcsin\left(\frac{L+2b}{r_7}\right) - \arcsin\left(\frac{5a+b}{r_7}\right) \right] \\ r_7 \left[ \arcsin\left(\frac{L+2b}{r_7}\right) - \arccos\left(\frac{r_7-L+a-b}{d}\right) + \arccos\left(\frac{d}{r_7}\right) \right] \\ r_7 \left[ \arcsin\left(\frac{L+2b}{r_7}\right) - \arccos\left(\frac{d^2-r_3^2+r_2^2}{2dr_7}\right) + \arccos\left(\frac{r_7+a+b}{d}\right) \right] \\ r_7 \left[ \arcsin\left(\frac{L+2b}{r_7}\right) - \arccos\left(\frac{r_2^2-r_2^2+d^2}{2dr_7}\right) + \arccos\left(\frac{r_7+a+b}{d}\right) \right] \\ r_7 \left[ \arcsin\left(\frac{L+2b}{r_7}\right) - \arccos\left(\frac{d^2-r_3^2+r_3^2}{2dr_3}\right) - \arcsin\left(\frac{r_3-a-b}{d}\right) \right] \\ r_3 \left[ \frac{\pi}{2} - \arccos\left(\frac{d^2-r_3^2+r_3^2}{2dr_3}\right) - \arccos\left(\frac{L+2b}{d}\right) \right] \\ r_3 \arcsin\left(\frac{3a+b}{r_3}\right) \\ r_3 \left[ \frac{\pi}{2} - \arccos\left(\frac{d^2-r_3^2+r_3^2}{2dr_3}\right) - \arccos\left(\frac{L+2b}{d}\right) \right] \\ r_3 \arcsin\left(\frac{5a+b}{r_3}\right) \\ r_3 \arcsin\left(\frac{5a+b}{r_3}\right) \\ \end{split}
d(39,72)
d(39,73)
                                                                                                                                                                                                                                                                                                                                                                                        \sqrt{(r_7-L+a-b)^2+(r_7+a+b)^2}
                                                                                                                                                                                                                                                                                                                                                                                             \sqrt{(r_3-a-b)^2+(r_7+a+b)^2}
d(39,74)
d(39,75)
                                                                                                                                                                                                                                                                                                                                                                                              \sqrt{(r_2-a-b)^2+(r_7+a+b)^2}
d(39.76)
d(77,78)
                                                                                                                                                                                                                                                                                                                                                                                           \sqrt{(r_3-a-b)^2+(r_7+a+b)^2}
d(77.79)
                                                                                                                                                                                                                                                                                                                                                                                     \sqrt{((r_3-r_4+L-6a))^2+(L+2b)^2}
d(77,80)
                                                                                                                                                                                                                                                                                                                                                                                        \sqrt{(r_3-r_5+L-6a)^2+(L+2b)^2}
d(77,81)
d(77,82)
                                                                                                            r_2 \left[ \frac{\pi}{2} - \arccos\left(\frac{d^2 - r_7^2 + r_2^2}{2dr_2}\right) - \arccos\left(\frac{r_7 + a + b}{d}\right) \right]
d(77.83)
                                                                                                                                                                                                                                                                                                                                                                                            \sqrt{(r_2-a-b)^2+(r_7+a+b)^2}
                                                                                                               r_2 \left[ \frac{\pi}{2} - \arccos\left(\frac{d^2 - r_4^2 + r_2^2}{2dr_2}\right) + \arccos\left(\frac{L + 2b}{d}\right) \right]
d(77.84)
                                                                                                                                                                                                                                                                                                                                                                                        \sqrt{(r_2-r_4+L-6a)^2+(L+2b)^2}
                                                                                                                                                         r_2 \arcsin\left(\frac{3a+b}{r_2}\right)
d(77,85)
d(77.86)
```

		S1			S2			S3			E1			E2			E3			N1			N2			N3			W1			W2			W3		
		W1	W2	W3	N1	N2	N3	E1	E2	E3	S1	S2	S3	W1	W2	W3	N1	N2	N3	E1	E2	E3	S1	S2	S3	W1	W2	W3	N1	N2	N3	E1	E2	E3	S1	S2	S3
S1	W1	2	2	2	0	0	0	0	0	0	6	6	6	5	0	0	0	0	0	0	0	0	5	5	5	7	0	0	6	6	6	5	5	5	0	0	0
	W2	2	2	2	0	0	0	0	0	0	6	6	6	5	5	0	0	0	0	0	0	0	5	5	5	7	7	0	6	6	6	5	5	5	0	0	0
	W3	2	2	2	0	0	0	0	0	0	6	6	6	5	5	5	0	0	0	0	0	0	5	5	5	7	7	7	6	6	6	5	5	5	0	0	0
S2	N1	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	0	0	4	4	4	0	0	0	0	0	0	7	7	7	3	3	3	0	0	0
	N2	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	7	0	4	4	4	0	0	0	0	0	0	0	7	7	3	3	3	0	0	0
	N3	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	7	7	4	4	4	0	0	0	0	0	0	0	0	7	3	3	3	0	0	0
S3	E1	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	6	6	6	0	0	0	0	0	0	0	0	0	5	5	5	0	0	0
	E2	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	0	6	6	0	0	0	0	0	0	0	0	0	0	5	5	0	0	0
	E3	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0
E1	S1	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	0	0	0	0	0	0	0	0	5	5	5	7	0	0
	S2	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	5	0	0	0	0	0	0	0	5	5	5	7	7	0
	S3	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	5	5	0	0	0	0	0	0	5	5	5	7	7	7
E2	W1	7	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	0	0	4	4	4	0	0	0	0	0	0
	W2	0	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	7	0	4	4	4	0	0	0	0	0	0
	W3	0	0	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	4	4	4	3	3	3	7	7	7	4	4	4	0	0	0	0	0	0
E3	N1	0	0	0	5	5	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	6	6	6	0	0	0	0	0	0
	N2	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	0	6	6	0	0	0	0	0	0
	N3	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0
N1	E1	0	0	0	5	5	5	7	0	0	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	0	0	0	0	0
	E2	0	0	0	5	5	5	7	7	0	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	5	0	0	0	0
	E3	0	0	0	5	5	5	7	7	7	6	6	6	5	5	5	0	0	0	2	2	2	0	0	0	0	0	0	6	6	6	5	5	5	0	0	0
N2	S1	4	4	4	0	0	0	0	0	0	7	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	5	5	5	3	3	3	7	0	0
	S2	4	4	4	0	0	0	0	0	0	0	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	5	5	5	3	3	3	7	7	0
	S3	4	4	4	0	0	0	0	0	0	0	0	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0	5	5	5	3	3	3	7	7	7
N3	W1	6	6	6	0	0	0	0	0	0	0	0	0	5	5	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0
	W2	0	6	6	0	0	0	0	0	0	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0
	W3	0	0	6	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	0	0
W1	N1	6	6	6	5	0	0	0	0	0	0	0	0	5	5	5	7	0	0	6	6	6	4	4	4	0	0	0	2	2	2	0	0	0	0	0	0
	N2	6	6	6	5	5	0	0	0	0	0	0	0	5	5	5	7	7	0	6	6	6	4	4	4	0	0	0	2	2	2	0	0	0	0	0	0
	N3	6	6	6	5	5	5	0	0	0	0	0	0	5	5	5	7	7	7	6	6	6	4	4	4	0	0	0	2	2	2	0	0	0	0	0	0
W2	E1	4	4	4	3	3	3	7	0	0	4	4	4	0	0	0	0	0	0	7	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0
	E2	4	4	4	3	3	3	7	7	0	4	4	4	0	0	0	0	0	0	0	7	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0
	E3	4	4	4	3	3	3	7	7	7	4	4	4	0	0	0	0	0	0	0	0	7	3	3	3	0	0	0	0	0	0	1	1	1	0	0	0
W3	S1	0	0	0	0	0	0	0	0	0	6	6	6	0	0	0	0	0	0	0	0	0	5	5	5	0	0	0	0	0	0	0	0	0	2	2	2
	S2	0	0	0	0	0	0	0	0	0	0	6	6	0	0	0	0	0	0	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	2	2	2
	S3	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	2	2	2

APPENDIX C. THE CROSSING STRATEGY OF AN AV

```
// n is the amount of preceding vehicles.
// t<sub>0</sub> is the initial time.
// ET is the fastest entry time of the vehicle arriving at the intersection without delay.
// v<sub>0</sub>, v<sub>E</sub>, v<sub>C</sub> are the initial speed, entry speed, and limited speed, respectively
Begin

Calculate the fastest entry time ET of the new incoming CAV by Eq. (9);
Initialize the permissive entry time ET ← ET;
For k = 1 to n Do

If its spatial trajectory is in conflict with that of the preceding vehicle k Then

If ET<sub>k</sub> − ζ<sup>L</sup> < ET<sub>k</sub> < ET<sub>k</sub> − ζ<sup>U</sup>, where ζ<sup>L</sup>, ζ<sup>U</sup> ∈ {ζ<sub>1</sub>, ζ<sub>2</sub>, ζ<sub>3</sub>, ζ<sub>4</sub>, ζ<sub>5</sub>} Then

ET<sub>k</sub> ← ET<sub>k</sub> − ζ<sup>U</sup>;
End if
End for
End
```

APPENDIX D. COMPUTATION EXPRESSIONS OF RADIUS IN AN UNSIGNALIZED INTERSECTION

Name	Expression
r_1	b + a
r_2	$[(b+a)^2 + (b+3a)^2]/(2a+2b)$
r_3	$[(b+a)^2 + (b+5a)^2]/(2a+2b)$
r_4	$[(L-5a+b)^2+(L-a+b)^2]/(2L+2b-10a)$
r_5	$[(L-5a+b)^2+(L-3a+b)^2]/(2L+2b-10a)$
r_6	L+b-5a
r_7	$a + (L+2b)^2/4a$