

SQL复杂查询

```
select sum(Fbje) from TradeTest where (FBje/FBs1)/ (select FBje/FBs1 from TradeTest where FDate = FDate -5) ;
select FBje/FBs1
```

```
SELECT SUM(D.FBje)/(SELECT SUM(FBje) FROM TradeTest WHERE FDate <=SYSDATE- interval '5' day) FROM
(SELECT A.FZqdm FROM
(SELECT SUM(FBje)/SUM(FBs1) AS RATIO,FZqdm FROM TradeTest WHERE FDate = SYSDATE GROUP BY FZqdm) A INNER JOIN
(SELECT SUM(FBje)/SUM(FBs1) AS RATIO,FZqdm FROM TradeTest WHERE FDate = SYSDATE- interval '5' day GROUP BY FZqdm) B
A.FZqdm=B.FZqdm WHERE A.RATIO>B.(RATIO)*1.05 OR A.RATIO<B.(RATIO)*0.95) C INNER JOIN TradeTest D ON C.FZqdm = D.FZqdm WHERE
D.FDate <=SYSDATE- interval '5' day;
```

```
SELECT COUNT(D.FBje)/(SELECT SUM(FBje) FROM TradeTest WHERE FDate <=SYSDATE- interval '5' day) FROM
(SELECT A.FZqdm FROM
(SELECT FBje/FBs1 AS RATIO,FZqdm FROM TradeTest WHERE FDate = SYSDATE GROUP BY FZqdm) A INNER JOIN
(SELECT FBje/FBs1 AS RATIO,FZqdm FROM TradeTest WHERE FDate = SYSDATE- interval '5' day GROUP BY FZqdm) B A.FZqdm=B.FZqdm WHERE
A.RATIO>B.(RATIO)*1.05 OR A.RATIO<B.(RATIO)*0.95) C INNER JOIN TradeTest D ON C.FZqdm = D.FZqdm WHERE D.FDate <=SYSDATE- interval
'5' day;
```